

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 336 602 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
20.08.2003 Bulletin 2003/34

(51) Int Cl.7: **C07C 205/00, A61K 31/00**

(21) Application number: **02425075.5**

(22) Date of filing: **13.02.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(71) Applicant: **Scaramuzzino, Giovanni**
20052 Monza (Milano) (IT)

(72) Inventor: **Scaramuzzino, Giovanni**
20052 Monza (Milano) (IT)

(54) **Nitrate prodrugs able to release nitric oxide in a controlled and selective way and their use for prevention and treatment of inflammatory, ischemic and proliferative diseases**

(57) New pharmaceutical compounds of general formula (I): $F-(X)_q$ where q is an integer from 1 to 5, preferably 1; -F is chosen among drugs described in the text, -X is chosen among 4 groups -M, -T, -V and -Y as described in the text.

The compounds of general formula (I) are nitrate prodrugs which can release nitric oxide in vivo in a controlled and selective way and without hypotensive side

effects and for this reason they are useful for the preparation of medicines for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems.

EP 1 336 602 A1

MC084
#20

Description

[0001] The present invention relates to new nitrate prodrugs which can release nitric oxide in vivo in a controlled and selective way and without the side effects typical of nitrate vasodilators drugs.

[0002] In fact, contrary to any expectation, the prodrugs of this invention can release nitric oxide in a controlled way thanks to their slow absorption in vivo.

[0003] Furthermore the prodrugs of the invention release nitric oxide in a specific way because they can exploit the specific carrier of erythrocytes.

[0004] The prodrugs of the invention are devoid of the side effects typical of nitrate vasodilators drugs (e.g. nitroglycerine, isosorbide mononitrate) used for the treatment of angina pectoris. These effects, like orthostatic hypotension, migraine and dizziness, are linked to the vasorelaxant properties of nitric oxide which, besides the benefits for the treatment of angina, causes this side effects if released in an uncontrolled way.

[0005] Surprisingly the prodrugs of the invention can exploit the advantages of a controlled and selective release of nitric oxide without side effects for several diseases and they have a better activity and/or fewer side effects than the original drugs.

[0006] For all these reasons the prodrugs of this invention are useful for a chronic, controlled and selective administration of nitric oxide and therefore for the preparation of medicines for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems.

[0007] One has been trying to exploit the therapeutical properties of nitric oxide for many years but the problems to solve are many and, at this time, not yet solved.

[0008] The main problems are the very short half-life of nitric oxide that is 3-5 seconds, its aspecificity of action and most of all the necessity to control strictly the quantity of nitric oxide released. This last problem is particularly important because nitric oxide has often effects which are even opposite, according to the quantity released in the time.

[0009] In fact nitric oxide is produced in our body by three isoenzymes called neuronal (nNOS), endothelial (eNOS) and inducible (iNOS) nitric oxide synthetases.

[0010] While the nitric oxide produced by eNOS has antiinflammatory and antiapoptotic activity, the nitric oxide produced by iNOS has opposite effects because it is produced in a great quantity and in a short time, favouring the formation of peroxynitrites and other compounds which are very cytotoxic for tissues («The dual personality of NO», Colasanti M. et al, Trends in Pharmaceutical Sciences, 21, 2000, 249-253).

[0011] Furthermore, for the same reason and on the contrary of eNOS, iNOS enzyme causes a marked hypotension.

[0012] Also an uncontrolled administration of a nitric oxide-donor (NO-donor) can cause several side effects due to the vasorelaxant activity of nitric oxide, which causes orthostatic hypotension, migraine and dizziness if released excessively (see for example Goodman & Gilman "The Pharmaceutical Basis of Therapeutics", 9th Ed., 1996).

[0013] Recently some researchers (Patel et al, J. Biol. Chem., 274,22;15487-15492 ; Woltzt et al, J. Biol. Chem., 274,41,28983-28990) have discovered how nitric oxide could be carried in the body despite its very short half-life.

[0014] It can bind itself to hemoglobin of erythrocytes giving two products (Hb(Fe(II))NO and SNO-Hb). Only SNO-Hb is active that is it can nitrosylate important cysteine groups of many proteins modifying so their activity.

[0015] Furthermore it has been suggested that, thanks to this interaction, nitric oxide could have some specificity of action because hemoglobin releases nitric oxide only in vascular districts having very low partial pressure of oxygen that is in hypoxic, ischemic and inflamed districts.

[0016] Furthermore nitric oxide can be transferred into every cell because hemoglobin can donate it to glutathione producing nitrosogluthathione (GSNO) which is stable (Spencer et al, J. Biol. Chem., 275,47,36562-36567).

[0017] The beneficial activities of the nitric oxide released by eNOS enzyme are several and known (see for example "Nitric Oxide", Handbook of Experimental Pharmacology, Vol. 143, 2000, Ed. Springer-Verlag, pag. 1-655). Therefore controlled doses or controlled concentrations of nitric oxide, like those released by eNOS enzyme, can carry out some pharmacological activities which are potentially useful for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems.

[0018] The release of nitric oxide from NO-donors can occur both in an enzymatic and a non-enzymatic way. As for nitrate esters this release mainly occurs by some p450 reductase enzymes and by glutathione S-transferase (Minamiyama K. Et al, FEBS Letters. Vol 452(3) (pp 165-169), 1999).

[0019] As for the possibility to exploit therapeutically the properties of nitric oxide for the prevention and the treatment of the above-mentioned diseases, at the moment the problems to solve are still many among which the most important are:

- to obtain a controlled release of nitric oxide to avoid the serious above-mentioned side effects, caused by an uncontrolled release of it

- to exploit the specific nitric oxide carrier system of erythrocytes designing molecules which can produce nitroso-hemoglobin (SNO-Hb)

[0020] With great surprise we have synthesized compounds which can have both these requirements. In particular, the unexpected advantages of the compounds of this invention for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems are the following.

1) As for controlled release, we have unexpectedly found that the best mode to control nitric oxide release is to slow the absorption of prodrugs. In fact the prodrugs of the invention are adsorbed more slowly than the original drugs and most of all than all known nitrate vasodilators.

2) In fact for this reason the compounds of the invention are unexpectedly devoid of the marked hypotensive activity and of the side effects related to it, typical of nitrate vasodilators drugs and therefore they are useful for a chronic administration of low doses of nitric oxide.

3) The compound of the invention can unexpectedly exploit the specific nitric oxide carrier of erythrocytes because they can produce nitrosohemoglobin (SNO-Hb).

4) The compound of the invention, being esters and salts and therefore easily hydrolyzable, can release the original drugs active for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases, of which they can improve the efficacy and diminish the side effects thanks to the synergic properties of nitric oxide.

[0021] The compounds of this invention are more effective than the original drugs. For example derivatives of proton pump inhibitors or of their metabolites are more effective for prevention and treatment of peptic ulcer thanks to the properties of nitric oxide. Furthermore derivatives of selective estrogen receptor modulators drugs are more effective for prevention of osteoporosis thanks to the properties of nitric oxide.

[0022] The compounds of the invention have not necessarily the same therapeutic application of the original drugs (e.g. derivatives of antiinflammatory drugs have also carcinogenesis inhibitor activity, thanks to the properties of nitric oxide).

[0023] The compounds of the invention can have more synergic activities for the same therapeutic application (e.g. derivatives of 5 α -testosterone reductase inhibitor drugs for prevention of benign prostatic hypertrophy can also, thanks to nitric oxide, inhibit the proliferation of smooth muscle cells and they have also antiinflammatory and muscolorelaxant properties useful for the concomitant urinary incontinence).

[0024] The compounds of this invention can also be useful to overcome the serious side effects of the original drugs. For example derivatives of cyclooxygenase 2 (COX-2) inhibitors, thanks to the antithrombotic properties of nitric oxide, can solve the serious problems of cardiovascular toxicity due to the selective inhibition of COX-2 recently shown in VIGOR clinic study with more than 8000 patients treated with rofecoxib and whose results have raised serious doubts about the safety of these drugs.

[0025] The compound of this invention can also be at the same time more effective and with fewer side effects than the original drugs. For example the paranitroxymethylbenzoic acid derivatives of COX-2 inhibitors (in particular celecoxib and rofecoxib) have better antiinflammatory and analgesic activities than the original drugs, in particular for prevention of familial polyposis, for prevention of Alzheimer disease and for treatment of urinary incontinence.

[0026] Besides, as said before, they can solve the serious problems of cardiovascular toxicity due to the selective inhibition of COX-2. Furthermore, in another example, the paranitroxymethylbenzoic acid derivatives of glucocorticoid (e.g. prednisolone, hydrocortisone, budesonide) are more effective than the original drugs for treatment of chronic inflammatory diseases (e.g. ulcerous colitis, psoriasis, asthma) and there are devoid of typical side effects of glucocorticoid (e.g. ulcer, osteoporosis).

[0027] The prodrugs of the invention are useful for a chronic, controlled and selective administration of nitric oxide and therefore for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal system (e.g. rheumatoid arthritis, osteoarthritis, lupus, osteoporosis, Paget disease), of tegumental system (e.g. ulcers, aphtha, psoriasis, dermatitis, skin tumors), of respiratory system (e.g. asthma, chronic obstructive pulmonary disease, allergy, emphysema, bronchitis, ARDS, rhinitis, cystic fibrosis, lung tumors), of gastrointestinal system (e.g. peptic ulcer, duodenal ulcer, ulcerative colitis, Crohn disease, hepatic cirrhosis, pancreatitis, esophagitis, gastritis, colon familial polyposis, colon-rectum tumors, liver tumors, oesophagus tumors, pancreas tumors, stomach tumors), of genital system (e.g. benign prostatic hypertrophy, prostatitis, sexual disorders, prostate tumors, breast tumors, uterus tumors, ovary tumors), of urinary system (urinary incontinence, bladder tumors) and of central nervous system (e.g. multiple sclerosis, Alzheimer disease, brain tumours).


[0028] An object of the present invention are compounds of general formula (I), their pharmaceutically acceptable salts, their in vivo hydrolyzable prodrugs, their tautomers and their diastereomers,



(I)

where:

- q is an integer from 1 to 5, preferably 1;
- F is a molecule or a drug for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems;
- X is chosen among 3 groups of substituents, -M, -T and -V where:
 - M is chosen among the following groups which can release nitric oxide in vivo: nitrate ester (AI) -ONO₂; nitrate salt (AII); nitrite ester (AIII) -ONO; thionitrite (AIV) -SNO; NONOate (AV) -NO(NO)



[0029] The undulated line shows where and how is the bond which is necessary to link M (on the right of the line) and the drug F (on the left of the line):

- T is chosen among the following radicals, optionally salified preferably with nitric acid:
 - O-R₁-M; -O-R₁-O-R₁-M; -O-R₁-S-R₁-M; -O-R₁-NR₂-R₁-M;
 - S-R₁-M; -S-R₁-O-R₁-M; -S-R₁-S-R₁-M; -S-R₁-NR₂-R₁-M;
 - NR₂-R₁-M; -NR₂-R₁-O-R₁-M; -NR₂-R₁-S-R₁-M; -NR₂-R₁-NR₂-R₁-M;
 - (CO)-R₁-M; -(CO)-R₁-O-R₁-M; -(CO)-R₁-S-R₁-M; -(CO)-R₁-NR₂-R₁-M;
 - O-(CO)-R₁-M;
 - R₁-O-R₁-M; -R₁-S-R₁-M; -R₁-NR₂-R₁-M;
 - PO(O-)O-R₁-M;

where M is described as above;

- R₁- is a saturated or unsaturated, linear or branched alkylene, having from 1 to 21 carbon atoms or a saturated or unsaturated, optionally heterosubstituted or branched cycloalkylene, having from 3 to 7 carbon atoms or an optionally heterosubstituted arylene having from 3 to 7 carbon atoms;
- R₂ is H or a saturated or unsaturated, linear or branched alkyl, having from 1 to 21 carbon atoms or a saturated or unsaturated, optionally heterosubstituted or branched cycloalkyl, having from 3 to 7 carbon atoms or an optionally heterosubstituted aryl having from 3 to 7 carbon atoms;
- R₁- and -R₂ may be substituted with -OH, -SH, -F, -Cl, -Br, -OPO₃H₂, -COOH, NR₂ or with a saturated or unsaturated, linear or branched alkyl, having from 1 to 10 carbon atoms or with a saturated or unsaturated, optionally heterosubstituted or branched cycloalkyl, having from 3 to 7 carbon atoms
- the bond between -F and -T is hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphuric ester, a sulphonic amide, a sulphonic ester.

[0030] The above cited pharmaceutically acceptable salts are salts from inorganic acid (e.g. nitrate, nitrite, chlorhydrate, bromhydrate, sulphate, phosphate), salts from organic acids (e.g. citrate tartrate, acetate, maleate, fumarate, ossalate, p-toluensulphonate, methanesulphonate, ethansulphonate, benzenesulphonate), from inorganic bases (e.g. ammonium, sodium, litium, potassium, magnesium, calcium and zinc salts) or from organic bases (e.g. ammonium salts of organic amines). Preferably they are nitrate salts, chlorhydrate, sodium salts and potassium salts. More preferably they are nitrate salts.





[0031] The bond between -R₁ and -M is described by the above cited formulae from (AI) to (AV) that is the undulated line shows here where and how is the bond which is necessary to link -M (on the right of the line) and -R₁ (on the left


of the line);

- V is chosen among $-Z-M_2$, $-O-Z-M_2$, $-N(R_2)-Z-M_2$, $-R_1-Z-M_2$, $-O-R_1-M_2$, $-O-R_1-Z-M_2$ where:
- M_2 is chosen among $-M$, $-R_1-M$, $-O-R_1-M$, $-S-R_1-M$, $-N(R_2)-R_1-M$


where R_1 , R_2 and M are described as above;

- $Z-M_2$ is chosen among the following radicals, optionally salified preferably with nitric acid:







(BXIV)




(BXV)




(BXVI)




(BXVII)




(BXVIII)




(BXIX)




(BXX)




(BXXI)




(BXXII)




(BXXIII)




(BXXIV)




(BXXV)




(BXXVI)




(BXXVII)




(BXXVIII)




(BXXIX)




(BXXX)




(BXXXI)




(BXXXII)




(BXXXIII)




(BXXXIV)




(BXXXV)




(BXXXVI)




(BXXXVII)




(BXXXVIII)




(BXXXIX)




(BXL)




(BXL I)




(BXL II)




(BXL III)




(BXL IV)




(BXL V)




(BXL VI)




(BXL VII)




(BXL VIII)




(BIL)




(BL)




(BLI)




(BLII)




(BLIII)




(BLIV)




(BLV)




(BLVI)




(BLVII)




(BLVIII)




(BLIX)




(BLX)




(BLXI)




(BLXII)




(BLXIII)




(BLXIV)




(BLXV)



(BLXVI)




(BLXVII)




20 where:


- R_3 is chosen among -H, -OH, -NH₂, -NO₂, -CH₃, -CN, -OCH₃, -CH₂OH, -COOH, -CHO, -F, -Cl, -Br, -CF₃;
- "L" is an oxygen atom -O-, a sulphur atom -S-, a nitrogen atom -NR₂-, a selenium atom -Se- or a carbon atom -CR₂R₂-;
- 25 - W is chosen among -CH=, =N-, -N+(O-)=; n_1 is an integer from 0 to 3; n_2 is an integer from 1 to 6, preferably from 1 to 4; -R₁, R₂, are described as above;
- the dotted line is a simple bond or a double bond; -Ar₁- is an optionally heterosubstituted arylene having from 3 to 7 carbon atoms;
- the undulated line shows where is the bond between -V and the drug -F;
- 30 - the bond between -F and -V is hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphonic amide, a sulphonic ester. Preferably it is a carboxylic ester or a carboxylic amide.

35 [0032] In -T and -V groups, the preferred meanings of -X are the following monovalent radicals -Y₁, optionally substituted preferably with nitric acid:







(CaVII)




(CaVIII)




(CaIX)




(CaX)




(CaXI)




(CaXII)




(CaXIII)




(CaXIV)




(CaXVI)




(CaXVI)




(CbI)




(CbII)




(CbIII)




(CbIV)




(CbV)




(CbVI)




(CbVII)




(CbVIII)



(CbIX)




(CbX)



(CbXI)

5




(CbXII)

(CbXIII)

(CbXVI)

10




(CbXVII)

(CbXVIII)

(CbXIX)

15




(CcI)

(CcII)

(CcIII)

20




(CcIV)

(CcV)

(CcVI)

25




(CcVII)

(CcVIII)

(CcIX)

30




(CcX)

(CcXI)

(CcXII)

35




(CcXIII)

(CcXIV)

(CcXV)

40




(CcXVI)

(CcXVII)

45


50

55




(CdI)


(CdII)




(CdIII)




(CdIV)




(CdV)




(CdVI)




(CdVII)




(CdVIII)




(CdIX)




(CdX)




(CdXI)




(CdXII)




(CdXIII)




(CelI)




(CelII)





(CelIII)




(CelIV)









(ChVII)



(ChVIII)



(ChIX)




(ChX)


where:

- the dotted line is a simple bond or a double bond;
- the undulated line shows where is the bond between $-Y_1$ and the drug $-F$;
- the bond between $-F$ and $-Y_1$ is preferably hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphonic amide, a sulphonic ester. Preferably it is a carboxylic ester or a carboxylic amide.


[0033] Preferably $-X$ is a nitrate salt (All) in a stoichiometric ratio with F of at least 1:1 and preferably $-X$ is chosen among the following monovalent radicals $-Y_2$ optionally salified preferably with nitric acid:




(Cal)



(Call)




(Calll)



where the bond between $-Y_2$ and the drug $-F$, in the point shown by the undulated line, is a carboxylic ester or a carboxylic amide.

[0034] More preferably $-X$ is the following monovalent radical $-Y_3$ (paranitroxymethylbenzoyl):



(CaI)

where the bond between $-Y_3$ and the drug $-F$, in the point shown by the undulated line, is a carboxylic ester or a carboxylic amide.

[0035] F may be bound to M as described above in formulae from (Al) to (AV), or may be bound to T as described above, or may be bound to V as described above in formulae from (BI) to (BLXXIII); more preferably F is bound to $-Y_1$ as described in formulae from (CaI) to (ChX) and even more preferably F is bound to a $-Y_2$ e $-Y_3$ as described in formulae from (CaI) to (CaXVI).

[0036] F is chosen among the following 8 groups of molecules (from 1A to 8A) which are identified by their own INN ("International Nonproprietary Name", from "World Health Organization" database) or by their own company code or by their own chemical name.

GROUP 1A:

[0037] ζ_1 -tocopherol, ζ_2 -tocopherol, δ -tocopherol, ϵ -tocopherol, η -tocopherol, β -tocopherol, γ -tocopherol, α -tocopherol, 17 β -estradiol, 21-acetoxypregnenolone, 6-mercaptapurine, 8 α -hydroxy-riboflavin, abetimus, aceclofenac, acetaminosalol, acetoxolone, acexamic acid, aconitine, 3-acetylconitine, actarit, adapalene, adxanthromycin, ajulemic acid, alclofenac, alclometasone, aldesleukin, algestone, alonacic, allopurinol, alminoprofen, amcinafal, amcinonide, amebucort, amelometasone, amfenac, amiprilose, amixitrene, ampiroxicam, amrinone, amtolmetin guacil, anakinra, aniolac, anisperimus, anitrazafen, apafant, apazone, apreptant, araprofen, artecanin, asimadoline, asobamast, aspirin, ascomycin, ataquimast, atiprimod, alizoram, atliprofen, atrasentan, atreleuton, aurothioglucose, aurothiomalat, aurothiomatic acid, azapropazone, azaspirane, azastene, azathioprine, azimexon, azure A, azure B, azure C, bakenoprofen, bamaquimast, balsalazide, basiliximab, batimastat, beclometasone, bendazac, benorylate, benoxaprofen, benzbromarone, benzpiperylone, benzydamine, bepafant, berberine, bermoprofen, betamethasone, betamethasone acibutamate, beiwutine, bilirubin, biliverdin, bifeprufen, bimosiamose, bindarit (ELXVII), bosentan, boswellic acids, brasilicartate, brequinar, bromfenac, bromhexine, bromisoval, bromosaligenin, broperamole, bucillamine, buclocic acid, bucolome, budesonide, bufexamac, bufexolac, bulleyaconitine, bumadizone, busulfan, butanixin, butibufen, butixirate, butixocort, carbenoxolone, canin, carprofen, celecoxib, chenodeoxycholic acid, chloroprednisone, chloroquine, ciamexon, ciclesonide, cicloprofen, cinaproxen, cinfenoac, cinmetacin, cipemastat, ciproquazone, clamidoxic acid, clidanac, cliprofen, clobetasol, clobetasone, clobuzarit, chlorin e6, chlorophyll, clocortolone, clofenamic acid, clofexamide, clofurac, clometacin, clonixin, clopirac, cloticasone, cloprednol, clociximate, cobanamide, colchicine, colfenamate, coproporphyrin (I, II, III), cometasone, cortisone, cortivazol, cortodoxone, cridanimod, cyclophosphamide, cyclosporin (A, B, C, D, G), 10-deazaaminopterin, dacopafant, daltroban, dapitant, darbufelone, darusentan, deflazacort, defoslimod, dehydrocholic acid, delmetacin, deloxolone, deltibant, deracoxib, descinolone, desonide, desoximetasone, dexamethasone, dexamethasone acefurate, dexamethasone-21-phosphate, dexbudesonide, dexibuprofen, dexindoprofen, dexketoprofen, dexpermedolac, dextiopronin, deuteroporphyrin IX, diacerein, diclofenac, diclonixin, difenamilazole, difenpiramide, diflorasone, diflucortolone, diflumidone, diflunisal, difluprednate, diftalone, diethylhomospermine, dimepranol, dipyrrocetyl, dipyrone, diphenyleneiodonium, ditazole, domoprednate, drocinonide, dronabinol, droxicam, duometacin, edatrexate, eltenac, emorfazone, emoctakin, endrysone, enfenamic acid, enolicam, enoxolone, enrasentan, epirizole, eremophyllene a, esculamine, esculentin A, esflurbiprofen, esonarimod, esonarimod, estriol, etersalate, etodolac, 12-epi-scalaradial, etofenamate, etoricoxib, everolimus, ezlopitant, falcinonide, famprofazone, felbinac, fenamole, fenbufen, fenclofenac, fenclorac, fenclozic acid, fendosal, fenflumizole, fenleuton, fenoprofen, fempipalone, fentiazac, fepradinol, feprazone, figopitant, flavine-adenine dinucleotide, flavonone hydrazone, flazalone, flosulide, flobufen, fluarandrenolide, fluazacort, flucloronide, fludrocortisone, flufenamic acid, flumetasone, flumizole, flunisolide, flunixin, flunoxaprofen, fluocinolone acetonide, fluocinonide, fluocortin, fluocortolone, fluorometholone, fluperolone, fluprednide, fluprednisolone, fluprofen, fluproquazone, fluquazone, flurbiprofen, fluretofen, flutiazin, fluticasone, folinic acid, forfenimex, formocortal, foropafant, frabuprofen, furaprofen, furclopofen, furobufen, furofenac, ganaxolone, gentisic

acid, gestodene, glaspimod, glatiramer, glucametacin, glycol salicylate, glucosamine, gold thiomalic acid, guaiazulene, gusperimus, halcinonide, halobetasol, halometasone, halopredone, hepatyrix, hemin, hematoporphyrin IX, hematoporphyrin D, hemipyocyanine, hexaprofen, higenamine, hydrocortamate, hydrocortisone, hydroxychloroquine, 3-hydroxy-
 5 parthenolide, kutkocide, ibufenac, ibuprofen, ibuproxam, icaritin, icatibant, ilomastat, ilonidap, imiquimod, indobufen, indometacin, indoprofen, inosine, intrazole, iotroxic acid, iodinin, isatoribine, isofezolac, isoflupredone, isonixin, isoprednidene, isoprofen, isoxepac, isoxicam, israpafant, ivarimod, ketoprofen, ketorolac, ketorolac tromethamine, ketotrexate, kobiin, laflunimus, labradimil, lanepitant, lappaconitine, leflunomide, levamisole, lexipafant, lexofenac, limazocic, licovek, livax, lisofylline, lobenzarit, lobuprofen, lofemizole, lonaprofen, lonazolac, lornoxicam, losmiprofen, lotep-
 10 rednol etabonate, lotifazole, loxoprofen, lubeluzole, mabuprofen, mafosfamide, marimastat, mazipredone, meclofenamic acid, meclorison, medrysone, mefenamic acid, melittin, meloxicam, meprednisone, mesalazine, meseclazone, mesoporphyrin IX, metacetamol, metanixin, metbufen, methotrexate, methocarbamol, methylprednisolone, methylprednisolone suleptanate, methylcobalamin, methimazole, metiazinic acid, metronidazole, mexoprofen, minocycline, minopafant, mipragoside, mioprofen, misoprostol, mitoxantrone, mizoribine, modafinil, modipafant, mobenakin, mofebutazone, mofetil, mofezolac, mometasone, morazone, morniflumate, moxilubant, mycophenolate
 15 mofetil, myoral, N-deacetylranaconitine, N-deacetylfinaconitine, N-deacetylappaconitine, N-methyl-protoporphyrin IX, nabumetone, nalfocort, nagarine, napirimus, naproxen, nemorobucin, nepadutant, nepafenac, nicortotide, niiflumic acid, nimesulide, niometacin, nitraquazone, N-desmethylbenzylamine, nivacortol, nolpitanium, nupafant, octisalate, odalprofen, olsalazine, oleanolic acid, onapristone, orelvekin, orpanoxin, orazipone, osanetant, oxaceprol, oxametacin, oxaprozin, oxepinac, oxindanac, oxipurinol, oxolamine, oxyfenamate, oxyphenbutazone, paclitaxel, paeony, paracetamol, paramethasone, paranyline, parecoxib, parthenolide, parsalimide, pelubiprofen, pemedolac, penicillamine, pentostatin, pentoxifylline, perisoxal, perizoxal, petrospongolide M, phenylbutazone, piclamilast, picroside I, pidolacetamol, pidotimod, pidotimod, piketoprofen, pilocarpine, pimecrolimus, pimeticin, pipebuzone, piperylone, pirazolac, pifenidone, piroxicam, pirprofen, pitonakin, pralnacasan, pranoprofen, prasterone, prednazate, prednazoline, prednicarbate, prednisolone, prednisolone 25-diethylaminoacetate, prednisolone sodium phosphate, prednisone, prednival,
 25 prednazoline, prednylidene, pefenamate, prifelone, prinomastat, prinomide, probenecid, procodazole, proglumetacin, propacetamol, propyphenazone, proquazone, prospidium, protizinic acid, protoporphyrin IX, quercetin, rameswaralide, ramifenazone, ranacortone, rapamycin, resiquimod, resocortol, rhein, ribavirin, riboflavin, riboflavin monophosphate, riboflavin tetrabutylate, riboflavin triacetate, triptolide, ridogrel, rimexolone, rimonabant, roceprofant, rofecoxib, romazarit, romurtide, roquinimex, s-adenosylmethionine, salacetamide, salicylamide, salicylamide o-acetic acid, salicylsulfuric acid, salaspemic acid, salnacedin, salsalate, saredutant, scyphostatin, seclazone, secotanaparthenolide, seprilose, sermetacin, setipafant, sibenadet, sirolimus, sitaxentan, sodium hyaluronate, sonermin, solimas-
 30 tat, stepronin, stercobilin, sudoxicam, sufosfamide, sulfaloxic acid, sulfasalazine, sulfapyrazone, sulindac, sumacetamol, suprofen, susalimod, susalimod, suxibuzone, tacrolimus, talmeticin, talnetant, talniflumate, talosalate, tanetin, tanomastat, tarasentan, tauroselcholic acid, tasonermin, tazeprofen, tazofelone, tebufelone, temarotene, tenidap, tenoxicam, teceleukin, tepoxalin, teriflunomide, terofenamate, terprenin, tesicam, tesimide, tetrandrine, tetriprofen, tezosentan, thalidomide, theractin, thielocin B3, thiazolinobutazone, thiethazole, thymocartin, thymopentin, thymotri-
 35 nan, tianafac, tiaprofenic acid, tiaramide, ticolubant, tifacogin, tiflamizole, tifurac, tilmacoxib, tilnoprofen arbamel, timegadin, tinoridine, tiopinac, tiopronin, tiopropfen, tiptotimod, tiocortol, tobramycin, tolfenamic acid, tolmetin, tomoxiprole, tresperimus, triamcinolone, 1-(2-trifluoromethylphenyl) imidazole, 1H-[1,2,4]Oxadiazolo[4,3-a]quinoxalin-1-one, tribuzone, triclone, trifezolac, triflumidate, trimetrexate, triptolide, tripedane, triptochlorolide, triptolide, triptonide, triptolidenol, triptolide, 16-hydroxytriptolide, tripterine, triptotriterpenic acid B, 12-methoxy triptonoterpene, tropesin, tucareol, tulopafant, ubenimex, ufenamate, ularitide, ursodeoxycholic acid, ursulcholic acid, urobilin, uroporphyrin (I, III), valacyclovir, valdecocix, valganciclovir, vedaprofen, vitamin E acid succinate, vitamin E nicotinate, vofopitant, xan-
 40 oxic acid, xenbucin, ximoprofen, zaltoprofen, zidometacin, zileuton, zoliprofen, zomepirac, α -bisabolol, yunaconitine, wilforlide A, wilforlide B, A-176120, A-197574, A-119435, A-205804, A-241548, A-252444.0, A-293507, A-771726, A-77951, ABS-103, ABT-281, ABT-839, AGIX-4207, AGT-1, ALX-0600, AM-6898A, AM-6927, AM-724, AM-80, AP-1903, APC-2059, APO-501, AR-C73346XX, ARM-434, ATM-027, ATM-027, ATL-2502, BASB024, BASB033, BASB034, BAY-12-9566, BAY-U-3405, BB-2275, BBIC, BB-2827, BB-76163, BCX-1777, BCX-34, BF-389, BMS-184000, BMS-188667, BMS-193884, BMS-214662, BMS-453, Bio-1211, Bio-1272, BX-471, BXT-51072, CARN-1000, C-220, CBF-BS2, CBP-1011, CC-1069, CC-1088, CC-3052, CDB, CDC-501, CDC-801, CDF-571, CGP-28238, CGS-33090A, CHI-621, CK-17, CK-101A, CK-102, CK-103A, CK-112, CK-113, CK-114, CK-115, CK-116, CK-119, CK-120, CK-122, CK-111, CK-117, CK-118, CK-121, CK-123, CK-124, CK-125, CK-126, CK-127, CK-128, CK-130, CK-131, CK-132, CK-133, CK-134, CK-135, CK-136, CK-137, CK-138, CK-139, CK-140, CK-141, CK-142, CK-143, CK-144, CK-145, CK-146, CK-147, CK-148, CK-149, CK-150, CK-151, CK-152, CK-153, CK-154, CK-156, CK-160, CK-163, CK-CLASP-
 55 1, COX-189, CPH-82, CP-123369, CPI-1714, CR-3294, CS-670, CSIMM-1, CT-12441, CT-5219, CT-757, CT-767, CT-5269, CY-9701, DA-9601, D-1927, D-609, D-9120, DMP777, DPC-789, DU-6712, DUP-697, DX-88, E-5110, E-5531, E-5564, E-6080, ER-34122, ERL-080, FK-506, FO-5904, FR-167344, FR-153657, FR-228352, FTY-720, G009, GI-245402, GL-701, GPI-1046, GPI-6150, GR-205171, GR-253035, GW-406381, GW-468816, GW-273629, GW-274150,

HCL-113, HE-2200, HEP-689, HMR-3408A, HS-378, IC-14, IC-202A, IC-202B, IC-485, ICN-17261, IM-46068, IR-208, IR-208, IR-501, ISA(TX)247, ISIS-104838, ISIS-13280, ISIS-13989, ISIS-16374, ISIS-17044, ISIS-17470, ISIS-18155, ISIS-18669, ISIS-19493, ISIS-2302, ISIS-3082, ISIS-25302, ISIS-27104, IVL-745, J-104132, J-113397, J-113863, JJ-319, JTE-522, K-1115A, KE-298, KE-748, KE-758, KF-20444, KME-4, KT-651, L-167307, L-3002, L-685818, L-732531, L-733725, L-745337, L-761000, L-766112, L-776967, L-778123, L-778736, L-784506, L-784512, L-788123, L-791456, L-818571, LDP-02, LF-173657, LF-160335, LF-160687, LJP-394, UP-712, LK-413, LU-135252, LY-262691, LY-242040, LY-311727, LY-733725, M-40403, MC-1R, MCP-3, MDL-108180, MDL-201112, MK-591, MK-0663, ML-3000, ML-3116, ML-3176, ML-3177, MNA-715, MSP-771, MSP-771, MX-32, MX-56, MX-68, NBI-5788, NMI-377, NS-398, OB-101, OB-186, OM-89, OM-294DP, ONO-NT-126, ONO-4817, ONO-AE-1329, OP-229-648, OP-2000, PCM-4, PD-057081, PD-098059, PD-159879, PD-56840, PD-980589, PEP-1261, PGE-2946979, PGV-20229, PIXY-321, PMX-622, PNU-168727, PNU-190192, PP1D-1, PS-508, PTI-601, R-115777, R-125224, R-173262, RAD-001, RO-320-1195, RO-32-3555, RPR-130401, RPR-200765A, RS-130830, RS-57607, RVC-588, RVC-589, RVC-593, RVC-595, RVC-596, RVC-597, RVC-598, RVC-599, RVC-600, RVC-601, RWJ-57504, RWJ-67657, RWJ-68354, S-19812, S-2474, S-27609, S-33516, SA-6541, SA-9499, SB-202190, SB-203580, SB-203580, SB-206718, SB-209670, SB-210313, SB-217242, SB-217969, SB-220025, SB-226882, SB-242235, SB-262105, SB-273005, SB-683698, SC-236, SC-26196, SC-77537, SC-299, SC-558, SC-560, SC-57461A, SC-57666, SC-58125, SC-58236, SC-58451, SCH-218157, SCH-23863, SCH-66336, SCIO-469, SCV-07, SDZ-RAD, SDZ MDL-987, SDZ-281240, SDZ ASM-981, SEK-1005, SH-636, SI-3501, SIT-115, SKF-105809, SKF-86002, SP-057, SP-4-1, SP-600125, SPA-1761B, SR-31747, SR-140333A, SU-101, SU-20, T-614, TAK-044, TAK-603, TAN-2474A, TBP-1, TBC-3486, TBC-3342, TMC-2A, TMC-2B, TMC-2C, TMC-95A, TMX-67, TR-9109, TP-10, TRK-530, TS-932, TSL-225, U-19451A, VK-19911, VML-295, VRT-37742, VX-148, VX-702, VX-740 (HMR-3480), VX-765, VX-944, VX-954, WA-8242B, WF-27082B, WIN-64338, WY-14643, Y-39041, WY-48489, Y-700, Z-53, ZD-2315, ZD-6416, ZD-7349, ZD-7349A, ZK-809984, ZK-810000, 1400W

GROUP 2A:

[0038] 1- α -hydroxy-vitamin D₂, 17 β -estradiol, 22-oxy-calcitriol, 24,28-methylene-1- α -hydroxy-vitamin D₂, 3-allylfarnesol, 4B4-6-21, 4-hydroxy-tamoxifen, A-176120, A-197574, abiraterone, ABT-839, AGIX-4207, AGT-1, alendronic acid, altrenogest, AP-21946, AP-22188, AP-22408, AP-22409, AP-22650, APC-3328, arginylglycylaspartic acid, arzoxifene, avicatonin, bafilomycin A1, BB-2275, BF-389, BMP-17, BMS-214662, butedronic acid, calcifediol, calcipotriol, calcitonin, calcitriol, celecoxib, CGP-77675, CHF-3142, CHF-3150, CHF-3316.01, CLIK-071, CLIK-164, CLIK-166, clodronic acid, clomifene, colecalciferol, concanamycin A, COX-189-, CP-336156, CP-336156, CP-424391, cystatin C, D-609, DCR5, deaminohydroxy-toremifene, deracoxib, desogestrel, DF-1601A, dienogest, dihydrolaloxifene, dihydrotachysterol, 21,25-dihydroxycholecalciferol, doxercalciferol, droloxifene, E2-BP, E-5110, ED-71, elcatonin, EMD-84444, enclomifene, ergocalciferol, esomeprazole, esonanimod, estradiol, etidronic acid, etonogestrel, examorelin, 775B, FA-70D, falecalcitriol, FC-1271, flocalcitriol, formebolone, FR-167356, FR-177995, GGTI-2166, GGTI-298, HEP-187, HEP-689, HMR-3339A, HMR-3408A, ibandronic acid, idoxifene, IGF-I/BP11, IM-46068, incadronic acid, inocoterone, ipriflavone, ISIS-104838, ISIS-17044, ISIS-27104, KE-298, KE-748, KE-758, KME-4, KW-8232, L-167307, L-778123, L-788123, lansoprazole, lasofoxifene, leminoprazole, levormeloxifene, levosimendan, lidadronic acid, liposomal isa-13-1, MDL-201000, MDL-201003, MDL-201053, MDL-201112, medronic acid, medroxyprogesterone, mesabolone, minodronic acid, miproxifene, NDE-1003, 4-hydroxy-tamoxifen, N-desmethyl-tamoxifen, neridronic acid, nistromifene, NNC-45-0095, nomegestrol, norelgestromin, norethindrone, norethisterone, NPS-2143, NPS-2143, NSL-1406, NVP-AAK980, NVP-AAK-980, olpadronic acid, omeprazole, OPG, ORG-30659, ormeloxifene, osaterone, oxidronic acid, pamidronic acid, panomifene, pantoprazole, PCM-4, PD-098059, PD-098059, PD-980589, PGE-336646, pipendoxifene, piridronic acid, plicamycin, pralnacasan, progesterone, promegestone, R-115777, rabeprazole, raloxifene, ranelic acid, risedronic acid, RO-26-9228, roxibolone, RPR-130401, RPR-200765A, RPR-200765A, RWJ-67657, RWJ-68354, S-2474, SB-202190, SB-203580, SB-206718, SB-210313, SB-220025, SB-223245, SB-242235, SB-242784, SB-242784, SB-265123, SB-267268, SB-273005, SC-56631, SC-68448, SCH-60663, SCH-66336, SCIO-469, SCRC-2941-18, secalciferol, secalciferol, semparatide, SH-636, simendan, SKF-105809, SKF-86002, solimastat, SR-31747, SUN-E3001, T-614, TAK-778, TAN-2483A, TBP-1, tamoxifen, tenatoprazole, teriflunomide, teriparatide, teriparatide, tibolone, tilmacoxib, tiludronic acid, TJN-135, toremifene, trenbolone, trimegestone, trimgesterone, trioxifene, TSE-424, valdecocix, vinigrol, vitamin D₁, vitamin D₂, vitamin D₃, vitamin D₃-1-retinate, vitamin D₄, vitamin D₅, vitamin K₂, VK-19911, VX-702, VX-740, VX-745, VX-765, VX-954, WY-47766, XT-238, XT-44, XT-533, XW-630, YM-175, zanoterone, ZG-2807A, zindoxifene, zoledronic acid, zuclomifene

GROUP 3A:

[0039] ABT-594, ADL-10-0101, ALX-0646, 5-bromosalicylic acid acetate, acetaminophen, acetylsalicylsalicylic acid, 2-acetylsalicylamido-4-picoline, alendronic acid, alfantanil, alimadol, alletorphine, allylprodine, almotriptan, alniditan,

[0040] ζ_{1-t}

55

GROUP 5A:

[0041] 4-phenylbutyrate, ablukast, acefylline clobifrol, acetylcysteine, acitazanolast, acreozast, acrivastine, adamex-
 ine, adapalene, adibendan, albifylline, albuterol, alclometasone, alifedrine, alinastine, alloclamide, almeterol xinafoate,
 5 almitrine, alprogen, altapizone, ambicromil, ambroxol, amebucort, amelometasone, amibone, amipzone, amlexan-
 ox, amphotericin B, andolast, antazoline, apafant, apaxifylline, argatroban, argimesna, arofylline, asmanex,
 asobamast, astemizole, ataquimast, atizoram, atreleuton, azatadine, azelastine, baclofen, baicalein, bamaquimast,
 bambuterol, bampine, barmastine, batebulast, beclometasone, becolide, beloxamide, benafentrine, bencisteine, ben-
 properine, benzonatate, bepafant, bepotastine, betamethasone, bietanautine, bilastine, bimosiamose, binizolast, bi-
 10 tolterol, bromhexine, bromodiphenhydramine, brompheniramine, brovanexine, broxaterol, budesonide, bufenadrine,
 bufrolin, bunaprolast, butamirate, butaprost, butethamate, butixocort, cabastine, caffeine, calfactant, calcitrol, camon-
 agrel, caramiphen, carbapenem, carbetapentane, carbinoxamine, carbocisteine, carebastine, carmantadine, car-
 tasteine, cefaclor, cefpimizole, cetirizine, cetoxime, chlophedianol, chlorcyclizine, chloropyramine, chlorothen, chlo-
 rpheniramine, ciclesonide, ciclotropium, cilomilast, cilutazoline, cimaterol, cimetropium, cinalukast, cinnarizine, cipam-
 15 fylline, ciproquazone, cirazoline, cistinexine, clemastine, clemizole, climbazole, clobenzepam, clobenztropine, clob-
 utinol, clocinazine, cloperastine, clopidogrel, closiramine, cloticasone, cloxacepride, codeine, codeine N-oxide, codeine
 phosphate, colterol, cormetasone, cromakalim, cromoglicate lisetil, cromoglicic acid, cromolyn sodium, cyclexanone,
 cycliramine, cyproheptadine, cysteine, dacemazine, dacisteine, dacomafant, dalbraminol, daltroban, dametralast,
 danosteine, dapitant, darodipine, dazmegrel, dazoquinast, decominol, deflazacort, deltibant, dembexine, denbufylline,
 20 dectropine, descarboethoxyloratadine, descinolone, desloratadine, desonide, desoximetasona, dexamethasone, dex-
 amethasone-21-phosphate, dextrorpheniramine, dexbudesonide, dexchlorpheniramine, dexetozoline, dexsecover-
 ine, dextiopronin, dextromethorphan, dibenzonium, difeterol, dihydrocodeine, dihydrocodeinone enol acetate, dimem-
 orfan, dimesna, dimethindene, dimethoxanate, dimetorfan, dioxethedrin, diphenhydramine, diphenylpyraline, dipro-
 teverine, divabuterol, docebenone, domipizone, domitroban, doqualast, dorastine, doxaminol, doxaprost, doxepin, dox-
 25 ofylline, doxylamine, dropopizine, drotebanol, duramycin, ebastine, eclazolast, efletirizine, eflumast, elziverine, em-
 bamine, emedastine, enefexine, enazadrem phosphate, enofelast, enoxamast, enprofylline, ensulizole, epinastine,
 epinephrine, eprazinone, erdosteine, esculetin, espotropate, etacepride, etanterol, ethylmorphine, etolotifen,
 etymemazine, ezloptant, fenethazine, fenleuton, fenoterol, fenprinaast, fexofenadine, figopitant, filaminast, flerobuterol,
 flezelastine, flixotide, fluzacort, flixotide, flufylline, flumetasone, flunisolide, fluprofylline, fluproquazone, fluticasone,
 30 flutropium, forminoben, formoterol, foropafant, fudosteine, furaifylline, furegrelate, furoate, gamfexine, genleuton, gen-
 istein, glimepiride, guaiaetamine, guaiaetate, guaiaetolin, guaifenesin, guaifylline, guaimesal, guaisteine, halometasone,
 hexopyrronium, heterocodone, histamine, histapyrridine, hydrocodone, ibudilast, hydroxychloroquine, hydroxyzine,
 icatibant, idaverine, idenast, ifetroban, ilonidap, imitrodast, imoxiterol, indanazoline, ipratropium, iproheptine, iralukast,
 isalsteine, isamoxole, isbogrel, isbufylline, isoaminile, isocromil, isoetharine, isopromethazine, isoproterenol, isothi-
 35 pendyl, israpafant, itazigrel, ketotifen, lanepitant, laprafylline, letosteine, levalbuterol, levromakalim, levmetamfet-
 amine, levocabastine, levocetirizine, levodropropizine, levopropoxyphene, levopropylhexedrine, levosulpiride, lexipa-
 fant, lifarizine, linazolast, linetastine, linotroban, lisofylline, lodoxamide, lofemizole, lombazole, lomerizine, lonapalene,
 loratadine, loxanast, luteolin, mabuterol, mapinastine, masoprocol, mebhdyrolin, mecysteine, medrylamine, melqui-
 nast, menthol, mepixanox, mequitamium, mequitazine, meribendan, meropenem, mesna, metaproterenol, metron s,
 40 metaterol, methafurylene, methaphenylene, methapyrilene, methotrexate, methylprednisolone, mexafylline, midaxifyl-
 line, midazogrel, midesteine, mifentidine, milrinone, milverine, minocromil, minopafant, mipitroban, mizolastine,
 mizolastine, mizolastine, modipafant, moguisteine, mometasone, mometasone, montelukast, morclofone, morphine
 sulphate, motapizone, moxaverine, moxifloxacin, moxilubant, nafagrel, naflocort, naminterol, napactadine, naphazo-
 line, narceine, nardeterol, nedocromil, neltexine, nemazoline, nepastemazole, norgestrel, normethadone, noscapine,
 45 nicogrelate, nisbuterol, nitraquazone, nivimedone, noberastine, norastemizole, norgestrel, normethadone, noscapine,
 nuclomedone, nupafant, nuvenzepine, olopatadine, olpimedone, olprinone, omonasteine, ontazolast, orphenadrine,
 osanetant, oxabrexine, oxagrelate, oxalinast, oxarbazole, oxatomide, oxeladin, oxolamine, oxomemazine, ozagrel,
 pamicogrel, paramethasone, pargeverine, pemirolast, pentoxifylline, perbufylline, phenindamine, pheniramine,
 phenylephrine, phenylpropanolamine, phenyltoloxamine, phenylbutyrate, pholcodine, piclamilast, picoperine, picu-
 50 mast, picumeterol, pimobendan, pinacidil, pipazethate, pirbuterol, pirmagrel, pirodomast, pirolate, pobilukast, pranlu-
 kast, prednisolone, prednisolone farnesylate, prednisone, prenalterol, prenisteine, prenoverine, prenoxidiazine, pro-
 caterol, promethazine, propentofylline, propiverine, proxicromil, pseudoephedrine, pumafentrine, pyribenzamine, py-
 rilamine, pyroxamine, pyrrobutamine, quazolast, quifenadine, quiffapone, quillaic acid, quinotolast, racemethorphan,
 racephedrine, ramatroban, radolmidine, raxofelast, repirinaast, resiquimod, revatropate, revenast, ridogrel, rimiterol,
 55 rilopirox, rimonabant, rispenzepine, ritolukast, rocastine, rocepaast, rociverine, roflumilast, rolafagrel, rolipram, rotox-
 amine, rupatadine, salbutamol, salmeterol, salmeterol xinafoate, salmisteine, samixogrel, saredutant, sarpogrelate,
 satigrel, scopinaast, secoverine, seratrodist, setetide, setipafant, sevotropium mesilate, siguazodan, siltenzepine, sin-
 tropium, sivelestat, somantadine, sophocarpine, spirofylline, stacofylline, stepronin, sudexanox, sulotroban, sulukast,

sunagrel, suplatast, tagorizine, talnetant, tasuldine, taurosteine, tazanolast, tazifylline, taziprinone, telmesteine, tematropium, temelastine, temiverine, tenidap, tepoxalin, terbogrel, terbucromil, terbutaline, tetrazolast, texacromil, thenaldine, theophylline, thonzylamine, tiacrilast, tibenelast, ticolubant, tiiflamizole, tilbroquinol, tiliquinol, tinazoline, tiotropium, tiroxamast, tipecidine, tiprinast, tixanox, tobramycin, tobuterol, tolafentrine, tolazoline, tolpropamine, tomelkast, torbafylline, tranilast, tranilast, traxanox, triamcinolone, triamcinolone acetone, trifenagrel, tripolidine, tritoqualine, troleandomycin, tulobuterol, tulopafant, tyloxaphol, ularitide, uridine 5'-triphosphate, urushiol, verlukast, verofylline, vinpocetine, vofopitant, xamoterol, xanoxic acid, zafirlukast, zanamivir, zaprinast, zardaverine, zileuton, zilpaterol, zindotrine, zinterol, ziperol, zolamine, A-277249, A-64077, A-76745, A-78773, A-79175, A-85761, AA-861, ABT-761, AH-21132, AMG-126737, APC-366, AR-C68397, AR-C89855, AR-D111421, AWD-12-281, AWD-12-343, AY-0068, BA-679-BR, BAY-19-8004, BAY-19-9996, BAY-K-8644, BAY-U-3405, BAY-U-9773, BAY-X-1005, BAY-X-7195, BAY-X-9773, BBR-2221, BBR-2222, BIIC-1996, BIIL-284, BIIX-1, BIO-1211, BI-RM-270, BIRZ-227, BM-113, BM-16.2115, BOM-1006, BRL-52974, BPC-15, BW-755C, BWA-78U, BY-217, CDP-840, CDS-90910, CE-2072, CE-1037, CGH-2466, CGH-2466, CGP-45715A, CGP-49823, CGP-69669A, CGP-73400, CGS-21680, CGS-25019C, CH-13584, CI-1018, CI-1044, CMI-392, CMI-977, CP-105696, CP-195494, CP-195543, CP-199330, CP-199331, CP-220629, CP-288886, CP-293121, CP-80633, CP-99994, CPX, CS-560, CS-615, CT-5219, CT-747, DAX, D-22888, D-4396, D-4418, D-58, DCF-987, DF-1681, DMP-777, DPC657, E-25, E-3040, EF-40, EPI-2010, ER-27319, ETH-615, F-1322, FK-224, FK-355, FK-888, FPL-55712, FR-134043, FR-184280, FUB-593, GR-213487, GT-261163X, GW-215864, GW-250495, GW-311616A, GW-328267, HMR-4011, HMR-4011A, HP-3, ICI-198615, ICI-204219, ICI-211965, ICI-D2138, ICI-200355, IDEC-152, IL-4-DM, INS-365, INS-37217, IPL-4088, IPL-576092, IVL-745, J-104129, K-5993, KAA-276, L-615919, L-648051, L-649923, L-651392, L-689065, L-658758, L-691816, L-697198, L-699333, L-708780, L-733321, L-739010, L-746530, L-743986, L-826141, LAS-31025, LDP-977, LM-1484, LM-1507.NA, LY-170680, LY-171883, LY-213024, LY-210073, LY-223982, LY-233469, LY-255283, LY-264086, LY-292728, LY-293111, LY-303870, MAFP, MDL-105212A, MDL-105172A, MDL-108207DA, MEN-10627, MEN-11467, MJ-451, MK-0476, MK-0591, MK-0679, MK-571, MK-679, MK-886, MKS-492, ML-3000, ML-3176, MOL-294, MPB-07, MPB-07, MRS-1523, NA-00226A, NA-00226B, NCS-613, NCS-630, NCS-631, NCS-632, NIP-520, NKP-608C, NPC-18915, OC-229-648, ONO-LB457, ONO-LB448, ONO-1078, ONO-4057, ONO-5046, ONO-6818, OR-1958, ORG-20241, ORG-30029, PA-1806, PF-5901, PF-10042, PNU-142731A, PR-001337, R-113281, R-133663, R-146225, R-840, RK-0202, REV-5901, RG-12.525, RG-12525, RO-20-1724, RP-23618, RP-64966, RP-66153, RP-73401, RPR-106541, RPR-106541, RPR-114597, RPR-122818, RPR-132294, RPR-132703, RS-601, RS-635, RU-486, RWJ-2048, RWJ-63556, S-1319, S-1674, S-2474, SB-683698, SB-201146, SB-209247, SB-205312, SB-207499, SB-209247, SB-223412, SB-227122, SB-244525, SB-332235, S-36496, SC-41930, SC-53228, SC-50605, SC-51146, SC-53228, SCH-205528, SCH-217048, SCH-351591, SCH-55700, SCH-60059, SIL-13RA2-FC, SKF-104353, SHF-104493, SKF-106203, SKF-94836, SKF-96231, SM-15178, SR-140333, SR-144190, SR-48212, SR-48968, SYN-1390, SYN-1396, T-0757, T-2585, TA-270, TAK-661, TASP-V, TBC-1269, TBC-3342, TBC-3586, TEI-8362, TEI-9874, TMC-120B, TP10, TMK-688, TRK-851, TR-14531, TR-9109, U-50488-H, U-62066E, U-875302, V-11294, VB-5122, VML-530, VUF-5087, VUFB-19363, VUF-K-8707, VUF-K-8788, WAY-121006, WHI-P180, WHI-P97, Y-27632, YM-38336, YM-44778, YM-49244, YM-976, ZD-0892, ZD-2138, ZD-4407, ZD-6021, ZD-8321, ZM-230487, ZM-274773, YM-976

GROUP 6A:

[0042] 4-amino-salicylic acid, 5-hydroxy-omeprazole, aceglutamide, acetorphan, acetoxolone, aldioxo, alemcinal, alizapride, alkofanone, alosetron, amiglumide, amoxicillin, arbaprostil, asperlicin, azacitidine, azasetron, azithromycin, bemisetron, benexate, benzotript, bergenin, bisfentidine, bromcresol green, bromcresol purple, budesonide, buzepide, carbenoxolone, casofekamide, catechin, cetraxate, cilansetron, cimetidine, cinitapride, cisapride, clarithromycin, dalcotidine, darenzepine, darifenacin, deboxamet, deprostil, devazepide, devazepide, dexloxiglumide, didanosine, difenoxin, dimeticone, diphenoxylate, dolasetron, donetidine, dosmalfate, ebrotidine, ecabapide, ecabapide, ecabet, egualen, enprostil, esaprazole, esomeprazole, etintidine, exisulind, fabesetron, famotidine, famotidine, fedotozine, fenoctimin, galdansetron, gefarnate, goodyeroside A, granisetron, idremcinal, indisetron, irsogladine, irsogladine, isotiquimide, itasetron, itopride, itriglumide, lafutidine, lagatide, lamivudine, lamtidine, lansoprazole, lavoltidine, leminoprazole, lerisetron, letrazuril, lidamidine, linitript, lirexapride, loperamide, lorglumide, loxiglumide, lozilurea, lupitidine, lurosetron, mebiquine, meciadanol, 6-mercaptopurine, mesalamine, mesalazine, mesalazine, methylalntrexone, metoclopramide, metronidazole, mexiprostil, mifentidine, mirisetron, mosapride, mosapride, mosapride, nepaprazole, niperotidine, nizatidine, nolinium, norcisapride, norcisapride, nuvenzepine, octeotide, olsalazine, olsalazine, omeprazole, omeprazole sulphone, ondansetron, ornoprostil, osutidine, oxmetidine, palonosetron, pantoprazole, phenolphthalein, piboserod, pibutidine, picoprazole, pifamine, pipratecol, pirenzepine, pirenzepine, plaunotol, porfimer, pranazepide, proglumide, prucalopride, pumaprazole, rabeprazole, racecadotril, ramixotidine, ramosetron, ranitidine, rebamipide, remiprostol, renzapride, ricasetron, ridogrel, rifaximin, rioprostil, rispenzepine, rofleponide, rosaprostol, rotraxate, roxatidine, saviprazole, siltenzepine, simeticone, sofalcone, somatostatin, sopromidine, spiriprostil, spirog-

lumide, spizofurone, sucralfate, sucrosafate, sufotidine, sulamserod, sulfasalazine, sulisatin, tarazepide, tazofelone, tegaserod, tegaserod, telenzepine, telenzepine, tenatoprazole, teprenone, thalidomide, ticalopride, timoprazole, tinidazole, tiotidine, tizanidine, tolimidone, tomoglumide, tranexamic acid, trapencaine, triletide, triletide, trimoprostil, tritiozine, tropisetron, troxipide, tuvatidine, ufiprazole, uzarin, venritidine, zaldaride, zaltidine, zatosetron, zolenzepine, zolenzepine, zolimidine, ϵ -acetamidocaproic acid, 5-ASA-CYS, A-71378, A-71623, ABT-229, AD-2698, ADL-8-2698, APC-2059, AR-R15849, AT-61, ATL-2502, AU-006, AU-130, AU-224, AU-413, AU-461, BIMU-8, BILN-303-SE, BXT-51072, BXT-51108, BY-112, CA-1028, CAM-CAM-1028, 1481, CDC-801, CDP-571, CHF-17454, CJ-11974, CI-988, CP-212454, CP-122721, CR-1392, CR-1409, CR-1505, CR-2345, CR-2622, CR-2945, CR-2194, DA-3934, DA-6034, DA-9601, DA-9601, DZ-3514, E-3620, EB-3810, EM-574, FK-480, FK-1052, FR-127519, FR-145715, FR-180102, FR-182024, FR-193879, FR-208419, G-009, GR-205171, GM-611, GS-332, GW-5823, GW-7178, H199, H-335/25, HC-62, HC-7011, HC-74, HP-0310, ICM-3, IQM-95333, ISIS-2302, ISIS-14803, ISIS-22023, IT-9302, IY-81149, J-104129, J-106366, JB-9315, JK-1085, KC-11458, L-364718, L-365260, L-368730, L-368935, L-740093, L-754030, LDP-02, LY-206890, LY-219057, LY-246736, LY-315535, LY-316108, MK-329, MKC-733, NABI-3700001, NE-0080, OP-2000, OTC SB-300, P371A1, PA53, PD-134308, PD-135158, PD-138450, PD-140548, PTR-3046, Q-33160A, R-116712, RO-32-6167, RO-48-5695, RP-69758, RP-73870, S-15176, SB-207266, SC-50998, SCH-28080, SCH-33405, SDZ-HTF-919, SHANVAC-B, SK-896, SK-951, SKK-47029, SKF-96067, SKF-97574, SL-65.0102, SLV-305, SPI-447, SR-27897, SR-27897B, SR-58611, T-0632, T-0970, TA-510, TP-1202, TP-680, TR-14035, TS-951, TT-S24, VRT-21493, XYZ-033MP, Y-34867, Y-34959, Y-36912, YH-1885, YJA-20379, YJA-20379-5, YJA-20379-8, YM-022, YM-114, YM-53389, YNS-15P, Z-338, ZNC-2381, Y-905, YNS-15P,

GROUP 7A:

[0043] 17 β -estradiol, 1-docosanol, 3-allylfarnesol, 7-morpholinomethyltheophylline, abarelix, acefylline, acetazolamide, alfuzosin, alprostadiol, altizide, alverine, amanozine, ambuside, amikacin, amiloride, amitriptyline, apomorphine, arbutin, atosiban, atropine, azosemide, baclofen, bendroflumethiazide, benzthiazide, bethanechol, bexlosteride, botulinum toxin A, bumetanide, butizide, candesartan cilexetil, canrenoic acid, cetrorelix, chloraminophenamide, chlorazaniol, chlorothiazide, ciprofloxacin, clenbuterol, cinafloxacin, clindamycin, clofenamide, clopamide, clorexolone, cyclopenthiazide, cyclothiazide, dantrolene, darifenacin, deacetylmoxislyte, desacetylspironolactone, 6 β -idrossi-7 α -tiometil spironolactone, desipramine, desmopressin, desogestrel, dicycloverine, dicyclomine, dienestrol, dihydrotestosterone, disulfamide, doxazosin, doxepin, doxercalciferol, doxiverin, drospirenone, duloxetine, dutasteride, eflornithine, emepronium, ephedrine, epitizide, eplerenone, episteride, estradiol, estriol, ethacrynic acid, ethiazide, ethinylestradiol, ethoxzolamide, etonogestrel, etozolin, fenquizon, fesoterodine, fiduxosin, finasteride, flavoxate, flumethiazide, fluoxetine, flurbiprofen, fosfomycin, furosemide, ganirelix acetate, gatifloxacin, gestonorone, hydrocarbazine, hydrochlorothiazide, hydroflumethiazide, hyoscyamine, hyoscine, imidapril, imipramine, inaperisone, indapamide, indometacin, ipratropium, isosorbide, izonsteride, lanperisone, loperamide, losartan, mannitol, mebeverine, mefruside, mercaptamine, mepartricin, mespirenone, mesterolone, methazolamide, methocalcone, methyclothiazide, methyltestosterone, meticrane, metolazone, midodrine, midodrine, moxislyte, muzolimine, naftopidil, naftopidil, nepadutant, nifedipine, nifedipine, nitrofurantoin, norethindrone, norfloxacin, nortriptyline, ofloxacin, oleandrin, osanetant, osaterone, oxendolone, oxybutynin, oxybutynin, papaverine, paroxetine, perhexiline, phenoxybenzamine, phenetolamine, phenylephrine, phenylpropanolamine, pimagedine, pinacidil, piretanide, piretanide, polythiazide, prasterone, prazosin, propantheline, propiverine, prostaglandin E₁, prostaglandin F_{2 α} , prostavasin, protheobromine, pseudoephedrine, quinethazone, resiniferatoxin, roxithromycin, salbutamol, saredutant, sevelamer, sildenafil, sirolimus, suplatast, tacrolimus, tacrolimus, talnetant, tamsulosin, teclorothiazide, temiverine, terazosin, terbutaline, terodiline, testosterone, theobromine, tibolone, ticrynafen, tolterodine, torsemide, trans-retinoic acid, trazodone, tretinoin, triamterene, trichloromethiazide, trimegestone, tripamide, triptorelin, troglitazone, trospium, turosteride, upidosin, vamicamide, vardenafil, vardenafil, xenoxin-1, xipamide, yohimbine, A-176120, A-197574, ABT-232, ABT-839, ABT-866, ABT-980, AH-9700, AIO-8507L, ALRT-4204, ALRT-4326, AZD0947, AZD5106, BAY-38-9456, BMS-214662, BMS-284756/T-3811ME, BMS-341400, BMY-7378, CDB-4124, Chi-MrIA, CL-385004, CS-891, CV787, DA-8159, DecbSM, DV-182, DWH-146e, E-4010, E-8010, EMD-221829, ESR-1150, FK-176, FK-453, FR-119680, FR-149175, FR-229934, GI-198745, GS-332, GW-419458, GYKI-16084, HP-4, HP-7, HY-770U, IC-351, IM-46068, ISIS-24195, J-811, JTP-20993, K-4610178, K-4610422, KCO-616, KRP-197, KW-3902, KW-7158, L-372662, L-374943, L-757464, L-771688, L-778123, L-780945, L-788123, LG-120746, LG-121071, LG-121104, LU25-109, LU-25-109, LU-302872, MEDI-491, MEDI-501, MEDI-503, MEDI-504, melanotan II, MEN-10627, MK-826, MX-6, NC-1800, NK-433, NMI-187, NMI-221, NMI-678-11, NNC-45-0781, NS-21, NS-49, NS-8, NZ-419, ONO-5816, ONO-8815, OPC-41061, OPC-51803, Org-30659, PNU-157706, PNU-156765, PNU-156804, PNU-200577, PT-14, R-115777, RCC-36, RCC-36, Rec-15/2615, Rho-TIA, RO-60-0332, RO-70-0004, RPR-100579, RPR-130401, RS-100329, RSD-992, RU-58642, RWJ-38063, SB-223412, Sch-66336, SGN-00101, SL-5770499, SL-251039, SNA-4606-1, SNAP-5089, SNAP-5399, SNAP-6201, SNAP-6383, SNAP-5540, SNAP-6543, SNAP-6552, SNAP-6991, SNAP-7242, SNAP-7915, SPM-007, SR-144190, SR-48968, SR-

49059, SR-59026A, T-1032, TA-1790, TA-1790, TAK-637, TSE-424, UK-343664, UK-357903, VIPGC-NO, VLM-588, VNA-932, VP-365, WAY-133537, WAY-141608, WAY-151616, YM-31758, YM-32906, YM-36117, YM-58790, YM-905, YM-934, Z-15, Z-350, ZD-0947, ZD-6169, MUDE, EDEX, TOPIGLAN, ALPROX-TD, INVICORP

5 GROUP 8A:

[0044] β sitosterol, α tocopherol, β tocopherol, γ tocopherol, δ tocopherol, ϵ tocopherol, η tocopherol, $\alpha 1$ sitosterol, ζ_1 tocopherol, ζ_2 tocopherol, α -carotene, β -carotene, γ -carotene, δ -carotene, β -citaurin, γ -sitosterol, β -sitosterol, α -tocopherol, 10-bromopauillon, 10-desacetylbaicatin III, 13-cis-retinoic acid, 16-Methyloxazolomycin, 17-(Allylamino)-
 10 17-demethoxygeldanamycin, 2-(2-amino-3-methoxyphenyl)-chromone, 2,2,5,7,8-pentamethyl-6-hydroxy-chromane, 2-hydroxychalcone, 2-methoxyestradiol, 3-allylfarnesol, 3-Aminopyridine-2-carboxaldehyde, 3-deoxysilychristin, 3-hydroxyflavone, 2-phthalimidino glutaric acid, 3,4-didehydroretinoic acid, 3-indolemethanol, 4'-bromoflavone, 4-aminothalidomide, 4-bromothienylguanine, 4-dedimethylaminosancycline, 4-Demethylpenclomedine, 4-hydroxybutyryloxymethyl-retinate, 5,6-dimethylxanthenone-4-acetic acid, 5'-hydroxythalidomide, 5-aza-2-deoxycytidine, 5-azacytidine,
 15 5-fluorouracil, 5-hydroxytryptophan, 5-methoxytryptamine, 6-azauridine, 6-gingerol, 6-hydroxymethyl-acylfulvene, 6-mercaptopurine, 6-shogaol, 6-thioguanine, 7-Hydroxycoumarin, 7-hydroxystaurosporine, 9-cis retinoic acid, 9-aminocamptothecin, 9-aminocamptothecin, 9-Hydroxycrisamicin A, 9-nitrobromopauillon, 14-hydroxy-4,14-retroretinol, abarelix, acacetin, aceglatone, acetylharpagide, acetyldinaline, acitretin, acrimarin F, acylfulvene, adefovir, adenine, adozelesin, aeruginosamide, alanine, alanosine, alendazole, aldesleukin, alitretinoin, allantoin, allcis-5,8,11,14,17-ei-
 20 cosapentaenoic acid, allicin, allin, allixin, allopurinol, all-trans retinoic acid, all-trans-4-hydroxyretinol, all-trans-4-hydroxyretinoic acid, all-trans-4-oxoretinol, all-trans-4-oxo-retinoic acid, almuheptolide A, alpha-amyrin, alpha-curcumen, alpha-linolenic-acid, alpha-pinene, alpha-terpinene, altretamine, alsterpauillon, altretamine, amamistatin A, amentoflavone, amifostine, aminoglutethimide, aminopterin, anguillosporal, ampelopsin, amphidinolide T, amrubicin, amsacrine, amygdalin, anastrozole, aneastim, ancitabine, anecortave, anethole, angiopoietins, angiostatin, anhydrovinblastine, annamycin, annomuricin D, annopentocins, anserine, anthocyanins, anthocyanosides, anthranilic acid, antimycin A1, antimycin A3, antineoplaston A10, anvirzel, apigenin, apigetrin, apiin, apiole, apidine, apocyanin (A, B, C, D), apomine, arabinogalactan, arbutin, arcylriacyanin A, arginine, arglabin, ariculatin, asimin, asimicin, asiminocin, asmarine B, asperuloside, astacin, astaxanthin, astragalin, avrainvillamide, axillarin, azacitidine, azafirin, azaserine, azidodideoxyguanosine, baicalein, baptigenina, batimastat, bengamide, bergapten, beta-alethine, betaine, berberine,
 30 beta-ionone, betulin, bexarotene, bicalutamide, bifendati, bilobalide, bilobols, biochanin A, biotin, biricodar, bisantrene, bisnafide, bixin, bizelesin, bohemin, borneol, bornyl-acetate, brassicolene, brassinin, brevicollin, bromelain, bromotaxane, bropirimine, bryostatin 1, buserelin, busulfan, busurelin, bullanin, buthionine, butylidene-phthalide, butyric acid, caffeic acid, caffeic acid, caloporside, calicheamycin, calusterone, calphostin S, camphene, camphor, camptothecin, canavaninelupeol, canpagin, canstatin, cantharidin, canthaxanthin, canventol, capecitabine, capsaicin, capsanthin,
 35 carboplatin, carboxyamidotriazole, cardanols, carmofur, carmustine, carnosic acid, carnosine, camosol, carnosolic acid, carvacrol, carolin (A, B, C), carvone, caryophyllene, caryophyllene-oxide, carzelesin, carzinophilin, carboquone, catechin, catechin, cemadotin, centaurein, cercosporin, cetrorelix, chavicol, chalcones, cherimoline, chlaptosin, chlormadinone, chlorogenic acid, chlorophyll, chloroquinoxaline sulfonamide, chromocarb, chrysanthemamaxanthin, chrysin, chrysoeriol, chlorambucil, chlornaphazine, chlorozotocin, cichoric acid, cilengitide, cineole, cinnamic acid, cipemastat, cirsimaritrin, cirsineol, cis-inochiresinol, cisplatin, citral, citric acid, citrusine, cladribine, clofarabine, cnicin, cnidilide, cobalamin, combretastatin, combretastatin A4, combretastatin A4 phosphate, conophylline, contortrostatin, conyferyl alcol, coporang, cordycepin, cortivazol, cotara, coumarin, coumestrol, crellastatin A, CRM-51005, crocetin, cryptophycin, cryptophycin-1, cryptophycin-52, cryptoxanthin (α , β , γ , δ), curacin A, cuscenol B, curcumin, cyanidin, cyanidin 3 galactoside, cyanidin 3 glucoside, cyanidin 3,5 diglucoside, cyanidin 3-rhamnoglucoside, cyanidin 3-soforoside, cyasterone, cycloartenol, cyclophosphamide, cymene, cystemustine, cytarabine, cytotrienin IV, daidzein, dacarbazine, daidzin, damnacanth, daphnezomine G, daphnodorin A, datiscetin, daunorubicin, decitabine, declopramide, defosfamide, dehydridemnin B, delphinidin, delphinidin 3,5 diglucoside, delta-3-carene, delta-7-sterols, 5,7-dichloroemodin, demecolcine, denileukin diftitox, denopterin, depsiptide, desmethyleleutherobin, desmopressin, desoxyepothilone a, desoxyepothilone B, cis-2'-deoxy-2'-fluoromehtylene-cytidine, dexamethasone, dexormaplatin, dexrazoxane, detirelix, diazaphilonic acid, diaziquone, dibromodulcitol, diethylnorspermine, diethylstilbestrol monophosphate, diflomotecan, dihydroxycalcitriol, dimeflin, dimesna, diosmetin, diosmin, discodermolide, discorhabdin P, diphyllins, docetaxel, dolastatin-10, dolastatin-15, dolostatin, doxifluridine, doxil, doxorubicin, dromostanolone, echinacoside, echinenone, ecteinascidin-757, ecteinascidin-743, edatrexate, edelfosine, edeine, edotreotide, eflornithine, elacridar, elemene, eleutherobin, elinafide, ellagic acid, emflemin, emitefur, emtricitabine, emodin, endostatin, eniluracil, enloplatin, enocitabine, epicatechin, epigallocatechin, epigallocatechin-3-O-gallate, epipachysamine E, epirubicin, epitioastanol, epothilone (A, B, C, N-oxide, E, D), eptaplatin, equol, erbastatin, eriodictyol, eruboside-b, esculetin, estragole, espelicin, estramustine, ethanidazole, etoglucid, etoposide, etoposide phosphate, etretinate, eugenol, eupatorin, eudistomin H, exatecan, exemestane, exisulind, fadrozole, falcariindiol, fagopyrin, falnidamol, farnesylthiosalicylic

acid, fenretinide, ferulic-acid, feruloyl-4-hydroxycinnamoylmethane, fialuridine, finrozole, fisetin, flavin-adeninin-8a-hydroxy-riboflavin, flavine-adenine dinucleotide, flavone-8-acetic acid, flavopiridol, flavoxanthin, floxuridine, fluasterone, fludarabine, fludarabine phosphate, fluoropyrimidine, fluorouracil, flutamide, fluvirucin B2, folic acid, folinic acid, formamycin, formestane, formononetin, fosfestrol, fraxinol, fucoxanthin, fulvestrant, fumagillol, fumagillol chloroacetylcarbamate, fustin, galangin, galarubicin, gallic acid, galocatechin, galocitabine, gamma-terpinene, ganirelix, gardenin (A, B, C, D, E), geldanamycin, gemcitabine, gemfibrozil, genistein, genistein-7-phosphate, genistin, genkwanin, geldanamycin, gentisic acid, geraniol, gimeracil, goniodonin, ginkgolide A, ginkgolide B, glufosfamide, glutathione, glutethimide, glucose, 1-glucosamine, 2-glucosamine, 6-glucosamine, 2-galattosamine, 1-fructosamine, 2-fructosamine, glyceollin, glyceollin-II, glycine, glycitein, glycitin, gnidimacrin, goserelin, gossypol, griseolic acid, halimide, harmine, harmaline, harmalol, harman, halofuginone, heliquinomycin, herbimycin A, hemiasterlin, hepaxanthin, hesperetin, hesperidin, heteroxylan, hexestrol, hispidulin, histamine, histidinol, homoharringtonine, hycamtin, hypericin, 7,7'-dichlorohypericin, hydrocaffeic acid, α -hydroxyfamesylphosphonic acid, hydroxymethylacylfulvene, hydroxyurea, 5-hydroxynoracronycine, hycamtin, hyperin, hyperoside, hypocrellin (A, B), hispidospermidine, human endostatin 6-49, idarubicin, ilatreotide, ilomastat, imatinib, imexon, imidacrine, improsulfan, indanocine, indirubin, indole-3-acetic-acid, inosine, inositol, intoplicine, ipriflavone, iproplatin, irigenin, irinotecan, irisquinone, irofulven, iseganan, isatoribine, isochlorogenic acid, isoeugenol, isofraxidin, isoliquiritigenin, isopimpinellin isoquercetin, isoquercitrin, isorhamnetin, isorosmanol, isovitexin, iturelix, justicidin A, kaempferol, kahalalide F, karenitecin, ketotrexate, krestin, kynurenine acid, kushenol (B, H, E, K, N, M), kuraninone, kosamol A, kuraridin, labiatic-acid, lactacystin, ladirubicin, lapachol, lavendustin, L-carnosine, ledoxantrone, lentinan, leridistim, letrozole, leucocyanidin, leucotropin, leucovorin, leuprolide, leuprorelin, leucubicin, liarozole, licocoumarone, licoflavanone, licochalcone A, lignin, limonene, linalol, linarin, linoleic-acid, liquiritigenin, lisofylline, lobaplatin, lobradimil, lometrexol, lonidamine, losoxantrone, luminacin D, lupeol, lurtotecan, lutein, luteolin, luteolin-7-glucoside, luzindole, lycopene, lycobetaine, lycophyll, lycoxanthin, macrocarpin A, malvidine 3 glucoside, malvidine 3,5 diglucoside, mammastatin, mannomustine, marimastat, maslinic-acid, maspin, mechlorethamine, megestrol, melatonin, melengestrol, melphalan, menadiol, menogaril, menthone, mepitiostane, mesna, meshima-ex, methotrexate, 1-methoxyagrocavine, 3-methoxyquercetin, miboplatin, midostaurin, mifepristone, migrastatin, miltefosine, mirostipen, mispyric acid, mitalactol, mitobronitol, mitoguanzone, mitolactol, mitomycin C, mitotane, mitoxantrone, mivobulin, mofarotene, mopidamol, morin, motretinide, myo-inositol, myrcene, myroridin K, myricetin, myristicin, 14-methylpentadecanoic acid, 16-methylinoic acid methyl ester, N-(2 hydroxyethyl)-retinamide, N-(2 hydroxyphenyl)-retinamide, N-(2-carboxyphenyl)retinamide, N-(4-carboxyphenyl)-retinamide, N-(4-carboxyphenyl)-retinamide, N-(ethyl)retinamide, N-(4-etoxy-carbonylphenyl)-retinamide, N-(4-hydroxyphenyl)-retinamide, N-(4-hydroxyphenyl)-retinamide-O-glucuronide, naamidine A, N-acetyl-5-hydroxytryptamine, naringenin, naringin, nedaplatin, nemorubicin, neoheperidin, neplanocin A, neparensinol B, nepetrin, N-hydroxymethyl-thalidomide, nicardipine, N-hydroxyphthalimide, nicotinamide, nilutamide, nimustine, nitracrine, nobiletin, nolatrexed, nonataxel, nordihydroguaiaretic acid, noscapine, novembicin, O-6-benzylguanine, octreotide, oleanolic-acid, oliverine, olomoucine, oltipraz, onapristone, oncocidin A1, oprelvekin, orientin, ormaplatin, orotic acid, oroxylin, oteracil, oxaliplatin, oxostephanine, ozogamicin, paclitaxel, pachystaudine, pancratistatin phosphate, paecilquinone A, pantothenic acid, pantothenic acid, p-coumaric acid, pavenannin B1, p-cymene, panorex, pectolinarigenin, pelargonidin, pelargonidin 3 glucoside, pelargonidin 3,5 diglucoside, peloruside A, peltatins, pemetrexed, Penicillamine, Pentacea, pentamidine, pentetate, pentostatin, peonidin, perifosine, perillyl alcohol, petunidin, phenamet, phenesterine, phenylahistin, phenylbutyrate, phloretin, phloroglucinol, phosphatidyl-choline, phthalascidin, p-hydroxybenzoic-acid, phytic-acid, pibrozelesin, picibanil, piceatannol, pifithrin-A, pinitol, pirarubicin, piritrexim, pironetin, piroxantrone, podophyllinic acid, podophyllotoxin, porfimer, pratensein, prednimustine, prinomastat, proanthocyanidins, probenecid, procabazine, progenipoeitin G, propionic acid, protocatechuic acid, prunetin, prunellin, psoralen, pteropterin, purpurogallin, pyrazoloacridine, pyridoxine, pyrisulfoxin A, pyroxamide, Q-12713, quercetageitin, quercetin, quercetin -O- β -D-galactoside, quercetin-3-galactoside, quercetin-3-rhamnoglycoside, quercimeritrin, quercitrin, raltitrexed, ranimustine, ranipimase, razoxane, radicol, rebeccamycin, rebastatin, repifermin, resveratrol, retinal, retinylhydroxymethylether, retinol, rhamentin, rhodomycin, riboflavin, riboflavin monophosphate, riboflavin tetrabutylate, riboflavin triacetate, rhinacanthin (C, D), robinetin, robinin, rohitukine, roquinimex, rosmarinic acid, roscovitine, rosmadial, rosmanol, rosmaridiphenol, rosmarinic acid, rosmariquinone, rubitecan, rubixanthin, rutin, safinol, safole, sakuranetin, salicylic-acid saponin, salicylhalamide A, sanguinarine, s-allyl-L-cysteine, saponaretin, saponins, sarcodictyin A, sarcophytol A, sardomozide, sargramostim, saskatchewan, satraplatin, scoparin, scopoletin, scopafungin, scutellarein, schizophyllan, scytonemin, sebrilatin, secobatzelline A, sedoxantrone, selenocysteine, selenomethionine, sensamide, serotonin, shermilamine D, sigmastanol, silandrin, silybin, silychristin, silydianin, silymarin, silymonin, sinapic acid, sitosterol, sizofiran, sobuzoxane, soblidotin, solasodine, solimastat, somatostatin, sophoricoside, sophorallavone G, spioplatin, sparfosic acid, spisulosine, spongistatin, spinencin, squalamine, β -tethymustine, staurosporine, stigmaterol, streptonigrin, streptothricin B, streptozocin, suberanilohydroxamic acid, sulfuretin, sulidac sulfone, supidimide, suradista, suramin, syringaldehyde, syringic acid, taglutimide, talaporfirin, taiwanhomoflavone A, tamandarin A, tannic acid, tannin, tanomastat, tasonermin, taurine, taurolidine, tautomycin, taxifolin, taxol, tazarotene, tecogalan, tectorigenin, tegafur, teloxantrone, temozolomide, teneretin, teniposide, tenuazonic

acid, terpinen-4-ol, tesmilifene, testolactone, tetrahydrocortisol, tetramethylpyrazine, tetrandrine, tetrocarcin A, tezacitabine, thalidomide, theaflavin, theaflavine, thielavin B, thiamine, thiamiprine, thionine, thyrsiferyl 23-acetate, thiocctic acid, thioguanine, thymalfasin, thymol, tipifarnib, tiazoferin, timcodar, tirapazamine, tirazone, tirilazad, tocladesine, tocol, tonkinicin, tokaramide A, tomudex, topostatin, topotecan, torularhodin, trans ferulic acid, trapoxin b, triaziquone, tributyrin, trichostatin (A, B, C, D), tridolgosir, triethylenemelamine, trigonelline, trilostane, trimetrexate, trimidox, triptorelin, triptofordin C2, trolox C, troponin I, troxacitabine, troxerutin, trunkamide A, tryptamine, tryptophan, tubercidin, tubulysin A, tumerone, tumstatin, tyrphostin, ubenimex, umbelliferone, uncarinic acid A, uracil mustard, urethan, ursolic acid, valereinic acid, valeric acid, valrubicin, valsopodar, vanillic acid, vanillin, vaporeotide, vatalanib, verapamil, verteporfin, vesnarinone, vinblastine, vincristine, vindesine, vinflunine, vinorelbine, violaxanthin, vitamin a2, vitamin E acid succinate, vitexin, vitilevuamide, virulizin, vorozole, wogonin, xanthophyll, xanthotoxin, xanthotoxol, xenomin 1, zaco-
 5 pride, zalcitabine, zeaxanthin, zeniplatin, ziconotide, zingerone, zingibain, zinostatin, zorubicin, 506U78, 5F-203, 6-MCDF, 6-MPG, 776C85, A-007, A-105972, A-176120, A-125800, A-177430, A-177775, A-197574, A-198401, A-228839, A-316023, ABT-518, ABT-627, ABT-839, AC-7700, AC-9301, ACRP30R2, AD-198, AE-941, AG-99, AG-12275, AG-12286, AG-1288, AG-1478, AG-18, AG-2034, AG-2037, AG-3340, AG-3433, AG-494, AG-555, AG-7352, AG-825, AG-879, AGN-190168, AGN-193109, AGM-1883, AGR-129, AH-12, AH-27, AH-30, AH-7, AL-245, AL-6, AM-580, AMD-473, AMD-3100, AMP-404, AN-207, AN-238, APC-8015, APC-8024, AR54, AR5LAC20, ARH460-23, AS5-2H, AT-5015, AVI-4126, AZD-3409, AZD-6474, B-317, B-429, B-581, B-956, B-1086, BAL-9602, BAM-002, BAY-12-9166, BAY-12-9566, BAY-38-3441, BAY-43-9006, BB-1277, BB-21295, BB-67357, BB-76163, BB-2516, BB-3644, BB-94, BBL22, BBR-2778, BBR-3438, BBR-3464, BBR-3576, BBR-3610, BE-41956A, BE-43547A1, BE-45985X, BE-54238A, BE-55051, BE-56384, BE-56980, BE-60828, BE-67251, BEC2, BGP-15, BIBH-1, BIBX-1382, BIM-46068, BIWA4, BLP-25, BLS-0597, BMD-188, BMP-6, BMS-27291, BMS-181174, BMS-182751, BMS-184476, BMS-184477, BMS-186511, BMS-188797, BMS-200659, BMS-214662, BMS-247550, BMS-247615, BMS-247616, BMS-265246, BMS-275291, BN-80245, BN-80915, BN-80927, BNP-1100, BNP-1350, BNP-7787, BP-04, BP-1, BPHA, BR-630, BSU-1075, BSU-9057, BZA-2B, BZA-5B, C-1027, C-1311, C-75, CB-96, CB-300907, CB-300919, CB-30865, CB-7646, CC-3052, CC-4047, CC-5013, CC-7085, CCI-779, CD-1599, CD-437, CD-2314, CDC-501, CDC-801, CEP-2563, CEP-701, CGP-41251, CGP-48664, CGP-52608, CGP-74514, CGP-79787, CGP-79807, CGS20267, CGS-24592, CGS-27023A, CHAP-31, CHAP-81, CHS-828, CHT-22, CI-1006, CI-1021, CI-1027, CI-1031, CI-1033, CI-1042, CI-958, CI-980, CI-994, CJ-11974, CKD-602, CKD-731, CL-387785, CM101, CM-101, CMA-676, CMB401, CN-706, CN-787, COL-3, CP-1, CP-248, CP-263114, CP-358744, CP-358774, CP-461, CP-609754, CPC-405, CPD-5, CPR-2003, CPR-2005, CPR-3005, CPT-111, CRL-1005, CRL-8246, CRL-8256, CRM-51005, CRM-646-A, CSA, CS-682, CT-052923, CT-17, CT-2103, CT-2584, CT-2584, CTP-37, CV706, CV-787, CWJ-A-5, CYA-246, CYS-3-AMBA-Met, D-2163, D-24241, D-24851, D-609, DAB389IL-7, DB-67, DB-81, DC-TA-46, DDE-131, DDE-261, DDE-313, DDE-380, DE-310, DJS-811, DOX-GA3, DP-242/3-, DP-71, DR-70, DT388-GM-CSF, DTI-015, DTPA-BRE-3, DW-2143, DW-2282, DX-8951F, DZ-3358, E21R, E-350, E-3620, E6-BP, E-7070, E-7869, EB-1089, ED-501, EDP-137, EG009, EKB-569, ELF3, EM-12, EM-800, EMD-1211974, EO-9, EPO-906, ERA-923, ER-34617, ER-35794, ER-38925, ER-68203, ER-68203-00, ERA-923, ES-936, ET-743, ETM-775, F-11782, FB-642, FC-2.15, FCE-28948, FCE-29381, FCE-29771, FD-594, FDUMP, FDU-NOAC, FE-200486, FE-200486, FE-399, FJ-5002, FK317, FPP-33, FR-143430, FR-182877, FR-186054, FR-901228, FRI-20, FT-ALZ, FTI-2148, FTI-2153, FTI-276, FTI-277, FY21-AA09, GI-198745, G-207, G-3139, GBC-590, GF-120918, GD0039, GEM-231, GEX1Q5, GF-109203X, GFB-111, GFMO-1, GGTI-2166, GGTI-298, GI-129471, GL-331, GLI-328, GM2-KLH/QS-21, GM-95, GMK, GnRH-III, GPI-0100, GR-891, GR-128107, GR-135533, GRN-5384, GSDI-126, GTI-2040, GTI-2501, GTX-006, GV-1301, GVH-313, GW-1843, GW-2059, GW-395058, GW-5181, GW572016, GW-8510, GW-9499, GW-974, H-10, HA-1, HA-14-1, HI-368, HPKCI, HSCS-1, HSPE-7, HSPPC-96, HWL-12, HX-600, HYB-0432, HYB-165, IB-367, IIK7, IB-96212, ICI-164384, ICI-245991, IDEC-Y2B8, IDN-5005, IDN-5109, ILX23-7553, ILX-295501, ILX-651, IM-46068, IM862, IMC-C225, INGN-201, INGN-241, INGN-251, INX-3001, INX-3280, INXC-6295, IIR-2, ISIS-10639, ISIS-12539, ISIS-12884, ISIS-14864, ISIS-15999, ISIS-16009, ISIS-16518, ISIS-16601, ISIS-16609, ISIS-16834, ISIS-17509, ISIS-19387, ISIS-20772, ISIS-21028, ISIS-22783, ISIS-23722, ISIS-23905, ISIS-2503, ISIS-25513, ISIS-27067, ISIS-28313, ISIS-28949, ISIS-3521, ISIS-4189, ISIS-5132, ISIS-5132, ISIS-7597, J-104134, J-104871, J-107088, J-109404, JBT-3002, JF-05-59, JK-1624S02, JKC-362, JM-216, JMW-1802, JTE-522, K-135, K-252a, K-22387, KAN-108308, KAN-104141, KF-22678, KF-25706, KF-41399, KF-58333, KHPC-10, KI-6783, KM-043, KNK-437, KOCH-5, KR-30035, KRN-5500, KRN-7000, KRN-8602, KS-505a, KT-5720, KT-6149, KT-6352, KW-2170, L-377202, L-39, L-452958, L-651582, L-731734, L-731735, L-739749, L-739750, L-744832, L-745631, L-778123, L-779450, L-779575, L-783277, LB-42908, LCS-640, LDI-200, LDP-341, LFM-A12, LFM-A13, LG-120744, LG-120753, LG-190119, LGD-1069, LGD-1550, LM-4108, LMB-2, LMB-7, LMS-83177, L-ND-
 55 DP, LU-103793, LU-223651, LY-231514, LY-294002, LY-309887, LY-320236, LY-329146, LY-333531, LY-335979, LY-355703, MAG-283, MCC, MC-1473, MDL-101731, MDL-101986, MDL-73811, MDL-73811, MDX-11, MDX-210, MDX-220, MDX-447, MDX-H210, MEDI-503, MEDI-507, MEDI-517, MEN-10710, MEN-11066, MEN-11951, MER-1020DA, MER-WF1726, MG-132, MG98, MGI-114, MGV, MIBG, MK-4, MK571, MK-869, MK-886, MKT-077, MI-1544, MI-1892, MM-36, MMI-270, MPC-7869, M-PGA, MPI-5020, MPV-2213AD, MR-20492, MS-209, MS-247, MS-27-275, MS-275,


MS-325, MSI-1857, MTP-PE, MUP-98176, MV9411, MX6, MT965-A, MT965-B, N276-15, NA-22598B1, NAMI-A, NB-506, NB-1011, NBI-3001, NC100150, NCA-0424, NCO-700, NF-062, NF-06307, NG-60, NK-611, NIK-250, NHTS, NLCQ-1, NM-3, NS-398, NSC-314622, NSC-330507, NSC-354258, NSC-614491, NSC-614491, NSC-649488, NSC-655649, NSC-658875, NSC-674495, NSC-676632, NSC-678515, NSC-686288, NSC-693569, NSC-693632, NSC-7103505, NSC-D699127, NU/ICRF-505, NU:UB-31, NU:UB-73, NU-2058, NU-3076, NU-3121, NV1020, NX-1838, NX-211, OC-1012, OC-144-093, ODN-2009, ODN-698, ODN-83, OGT-719, ON-5543, ONO-4007, ONO-8711, ONYX-015, ONYX-838, OPB-3206, ORI-1313, OSI-774, P-4055, PADP, PAM4, PAK-104, PAK-104P, PD-089828, PD-145709, PD-0174073, PD-0183812, PD-090560, PD-098059, PD-128763, PD-153035, PD-158780, PD-160678, PD-166285, PD-166866, PD-168393, PD-173074, PD-173955, PD-173956, PD-180970, PD-183805, PD-184352, PI-88, PI-CA91, PKC-412, PKI-166, PLQ-22, PNU 145156E, PNU-144113, PNU 153429, PNU-157914, PNU-157977, PNU-159548, PNU-166196, PNU-177496, PP-33, PR-39, PR-69, PRO-533, PS-341, PS-724, PS-990, PSC-833, PSP-94, PT-523, PT-624, PTK-787, PX12, P-X-1544, Q-85, QM16-A, QS-21, QW-1624F2-2, R-101933, R-109339, R115777, R-116010, R123942, RB94, RK-0202, RL-0903, RMP-7, RO-09-4889, RO-25-4020, RO-25-6760, RO-25-9716, RO-28-2653, RO-31-7453, RO-31-7453, RO-41-5253, RO-50-4258, RO-65-7674, RP-527, RPR-108518, RPR-108514A, RPR-109881, RPR-115781, RPR-116258A, RPR-130401, RSR13, S-1127, S-16020-2, S179D-PRL, S-20928, S-20929, S-23906-1, S-30372, S-30972-1, S-3304, S-8184, S-836, SAHA, SAM-484, SB 249553, SB-203580, SB-209763, SB-238039, SB-247464, SB-251353, SB-408075, SB 596168, SBAS2, SBR-11-2897, SBR-11-3702, SBR-170-, SB-RA-131012, SB-T-1213, SB-T-1250, SB-T-101187, SC-1, SC-68448, SC-72115, SC-AAD9, SCH-207758, SCH-56396, SCH-58500, SCH-66336, SCHL-705, SD-7, SGI-101, SGN-10, SGN-15, SH-207, SJG-136, SL11047, SL-11093, SN-38, SMT-487, SN-38, SNF-4435C, SQ-67454, SP-1053C, SPC8490, SPD-424, SPIKET-P, SR 2789, SR 27897, SR-271425, SR-271425-, SR29142, SR-29142, SR-45023A, SR-4895, SR-49059, SRL-172, SS-555, ST-1481, STA-BX909, STI-412, STI-481, STI-571, SU-0879, SU-101, SU-1433, SU-1498, SU4312, SU-4793, SU-4942, SU-4984, SU-5204, SU-5212, SU-5402, SU-5406, SU-5416, SU-5477, SU-5614, SU-6668, SU-9516, SU-9902, SW-163E, T12, T-138067, T-2591, T-3782, T-607, T-64, T-67, T-900607, T-904064, T-98475, TA-2516, TA-2620-, TAS-103, TAS106, TER-117, TER-199, TER-286, TG-1031, TIP-19.40, TJN-151, TLC-144, TLC-D-93, TLC-ELL-12, TLK-199, TLK286, TMC-169, TMC-96, TNP-470, TOP-53, TRK-710, TTNPB, TT-2, TT-232, TX-1123, TX-1920, TXD-258, TZT-1027, U-0126, UCN-01, UCS-1025A-, UCT-1072M1, V-93, VGA1102, VLTS-587, VN/85-1, VN/87-1, VNP-20009, VNP40101M, VP-16, VUF-5000, VUF-5434, VX-710, VX-853, WAY-170523, WHI-D11, WHI-D12, WHI-P154, WHI-P273, WIN-61651, WMC-26, WP-631, WP-745, WP-769, WR-1065, WT-126-34, WX-293T, XK-469, XR-11576, XR-3054, XR5000, XR-5944, XR-9576, YH-137, YH-138, YM294, YM511, YM529, YMB-6H9, ZD-0473, ZD-1626, ZD-1839, ZD-2767, ZD-4190, ZD-6126, ZD-6474, ZD-9063P, ZD-9331, ZK-119010, ZK-112993, ZK-191703, ZK-222584, ZK-229561, ZK-230211, ZM-445526, ZNPCF64, IRESSA, NEOQUIN

- F is preferably chosen among the following 8 groups of molecules (from 1 B to 8B) which are identified by their own structural formula or by their own INN ("International Nonproprietary Name" from "World Health Organization" database) or by their own company code or by their own chemical name.


GROUP 1B:

[0045] ABT-963, α -tocopherol, 8 α -hydroxy-riboflavin, aceclofenac, acemetacin, actarit, alclofenac, alclometasone, AGIX-4207, ajulemic acid (EL), amebucort, amelometasone, amiprilose, ampiroxicam, amtolmetin guacil, anakinra, aniolac, anisperimus, aprepitant, aspirin (ECI), AR-C73346XX (ECX), ataquimast (ECLX), atiprimod, atizoram, atreleuton, balsalazide (ECXVIII), bendazac, benorylate, benoxaprofen, benzydamine (ELX), bermoprofen, beclomethasone, betamethasone, betamethasone acibutate, bindarit, brequinar, BF-389 (EXLVIII), bromfenac, bucllamine, bucllamine, budesonide, buprenorphine, bumadizone, butixocort, CB-2431, CC-1069, CC-1088, CEP-1347, celecoxib (EI) and 2 metabolites of it ((EII), (EIII)), chenodeoxycholic acid, chloroquine, ciclesonide, cinaproxen, cinmetacin, clidanac, clobazart, clofenamic acid, CGS-33090A, CLX-0921, CLX-120500, CK-135, COX-189, CS-502, cloticasone, CR-3558, cridanimod, cyclosporin A, darbufelone (EXLV), deffazacort, dehydrocholic acid, deltibant, deracoxib (EXIII), descinolone, desonide, dexamethasone (ECXC), dexketoprofen, dexamethasone acefurate, dexamethasone-21-phosphate, dexbudesonide, dexpemmedolac, dextiopronin, diacerein, diclofenac (ECXIII), diflunisal, dipyrone, DPC-333, droxicam, erlotinib, esonarimod (XXXIV), etodolac (ECXVI), etofenamate, etoricoxib (EXI), E-5110 (EXLVI), everolimus, ezlopitant, fampridine (ELXI), felbinac, fenbufen, fenleuton, fentiazac, figopitant, flavine-adenine dinucleotide, flobufen (ECXVII), flosulide (EXXII), fluazacort, flufenamic acid, flunisolide, flurbiprofen (ECIV), fluticasone, fluorcortin, FR-228352 (EVI), FTY-720 (ECL), ganaxolone, glucosamine (EXXX), ginkgolide B, GR-205171, GW-4459, halometasone, hydroxychloroquine, hydrocortisone (ECVIII), hyperin, ibufenac, ibuprofen (ECXIV), icatibant, ilonidap, indometacin (ECIX), indoprofen, ISIS-104838, isoxicam, ketoprofen (ECXII), ketorolac (EXC), KME-4 (EXLVII), KE-758 (EXXXV), KE-748 (EXXXVI), LL-Z-1640-2, laquinimod, lanepitant, leflunomide (EXXV), limazocic, lobenzarit, L-745337 (EXX), lomoxicam, loteprednol, J-113863 (ELXXX), meclofenamic acid, mesalazine (ECII), meloxicam (ECXV),


methotrexate (ECC), 6-methoxy-2-naphthylacetic acid (ELXIV), mofetil, ML-3000 (EVIII), mizoribine, mivotilate, mofezolac, mometasone, moxilubant, mycophenolate mofetil (EXXVIII), mycophenolic acid (EXXIX), MX-68 (EC), nabumetone, nalflocort, naproxen (ECV), N-desmethylbenzylamine (ELXIII), nepadutant, nepafenac, niflumic acid, nimesulide (EXV), NS-398 (EXXXIII), olsalazine, oxaprozin, oxolamine, oxisopred, paracetamol (ECVI), paramethasone, parecoxib (EIV), pemedolac, penicillamine, pentostatin, pimecrolimus, piroxicam, PNU-156804, pralnacasan (EXXXVII), prasterone (ECLXII), prifelone, prednisone, prednisolone (ECVII), prednazoline (ECCI), propacetamol, proglumetacin, quercetin, reminertant, resiquimod, rhein, riboflavin, riboflavin monophosphate, riboflavin tetrabutylate, riboflavin triacetate, ridogrel (ECXL), rimonabant, rofecoxib (EIX), romazaril, rofleponide, roquinimex (ECLXI), RWJ-67657, RWJ-68354, salicylic acid (ECXCI), S-19812 (ECXXX), SB-202190, SB-203580, SB-220025, SCIO-469, sinomenine, sirolimus, sivelestat, solimastat, SP-600125, spiradolene, sulfasalazine, S-2474 (EXXVII), SU-5271 (ELXII), sulindac (ECXI), suprofen, suxibuzone, tacrolimus, talnetant, tanomastat, tauroselcholic acid, tazofelone, tazadolene, tebufelone (ECXXXI), tenidap (ECIII), tenoxicam, tepoxalin (EVII), teriflunomide (EXXIV), thalidomide, tiaramide, ticolubant, tifurac, tilmacoxib (EIV), tilnoprofen, tiabamel, tiopronin, tomoxiprole, tolfenamic acid, tresperimus, T-614 (EXXI), TBC-1269, TSL-225, TTL-3, triamcinolone, triptolide, ursulcholic acid, UR-8813, ursodiol (ELXV) (EgXII), valdecocix (EV), vofopitant, VX-745, WHI-P131 (ECLI), Y-39041, zileuton (ECXX), zomepirac, (EX), (EXII), (EXVI), (EXVII) (EXVIII), (EXIX), (EXXI-b), (EXXXI), (EXXXII), (EXXXIII), (ELXX), (EXXXVIII), (EXXXIX), (EXL), (EXLI), (EXLII) (ECLXIII), (ECLXX) (ECLXXI), (ECLXXII), (ECLXXX), (ECLXXXI), (ECLXXXII), (ECLXXXIII), (ECLXXXIV), (ECLXXXV), (ECLXXXVI)




(EgI)




(EgII)




(EgIII)




(EgIV)




(EgV)




(EgVI)




(EgVII)




(EgVIII)




(EgXI)




(EgX)




(EgXI)




(EgXII)




(EgXIII)








(EI)




(EII)




(EIII)




5
10
15
20
25
30
35
40
45
50
55




(EXVIII)




(EXIX)




(EXX)




(EXXI)




(EXXI-b)




(EXXII)




(EXXXIII)




(EXXIV)




(EXXV)




(EXXVI)




(EXXVIII)














(EXXIX)




(EXXX)




(EXXVII)







(EXXXIX)




(EXL)




(EXLI)




(EXLII)




(EXLVII)




(EXLVIII)




(EL)



(ELX)



(ELXVII)



(ELXIII)

5

10

15

20

25

30


35


40

45

50

55







(ECIV)

(ECV)


(ECVI)




(ECIX)




(ECXX)




(ECX)




(ECXI)




(ECXII)




(ECXIII)




(ECXIV)




(ECXV)




(ECXVI)




(ECXVII)




(ECXVIII)




(ECXXX)




(ECXXXI)




(ECXL)




(ECLX)




(ECL)




(ECLI)




(ECLXI)




(ECLXII)




(ECLXIII)




(ECLXX)




(ECLXXI)




(ECLXXII)




(ECLXXX)




(ECLXXXI)




(ECLXXXII)




(ECLXXXIII)




(ECLXXXIV)




(ECLXXXV)




(ECLXXXVI)



(ECXC)



(ECXCI)




(ECC)


GROUP 2B:

[0046] alendronic acid, AGN-4310, arzoxifene (SXXX), avicatonin, bazedoxifene/TSE-424, bervastatin, butedronic acid, calcipotriol, calcitriol (SVIII), CGP-77675, clodronic acid, CP-336156 (SXXXII), CP-424391, doxercalciferol, droloxifene (SVI), EB-1089 (SXXXV), ecalcitriol, ED-71, EMD-84444, ERA-923, esonarimod, estradiol, etidronic acid (SXV), F-9775A, F-9775B, falecalcitriol (SXXXI), FC-1271, GW-544, HMR-3339A, 4-hydroxytamoxifene, ibandronic acid (SXX), idoxifene, incadronic acid, LGD-2226, lasofoxifene (SVII), levormeloxifene, levosimendan, lexacalcitol, lidadronic acid (SV), maxacalcitol (SXL), medronic acid, minodronic acid (SIII), miproxifene, NDE-1003, neridronic acid, NPS-2143 (SXII), NVP-AAK980, olpadronic acid (SXXI), ORG-30659, one-alpha-D₂ (SCLI), ormeloxifene, osaterone, oxidronic acid, pamidronic acid (SXXII), paricalcitol (SXXXVII), pipendoxifene (SXXXIII), piridronic acid, pitavastatin, plicamycin, pralnacasan, raloxifene (SXIII), ranelic acid, risedronic acid (SXVI), RWJ-68354, SB-242784 (SIX), SB-265123, SB-267268, SB-273005, SC-56631, secalciferol, semparatide, simendan, SUN-E3001, TAK-778, teriparatide, tiludronic acid, tibolone, toremifene (SXIV), TJN-135, trimegestone, trioxifene, TSE-424, vitamina D₂ (SII), vitamina D₃, VX-745 (SX), zindoxifene, zoledronic acid (SIV), (SXI), (SXLII), (SL)







(SXIII)




(SXXII)




(SXX)




(SXXI)




(SXXX)




(SXXXI)




(SXXXII)




(SXXXIII)




(SXXXV)




(SXXXVII)




(SXL)



(SXL I)




(SXL II)




(SL)

GROUP 3B:


[0047] ABT-594, alfentanil, almotriptan, apadolone, aprepitant, asimadolone, aspirin, baclofen, benzydamine, buprenorphine, bupivacaine, butorphanol, capsavanil (PI), CJC-1008, CNS-5161, codeine (PXIV), dapitant, dextromethorphan, dihydrocodeine (PXI), devazepibe, dronabinol, dutarizine, edronocaine, etidocaine, emfilermin, enadolone, etodolac, etofenamate, ezlopitant, fenoprofen, fentanil, figopitant, flufenamic acid, flurbiprofen, gabapentin, ganaxolone, GV-196771 (PII), hydrocodone (PXII), harkoseride, icatibant, indomethacin, ipravacaine, ketoprofen, ketorolac, lamotrigine, lanepitant, levobupivacaine, LY-293558, levonantradol, lidocaine, lofentanil, lomerizine, meperidine, mepivacaine, memantine, metacetamol, morphine, nabazenil, NNC-05-1869, NW-1029, naproxen, nepadutant, osanetant, oxycodone (PX), paracetamol (PIV), pentazocine, phenazopyridine, pidolacetamol, pravadolone, propacetamol, pregabalin, propoxyphene, remifentanil, rimonabant, rizatriptan, ropivacaine, rufinamide, saredutant, SCH-50971, SDZ-249-665, sufentanil, sumacetamol, suprofen, talnetant, tonabersat, topiramate, tramadol (PV), vofopitant, ziconotide, zoltriptan, zucapsaicin, (PIII)




(PI)




(PIV)




(PIII)




(PV)




(PX)



(PXI)




(PXII)





(PXIV)

GROUP 4B:

[0048] α -tocopherol (QIV), acitretin (QI), adapalene, amelubant, amlexanox (QIII), azathioprine, atizoram, calcitriol, calcipotriene/calcipotriol (Q10), bexarotene, dexamethasone, LPD-519, hydrocortisone, hydroxyurea, prednisolone, prednicarbate, prednisone, riboflavin, riboflavin tetrabutylate, riboflavin 6-thioguanine, triacetate, tacalcitol, lexacalcitol, maxacalcitol, moxilubant, seocalcitol, paricalcitol, sulfasalazine, tazarotene, tepoxalin, ticolubant, thalidomide, VX-497, (QII), zidovudine,




(QI)




GROUP 5B:

- [0049] ablukast, ABT-761 (JVII), acetylcysteine, acitazanolast, acreozast, adapalene, albifylline, albuterol (JXXXII) (JgIII), alclometasone, alinastine, AMG-126767, R- α -methylhistamine (JCXXXI), ambicromil, ambroxol, amebucort, amelometasone, aminophylline, andolast, APT-366, apafant, apaxifylline, argatroban, argimesna, arofylline, AR-C68397AA (JXXXVI), asobamast, astemizole (JCXXXIV), ataquimast, atizoram, atreleuton, AY-0068, AWD-12-281 (JXVII), AWD-12-343, BAY-19-8004, BAY-X-1005 (JLXXX), bamaquimast, batebulast, benafentrine, bepafant, bepotastine, betotastine, betamethasone, bilastine, bimosiamose, binizolast, bitolterol, BP-294 (JCXXX), budesonide (JII) (JgII), bunaprolast, butaprost, butixocort, camonagrel, carebastine, cartasteine, CE-1037, cetirizine (JCXXXII), ciclesonide, cilomilast/SB-207499 (JXI), cilutazoline, cinalukast, cipamfylline, CI-1018 (JXIII), CI-1044 (JXVIII), CGH-2466, cistinexine, ciclesonide, clopidogrel, cloticasone, cromakalim, cromoglicate lisetil, contignasterol, cromoglicic acid (JI), CR-3465, cysteine, D-4418 (JXII), CPX (JLXXXIII), D-4396, dacopafant, daltroban, dametralast, danosteine, dapitant, dazoquinast, DAX (JLXXIV), decarboethoxyloratadine, DF-1111301, deflazacort, deltibant, descinolone, desloratadine, desonide, dexamethasone, dexbudesonide, dexsecoverine, dextiopronin, diproteverine, DMP-777, domitroban (JXXX), doqualast, doxaprost, drotebanol, ebastine, eclazolast, efletirizine, eflumast, elziverine, emedastine, enefexine, enofelast, enoxamast, epinastine, epinephrine, eprazinone, erdosteine, espatropate, etolotifen, ezlopitant, fenleuton, fenoterol (JXXXIV), fenprinaest, fexofenadine (JXC), figopitant, filaminast, flerobuterol, flezelastine, fluazacort, flunisolide, fluticasone (JV) (JgI), fominoben, foropafant, formoterol (JXXXV), fudosteine, furegrelate, genistein (JLXXII), genleuton, guaimesal, guaifenesin, guaisteine, halometasone, HSR-609, hydroxyzine, ibudilast, icatibant, ICI-200355, idaverine, idenast, ifetroban, ilonidap, imitrodast (JCXI), INS-3653, ipratropium, IPL-4088, iralukast, isalsteine, isbogrel, isbufylline, isocromil, isoetharine, isoproterenol, israpafant (JXL), itazigrel, ketotifen, L-826141 (JXIX), L-658758, lanepitant, laprafylline, levalbuterol, levromakalim, levmetamfetamine, levocabastine, levocetirizine, levodropropizine, levosulpiride, lexipafant, linazolast, linetastine, linotroban, lirimilast, lisofylline, lonapalene, loratadine, loxanast, mapinastine, melquinast, meribendan, mesna, metaproterenol, methylprednisolone, midaxifylline, midazogrel, midesteine, milverine, milrinone (JLXXI), minocromil, minopafant, mipitroban, mizolastine, modipafant, moquisteine, mometasone, montelukast (JC), MPB-07 (JLXXV), moxilubant, nafagrel, naphazoline, naflocort, N-acetylcysteine, nardeterol, nedocromil, neltexine, nemazoline, nepadutant, nestifylline, NKP-608C, noberastine, norastemizole (JCXXXIV), nupafant, olopatadine, olprinone, ontazolast, osanetant (JCXX), oxalinast, oxitropium, ozagrel, pamigogrel, paramethasone, pemirolast, perbufylline, phenylbutyrate (JLXX), phenylpropanolamine (JXXII), piclamilast (JXXV), picumast, picumeterol, pirbuterol, pirmagrel, pirodomast, pobilukast, pranlukast, prednisolone, prednisone, propiverine, promethazine, proxicromil, pumafentrine (JXIV), quazolast, quiflapon, quinotolast, racephedrine, racephedrine, ramatroban (JXXXI), raxofelast, repirinast, revatropate, revenast, ridogrel, rimonabant, ritolukast, rocassine, rocefapant, roflumilast (JX), rolafagrel, rolipram, RPR-106541, rupatadine (JXCI), salmeterol (JXXXIII), salmisteine, samixogrel, saregutant, sarpogrelate, satigrel, scopinast, SCH-351591, seratrodoast (JCX), setipafant, sevitropium, siguazodan, sivelestat (JL), spirofylline, stacofylline, sulotroban, sulukast, suplastat (JLX), T-440, talnetant, taurosteeine, tazanolast, telmesteine, tematropium, temiverine, tenidap, terbogrel, terbucromil, terbutaline, tetrazolast, tex-


acromil, theophylline, tiacrilast, tibenelast, ticolubant, tiotropium, tioxamast, tiprinast, tolafentrine, tofomilast, tomelukast, tranilast (JIII), toborinone (JXX), triamcinolone, tulopafant, UT-77, verlukast, vofopitant, V-11294A (JXV), YM-976 (JXVI), zafirlukast, zardaverine, zileuton (JIV), zilpaterol, zipeprol, (JXCII), (JCXXXIII), (JCXXXIV)




(JgI)



(JgII)




(JgIII)




(JI)


(JII)




(JIII)




(JIV)




(JV)




(JVII)




(JX)




(JXI)








(JXII)





(JXVII)



(JXVIII)








GROUP 6B:

[0050] alizapride, alosetron, amiglumide, arbaprostil, AR-H047108, bromopride, budesonide, CAM-1028, 5-carboxyomeprazole (RXCII), 5-carboxytenatoprazole (RXCVI), 5-carboxyesomeprazole (RXC VII), chenodi-
 45 apride, clarithromycin, clebopride, CR-2622, CR-3294, darifenacin, deprostil, desmethylrabeprazole (RXXXVIII), devazepide, dexloxiglumide (RXXXI), dolasetron, domperidone, dosmalfate, equalen (RXXX), E-3620, enprostil, es-
 50 aprazole, esomeprazole (RIV), esolansoprazole (RCI), esopantoprazole (RCIII), famotidine, fedotozine, granisetron, 5-hydroxylansoprazole (RC), 5- α -hydroxyomeprazole (RXC), 5- α -hydroxyotenatoprazole (RXCIV), 5- α -hydroxye-
 55 someprazole (RXC VIII), ezlopitant, itasetron, itriglumide (RgIV) (RXXXIII), IY-81149 (RIX), L-365,260 lansoprazole (RV), lafutidine, leminoprazole (RI), levosulpiride, loperamide, loxiglumide, L-365260, LY-288513, LY-262684, LY-
 191009, MKC-733, MK-869, meclizine, mesalamine, mexiprostil, MKC-733, metoclopramide, misoprostol (RgII) (RLXX-
 II), mosapride, nepadutant, nepaprazole, nizatidine, nocloprost, norcisapride, 5-O-desmethylomeprazole (RXII), 4-O-
 desmethylpantoprazole (RXXII), olsalazine, omeprazole (RII), ondansetron, ornostil, osutidine, pantoprazole (RVI),
 pibutidine (RXLI), PD-135158, picoprazole (RLXIV), pibratecol, pranazepide, proglumide, pumaprazole, prucalopride,
 ranitidine, rabeprazole (RIII), rebamipide (RXXXIV), remiprostol, renzapride (RXXXII), rioprostil, rosaprostol (RgIII)
 (RLXX), roxatidine (RXL), RP-72540, RP-73870 (RLXXXI), S-0509 (RLXXXII), SB-641257, sepimostat (RL), spirog-
 lumide, sonopiprazole, sulfasalazine, TAK-637, tarazepide, taurocholic acid, tegaserod, telenzepine, tenatoprazole
 (RVIII), timoprazole (RLXIII), tiropamide, trimoprostil, tropisetron, YIA-20379-1 (RLX), YM-022, YIA-20379-5 (RLXI),
 YIA-20379-8 (RLXII), zacopride, (RX), (RXI) (RXII), (RXIII), (RIV), (RXV), (RXVI), (RXVII), (RXVIII), (RXIX), (RXX),

(RXXI), (RXXII), (RXXIII), (RXXIV), (RXXV), (RXXVI), (RXXVII), (RLXV), (RLXXI), (RLXXX), (RXCIII), (RXCI), (RCII), (RCIV), (RCVI), (RCVII)

5

10



15

20

25

30












35


40

45


50

55







(RXI)




(RXII)




(RXIII)




(RXIV)




(RXV)




(RXVI)




(RXVII)




(RXVIII)




(RXIX)




(RXX)




(RXXI)




(RXXII)




(RXXIII)




(RXXIV)




(RXXV)




(RXXVI)




(RXXVII)




(RXXVIII)




(RXXX)




(RXXXI)




(RXXXII)




(RXXXIII)




(RXL)




(RXLI)



(RL)




(RLXX)




(RLXXI)


(RLXXII)




(RLX)




(RLXI)




(RLXII)




(RLXIII)




(RLXIV)




(RLXV)




(RLXXX)




(RLXXXI)




(RLXXXII)




(RXXXIV)




(RXC)




(RXCI)




(RXCII)




(RXCIII)




(RXCIV)




(RXCVI)




(RXCVII)




(RXCVII)




(RC)




(RCI)




(RCII)




(RCIII)




(RCIV)



(RCVIII)



(RCVI)





(RCVII)

GROUP 7B:


[0051] ABT-980, AH-9700, AIO-8507L, alfuzosin (UV), alfatradiol, alvameline (ULXX), alprostadil (UXC), atosiban, apomorphine (UCXXX), atrasentan (UCXL), bexlosteride, bicalutamide, BMS-341400, CS-891, cyproterone (UCII), DA-8159, darifenacin (ULXXXIII), deacetylmoxisylyte, dehydrocorydaline (UXXXV), (+)-desmethyisibutramine, doxazosin (UXL), duloxetine (UXLI), dutasteride, E-4010 (UXXII), E-4021 (UXXIII), E-8010, EMD-221829, eplerenone, ESR-150, epristeride (UI), FCE-27837, fesoterodine (ULXXV), fiduxosin (UCXII), finasteride, finrozole (UCXLI), fluoxetine (UCXXXI), FK-143 (UCL), FR-119680 (UCLIII), FR-229934, gestonorone (UII-b), GI-198745, GYKI-16084 (UIX), GYKI-12743, izosteride, KMD-3213 (UCX), KCO-616, KRP-197 (ULXXXVIII), inaperisone (ULXXXV), indoramin, izonsteride, L-771688/SNAP-6383 (UCXIII), L-780945/SNAP-6991 (UCXVI), lapisteride, lanperisone, LY-320236, LY-353433, mepartricin, mepazosin, moxisylyte, naftopidil (UC), NC-1800 (ULXXXIX), NS-49 (UXCV), osanetant, osaterone (UII), oxendolone (UIV), oxybutynin, phentolamine (UVIII), PNU-157706 (UCLII), PNU-83757, PNU-156765, PNU-200577, prazosin, propantheline, prasterone (UCI), propiverine, resiniferatoxin, RBX-2258, REC-15/3079, Ro-70-0004 (UCXVII), RS-100329 (UCXVIII), RWJ-38063 (UCXIV), RWJ-69736 (UCXV), SB-223412, saredutant (UCXVII), sildenafil (UXXXIV), SNA-4606-1, SNAP-6383, SNP-7915 (UCXIX), (S)-doxazosin (UCXI), (S)-oxybutynin (ULXXXVII), sibutramine (ULXXX), SPM-007, suplatast (ULXXXIV), T-1032 (UXXX), TA-1790, TAK-637, tadalafil/IC-351 (UXXXI), talnetant, tamsulosin (UIII), TF-505, temiverine (ULXXXVI), terazosin, terodiline, tolterodine (ULXXXII), turosteride, N-desmethyisildenafil/UK-103320 (UCLXX), UK-122764 (UVII), UK-343664, UK-357903, vamicamide, vardenafil (UVI), yohimbine (UCXXXII) (UgVII), zaprinast, YM-905 (ULXXXI), YM-53705, YM-46303, WAY133537, WAY151616, ZD-0947, ZD-6169 (UCXVI), Z-350 (UCL), ZM-244085, (UX), (UXI), (UXII), (UXIII), (UXIV), (UXV), (UXVI), (UXVII), (UXVIII), (UXIX), (UXX), (UXXI), (UXXIV), (UXXV), (UCLIV), (UCLV), (UCLVI), (UCLVII), (UCLVIII), (UCLIX), (UCLXX), (UCLXXI), (UCLXXII), (UCLXXIII), (UCLXXIV)

5
10
15
20
25
30
35
40
45
50
55







(UgIII)




(UgIV)




(UgV)




(UgVI)




(UgVII)




(UgVIII)




(UgIX)




(UgX)




(UI)




(UII)




(UII-b)




(UIII)




(UIV)




(UV)




(UVI)




(UVIII)




(UIX)




(UX)




(UXI)




(UXII)




(UXIII)




(UXIV)




(UXXIII)




(UXXII)




(UXXIV)



(UXXX)




(UXXXI)




(UXXXIV)

(UXXXV)




(UXL)

(UXLI)




(ULXX)

(ULXXV)








(ULXXX)

(ULXXXI)



(ULXXXII)

(ULXXXIII)



5

10

15

20

25

30


35

40


45

50


55




(UXCVII)




(UC)




(UCI)




(UCII)




(UCX)




(UCXI)



(UCXII)




(UCXIII)




(UCXIV)


(UCXV)




(UCXVI)




(UCXVII)



(UCXVIII)




(UCXIX)




(UCXXX)

5

10




(UCXXXI)




(UCXXXII)

15

20



(UCXL)




(UCXLI)

25

30


35



(UCL)

40





45




(UCLI)

50

55







30 GROUP 8B:

[0052] ABT-839 (CNdXLI), AC-7700 (CNaLXIV), AZD-3409, 3-allylfarnesol (CNdXLVI), amifostine (CNeIII), anecortave (CNaXXVI), 4-aminothalidomide (CNaIL), aminoglutethimide, anastrozole, all-trans retinoic acid (CNbLXXII), 2-(2-amino-3-methoxyphenyl)chromone (CNaXXIV), apigenin (CNbXIX), atrasentan (CNcXIII), asulacrine, BAY 59-8862, BB-3644, BMS-214662 (CNdL), BMS-275291, BBR-2778 (CNdXXI), BBR-3438 (CNdXXIV), BBR-3464, BBR-3576, bicalutamide (CNvII), buserelin, butyric acid (CNvIV), camptothecin (CNdII), 9-aminocamptothecin (CNdIII), carboxyamidotriazole (CNaXXII), capecitabine, chlorogenic acid (CNbL), chrysin (CNbXX), CP-461 (CndI-b), CP-609754, CI-994, CI-1033 (CNcXII), CGP-77675, cilengitide (CNaXXIII), cipemastat, cladribine, combretastatin A4 (CNaLXI), combretastatin A4 phosphate (CNaLXIII), CT-2584, curcumin (CNbLIII), 5,6-dimethylxanthenone-4-acetic acid (CNaLXV), flavinic derivatives (CNbgI), flavonolic and flavonic derivatives (CNbgX), isoflavonic derivatives (CNbgXI), indolinonic derivatives (CNagI), flavanonolic and flavanonic derivatives (CNbgXII), flavanolic derivatives (CNbgXIII), anthocyanidine derivatives (CNbgXIV), thalidomide derivatives (CNagXL), 2-phthalimidino-glutaric acid derivatives (CNagXLI), phthalamidic derivatives (CNagXLII), glucose derivatives (CNdgXL), fructose derivatives (CNdgXLI), galactose derivatives (CNdgXLII), retinoid derivatives (CNbLXX), dexrazoxane (CNeI), 4-dedimethylamino-sancycline (CNaXX), diflomotecan (CNdVII), all-cis-5,8,11,14,17-eicosapentaenoic acid (CNbLXI), daidzein (CNbXXXII), docetaxel, doxorubicin (CNdXXII), D-1927, edatrexate, eflornithine (CNbLXIX), ellagic acid, EO-9 (CNdLXXX), EM-12 (CNaXLV), E-7010, epicatechin (CNbXXVI), ellagic acid, epigallocatechin-3-gallate (CNbXXVII), epirubicin, BMS-247550, BMS-214662, BMS-275291, ERA-923, erbatatin (CNcIV), erlotinib, exemestane, exatecan (CNdVI), fadrozole, fenretinide (CNbLXXIV), finrozole (CNbLXVII), flavin-adeninin-8 α -hydroxy-riboflavin (CNbIII), flavine-adenine dinucleotide/FAD, flavone-8-acetic acid (CNaLXVII), flavopiridol (CNaXXV), floxuridine, 5-fluorouracil, formestane (CNbLXIII), 1-fructosamine, (CNdLXXVIII) 2-fructosamine (CNdLXXVI), fustin (CNbXXIV), fumagillol (CNaLXIV), fulvestrant, genistein (CNbXXI), gefitinib, gemcitabine (CNdXXX), 1-glucosamine (CNdLXXIII), glutathione (CNbgXXXV), 2-glucosamine (CNdLXXIV), 6-glucosamine (CNdLXXV), 2-galattosamine (CNdLXXVII), halofuginone (CNaLX), histamine (CNvI), 4-hydroxybutyroxymethyl-retinate (CNbLXXII), 5'-hydroxythalidomide (CNaXLIV), ILX-23-7553, IDN-5109, imatinib/STI-571 (CNcII), imiquimod, hyperin (CNbIL), human endostatin 6-49, indanocine (CNaVI), kaempferol (CNbXVI), kynurenic acid (CNbXXX), ketotrexate, 3-indolemethanol (CNbLXV), irinotecan (CNdIV), irofulven, itriglumide/CR-2945 (CNbXC), leuporelin, letrozole (CNbLXVIII), losoxantrone (CNdXXIII), ledoxantrone, luteolin (CNbXVIII), lurtotecan, LY-294002 (CNcVI), L-778123 (CNdXL), marimastat (CNcI), megestrol, methotrexate, MEN-11066, mitoxantrone


ne (CNdXX), midostaurin, mivobulin, myricetin (CNbXVII), myo-inositol (CNbLX), N-(4-carboxyphenyl)-retinamide (CNbLXXI), N-hydroxymethyl-thalidomide (CNaXLVII), N-hydroxyphthalimide (CNaXLVIII), N-acetylcysteine, naringenin (CNbXXII), nelzarabine, octreotide (CNaLXVII), oltipraz, oroxylin (CNbXXVIII), OSI-774, 2,2,5,7,8-pentamethyl-6-hydroxy-chromane (CNbXLVI), oxandrolone (CNII), paclitaxel, phenylbutyrate, PD-089828, PD-153035, pemetrexed, perillyl alcohol (CNbLXXV), quercetin (CNbXV), R-115777 (CNdXLII), raltitrexed, razoxane, resveratrol (CNbLI), riboflavin (CNbII), riboflavin monophosphate (CNbIV), roquinimex, RPR-130401 (CNdXLV), 2-phthalimidino glutaric acid (CNaXLVI), piroxantrone, prinomastat (CNcIII), riboflavin tetrabutylate, riboflavin triacetate (CNbV), rubitecan (9-nitro-camptothecin) (CNdV), PTK-787 (CNaXXI), Sch-66336 (CNdXLIII), β -sitosterol (CNbLXII), seocalcitol (CNdXC), squalamine (CNbLXIV), semaxanib/SU-5416/semoxind (CNaII), SCH-57068, silybin (CNbXXXI), STI-481 (CNdX), SPIKET-P (CNcVII), SPC-8490, SCH-66336, SCH-57050, S-3304, SU-6668 (CNaIII), SU-5406, SU-5614, SU-5477, SU-5402 (CNaXI), SU-4793, SU-5204, SU-4942, SU-4984, SU-5212, SU-4312, sulfuretin (CNaXV), sulindac sulfone/exisulind (CNdI), tesmilifene, tamoxifene, toremifene, tanomastat (CNcVIII), TAS-103, taxifolin (CNbXXIII), teloxantro-ne, tezacitabine, theaflavin (CNbXXIV), thalidomide (CNaXLIII), thymitaq, tirilazad (CNbLXIX), α -tocopherol (CNbXL), trolox C (CNbXLI), 2 tocotrienoli (CNbXLII) e (CNbXLIII), topotecan (CNdXXV), triptorelin, trans ferulic acid (CNbLII), triapine, trimetrexate, troxacitabine, ubenimex, 7-hydroxystaurosporine/UCN-01 (CNcV), vorozole, vesnarinone, vita-min E acid succinate (CNbXLIV), VX-710, YM-511, wogonin (CNbXXIX), ZD-1839/Iressa (CNcIX), ZD-4190 (CNcXI), ZD-6126, ZD-9331, ZK-222584, (CNaIV), (CNaV), (CNaVII), (CNaXII), (CNaXIII), (CNaXIV), (CNaXVI), (CNaXLb), (CNagL), (CNaLXII), (CNbgXXXII), CNdVIII), (CNdIX), (CNdXLIV) (CNdXLVII), (CNdXLVIII), (CNdXLIX), (CNbXXXV), (CNbXXXVI), (CNbXXXVII), (CNbXXXVIII), (CNbXXXIX), (CNVIII), (CNcX)




(CNagI)




(CNagXL)




(CNagIII)




(CNagL)




(CNagXLI)




(CNagXLII)




(CNagXLb)




(CNbgl)



(CNbgX)





(CNbgXI)



(CNbgXII)



(CNbgXIII)

(CNbgXIV)







(CNbgXV)

(CNbgXXXII)



(CNbgLXX)

(CNbgXXXV)






(CNdgXL)

(CNdgXLI)

(CNdgXLII)



(CNdgXVIII)



(CNaII)


(CNaIII)

(CNaIV)



(CNaV)


(CNaVI)



(CNaVII)

(CNaXI)


(CNaXII)



(CNaXIII)

(CNaXIV)


(CNaXV)



(CNaXVI)


(CNaXX)

(CNaXXI)



(CNaXXII)


(CNaXXIII)



(CNaXXIV)

(CNaXXV)


(CNaXXVI)



(CNaXLIII)

(CNaXLIV)



(CNaXLV)



(CNaXLVI)



(CNaXLVII)

(CNaXLVIII)




(CNaIL)

(CNaLXI)




(CNaLXII)


(CNaLXIII)




(CNaLX)




(CNaLXIV)




(CNaLXVII)


















(CNaLXV)




(CNaLXVII)




(CNbII)







(CNbXXVII)




(CNbXXVIII)




(CNbXXIX)




(CNbXXX)




(CNbXXXI)




(CNbXXXII)




(CNbXXXV)




(CNbXXXVI)




(CNbXXXVII)




(CNbXXXVIII)




(CNbL)




(CNbXXXIX)




(CNbXL)



(CNbXLI)




(CNbXLII)



(CNbXLIII)

5




10

(CNbXLIV)

(CNbXLVI)

15




(CNbLI)

(CNbLI)


(CNbLII)

20




(CNbLIII)


25



(CNbLX)




(CNbLXI)




(CNbLXXV)

35




(CNbLXII)

40



(CNbLXIX)




(CNbLXV)


45

50


55




(CNbLXIV)




(CNbLXIII)




(CNbLXVII)




(CNbLXVIII)




(CNbLXXI)




(CNbLXXII)




(CNbLXXIV)




(CNbXC)




(CNbLXXIII)




(CNdI)




(CNdII)




(CNdIII)




(CNdIV)




(CNdV)











(CNdVI)



(CNdVII)



(CNdVIII)





(CNdXLI)



(CNdXLIII)




(CNdXLV)




(CNdXLVII)




(CNdXLIX)




(CNdL)




(CNdLXXIII)




(CNdLXXIV)




(CNdLXXV)




(CNdLXXVI)




(CNdLXXVII)




(CNdLXXVIII)




(CNdLXXX)



(CNdXC)




(CNcl)



(CNcll)

5




10


(CNcIII)

(CNcIV)


15



(CNcV)




(CNcVI)




(CNcVII)

20

25




(CNcVIII)




(CNcIX)

30

35




(CNcXI)




(CNcXII)

40

45




(CNcXIII)




(CNfI)

50

55




(CNel)




(CNell)


(CNelll)




(CNvl)



(CNvll)



(CNvlll)



(CNvIV)






where


- R_4 is chosen among:

- COOH ; $-\text{F}$; $-\text{Cl}$; $-\text{Br}$; $-\text{CF}_3$; $-\text{NO}_2$; $-\text{CHO}$; $-\text{CN}$; $-\text{N}_3$;
- R_2 ; $-\text{O}-R_2$; $-\text{O}-(\text{CO})-R_2$; $-\text{N}(\text{R}_2)_2$; $-\text{N}(\text{R}_2)_2-(\text{CO})-R_2$; $-\text{R}_1-\text{O}-R_2$;
- $\text{R}_1-\text{S}-R_2$; $-\text{R}_1-\text{NR}_2-R_2$; $-\text{O}-\text{R}_1-\text{O}-R_2$; $-\text{O}-\text{R}_1-\text{S}-R_2$; $-\text{O}-\text{R}_1-\text{NR}_2-R_2$;
- $\text{S}-R_2$; $-\text{S}-\text{R}_1-\text{O}-R_2$; $-\text{S}-\text{R}_1-\text{S}-R_2$; $-\text{S}-\text{R}_1-\text{NR}_2-R_2$; $-\text{NR}_2-R_2$;
- $\text{NR}_2-\text{R}_1-\text{O}-R_2$; $-\text{NR}_2-\text{R}_1-\text{S}-R_2$; $-\text{NR}_2-\text{R}_1-\text{NR}_2-R_2$; $-(\text{CO})-R_2$;
- $(\text{CO})-\text{O}-R_2$; $-(\text{CO})-\text{R}_1-\text{O}-R_2$; $-(\text{CO})-\text{R}_1-\text{S}-R_2$; $-(\text{CO})-\text{R}_1-\text{NR}_2-R_2$;
- $\text{PO}(\text{O}-)\text{O}-R_2$; $-\text{SO}_2-R_2$; $-\text{O}-\text{SO}_2-R_2$; $-\text{SO}_2-\text{O}-R_2$;

- R_1 , $-\text{R}_2$, W and the dotted line are described as above
- W_2 is $-\text{O}-$, $-\text{NH}-$, $-\text{NH}=$, $-\text{N}(\text{R}_2)-$, $-\text{CH}=\text{CH}-$, $-\text{S}-$; $=\text{CH}-$
- n is an integer between 1 and 5, preferably 1
- m is an integer between 0 and 5


[0053] Preferably the compounds of the invention are chosen among the following 8 groups of compounds (from 1C to 8C):

GROUP 1C:




(EVd)

(EVe)




(EVg)

(EVla)




(EVIIIa)

(EVIIIb)




(EXIa)

(EXXVIa)




(EXIIa)


(EXXXa)




(EXIIIa)




(EXXXb)




(EXIIIId)




(EXIIIe)




(EXIVa)




(EXIVb)




(EXIVc)




(EXXIVa)




(EXXIVb)




(EXXVa)




(EXVa)




(EXXIXa)




(EXXVIIIa)




(EXXXIVa)




(EXXXVb)




(EXXXVa)




(EXXXIVb)




(EXXXVIIa)




(EXXXVIIb)




(EXLVa)




(EXLVb)




(ELXa)




(ELXIIIa)




(ELXla)




(ELXlb)




(ELXIIa)




(ELXIVa)



(ELXVa)




(ELXVc)




(ELXVIIa)


(ELXVIIb)




(ELXVIIc)



(ELXXXa)



(ECIa)



(ECIb)

(ECIc)

10

15

20

25

30


35

40


45

50


55




(Ele)




(Elf)




(Elg)




(ECId)



(ECII)




(ECLXIla)




(ECLXIb)


(ECVIa)




(ECVIIa)




(ECVIIb)




(ECVIId)




(ECVIIIa)








(ECVIIIb)








(ECXIa)












(ECXIIIa)




GROUP 2C:









(SXVa)




(SXIIIa)




(SXIIIb)




(SXIVa)



(SXIIIc)









(SXIIIId)



(SXXXa)

5

10

GROUP 3C:

5

10

15

20

25

30


35

40


45

50


55




(PVb)



(PXIa)




(PIIIa)




(PXA)


GROUP 4C:




(QIa)




(QIIIa)



(QIIb)




(QIIa)




(QIIIc)


GROUP 5C




(JIa)




(JIb)




(JIc)




(JIId)








(JIIa)




(JIIb)




(JIIc)



5



. HNO₃




. HNO₃

10


(JXXXVIa)

(JLXXIa)

15



. n HNO₃




. HNO₃

20

(JXLa)

(JLa)


25




30

(JLXXIIb)

35



. HNO₃




. HNO₃

(JLXXIIIa)


(JLXXIVa)

40



NO₃⁻

(JLXXVa)













. m HNO₃

(JLXXXa)


50

55




**GROUP 6C:**


5




10




15




20



30














40




50

55







(RLXlb)




(RLXXIa)




(RLXXXIa)




(RXC a)




(RXIIa)




(RCa),




(RXXIIa)



(RXCIVa)




(RXCIIa)




(RXCIVa)


GROUP 7C:



(UIa)




(UIVa)




(UIb)

(UIIc)




(UIc)

(UIId)




(UIIIa)

(UIIIb)




(UVa)

(UVIa)




(UVIIa)


(UVIIIa)




(UIIa)




(UVIIIb)




(UIXa)




(UXa)




(UXb)




(UXVa)




(UXVIa)








(UXVIIa)




(UXVIIIa)




(UXIXa)






(UXLa)




(UXLIa)

(UXLIb)




(ULXXa)

(ULXXVa)




(ULXXXa)

(ULXXXIa)




(ULXXXIIa)







(UCc)




(ULXXXVa)




(UCXIa)




(UCXXXIa)




(UCXXXIIa)



(UCLVIIa)




(UCLVIIIa)




(UCLXXa)


GROUP 8C:




(CNaIIla)








(CNaIIIf)




(CNaIIlb)




(CNaIIlc)







(CNaXXVb)




(CNaXXVIa)




(CNaXXVIb)




(CNaXXVIb)




(CNaXLVIIa)




(CNaXLVIIb)




(CNaXLVIIc)




(CNaXLVIIe)




(CNaXLVIa)




(CNaXLVIIIa)




(CNaIa)




(CNaXLVib)




(CNaLXa)




(CNaLXIa)





(CNaLXIc)



(CNaLXIVa)




(CNaLXVIIa)




(CNbla)

(CNblb)





(CNbld)





(CNble)

(CNblf)




(CNbld)

(CNble)




(CNblf)


(CNblg)




(CNbXVa)




(CNbXVb)




(CNbXVe)




(CNbXVc)




(CNbXVd)




(CNbXVIa)




(CNbXIXa)








(CNbXXIa)




(CNbXXIVa)




(CNbXXVIa)







(CNbLXIXa)




(CNbLXIXb)




(CNbLXIXc)




(CNbLXIXf)




(CNbLXIXa)




(CNbLXVa)




(CNbLXXIIa)




(CNbLXXIa)




(CNbLXXIc)




(CNbLXXId)




(CNbLXXIVa)




(CNbLXVa)




(CNbLXVb)




(CNbLXVIIa)







(CNbLXVIIIa)



(CNbXCb)



(CNbXCc)





(Cndl-ba)




(CNdId)





(CNdVlla)





(CNdIVb)




(CndIVc)



(CndXXXa)




(CndXLIa)




(CNdXLIIa)

(CNdXVa)



(CNdXLVIa)


(CNdLXXXa)



(CNela)

(CNella)


(CNvla)




(CNfla)

(CNvIIa)


[0054] More preferably the compounds of the invention are chosen among the following 6 groups of compounds

-GROUP (CaI, CaII)


(Ela)




(EVa)




(Elc)




(EVb)




(ECVIIa)




(ECVIIIa)



(ECXCa)




(ECVIIb)




(ECVIa)

(ECXCla)




(ECXVIIIa)




(EXXXVa)


(EXLVa)




(SVIIc)




(SXXXb)




(SVIc)




(SIVc)




(SIIc)




(PIa)




(PVb)




(QIIIb)




(JIIc)




(JIIa)




(JCXXXVb)




(RXC a)




(RXII a)




(RC a),




(RXXII a)



(RXCIV a)




(RXXVIIIa)




(Ulc)

(ECLXIb)




(UCc)


(ULXXXIVb)





(CNbXLa)









(CNbla)




(CNaXLVIIb)

GROUP (All):







(ULXXXIIIa)




(UXLIa)




(UVIIIa)




(UXXXIa)



(UVIa)















(UCLXXa)



(CNcIIa)


GROUP (CaIII, CaIV):





40


GROUP (CaV, CaVI):



5

10


15



(ECVIIIb)

20

25




(ECVIId)

30

35


40



(JCa)

45

50



(RXCIIa)

55

5

10

15

20

25

30


35

40


45

50


55




(Uld)




(UCLVIIa)



(UCLVIIIa)




(CNdlc)




(CNallle)


GROUP (CaVII, CaVIII):




(CndIVb)




(CNbLXIXf)




(CNaIIIf)




(CNaXLVIIe)




(CNaXLVIb)

GROUP (CaXIII, CaXIV):

(Eli)



(EVc)



(EXIIIe)

[0055] The compounds of general formula (I) are synthesized according to well known reactions described for example in "Advanced Organic Chemistry" di J. March, Wiley Interscience, IV ed. (see chemical groups index pag. 1269-1300) and "Methods in Nitric Oxide Research" di M. Feelisch, J.Wiley & Sons, 1996 (from pag. 71 to pag 115). As described above, M groups can be directly bound to F drugs or to T and V groups which are bound to F drugs. Preferably F drugs are bound to -Y₁, -Y₂ and -Y₃.

[0056] The compounds of the invention can be synthesized according to known methods and in particular we can distinguish:

- A) methods for the synthesis of nitrate salts
- B) methods for the synthesis of nitroxy substituted linkers
- C) methods for the synthesis of other NO-donors
- D) methods for the synthesis of in vivo hydrolyzable bonds
- E) methods for the synthesis of nitroxy substituted organic esters (e.g. benzoate, butanoate)
- F) methods for the synthesis of amides

A) METHODS FOR THE SYNTHESIS OF NITRATE SALTS

[0057] Nitric salts (AII) may be synthesized according to one of the following methods:

A1) When the substance to be salified is available as free base or as a soluble corresponding salt in an organic solvent, which preferably does not contain hydroxyl groups, for example acetonitrile, ethyl acetate, tetrahydrofuran etc., the salt is prepared by dissolving the substance in the solvent at a concentration preferably equal or higher than 10% w/v, by adding the amount of concentrated nitric acid corresponding to the moles of salifiable aminic groups present in the compound. The nitric acid is preferably diluted in the same solvent. Preferably during and after the addition the mixture is cooled to temperatures in the range 0-20 °C. The product is generally recovered by filtration and washed with the solvent.

When the substance is not much soluble or it is available as a not much soluble salt in the above mentioned solvents, the corresponding mixtures with hydroxylated solvents may be used. Examples of such solvents are methyl alcohol, ethyl alcohol and water.

The precipitation can be quickened by diluting then the so obtained mixture, after the addition of nitric acid, with an apolar solvent.

A2) When the starting product is salified with a halogen acid, it is possible to prepare the salt with nitric acid directing

adding silver nitrate to the compound solution. After filtering the silver halide, the solution is concentrated and cooled to recover the nitrate salt.

A3) When the starting product is a salt different from halide, it is preferable to release the corresponding base by a treatment with a sodium or potassium carbonate or bicarbonate saturated solution, or with a sodium or potassium hydroxide diluted solution. The base is then extracted by a suitable organic solvent (e. g. halogenated solvents, esters, ethers) which is then dried. The organic solution is evaporated and then one proceeds according to the above described preparation methods, by dissolving the base in a solvent which does not contain hydroxyl groups (e.g. acetonitrile) or in a mixture of this solvent with a hydroxylated solvent.

B) METHODS FOR THE SYNTHESIS OF NITROXY SUBSTITUTED LINKERS

[0058] Nitrate esters (AI) may be prepared according to one of the following methods:

B1) Direct nitration of an alcoholic group with concentrated nitric acid

B2) Nucleophilic substitution of an alkyl halide (preferably bromide or iodide) with silver nitrate. This synthesis is preferred and it is carried out in an apolar solvent (preferably acetonitrile), at room temperature or at reflux and in the dark. The starting halide is obtained by direct halogenation of hydroxyls with known methods (e.g. PBr_3) or by radical halogenation (e.g. radical HBr) of alkylic groups.

C) METHODS FOR THE SYNTHESIS OF OTHER NO-DONORS

[0059]

C1) Nitrite esters (AII) are synthesized according the reaction of alkyl halide (preferably bromide) with NaNO_2 according to the known literature.

C2) Thionitrite (AIV) are synthesized by nitrosylation of thiolic group with NaNO_2 at acid pH (about 2,5).

C3) NONOate (AV) are synthesized by exposition of the nucleophile (usually nitrogen but also sulphur) containing molecule, dissolved in an organic solvent, to gaseous nitric oxide over a period of 1-3 days and then collecting the formed precipitate..

D) METHODS FOR THE SYNTHESIS OF IN VIVO HYDROLYZABLE BONDS

[0060] As for the bonds between -F and -T, between -F and -V or between -F and $-\text{Y}_1$, $-\text{Y}_2$ and $-\text{Y}_3$, that is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphuric ester, a sulphonic amide or a sulphonic ester, they may be prepared according to several known synthetic procedures. For a complete review see "Advanced Organic Chemistry" above cited, in particular the chemical classes index: esters and amides at pag. 1275 and 1281; acid halides (esters and amides precursors) at pag. 1269; thioamides and thioesters at pag 1297 and 1298; glycosides, acetals and ketals at pag. 1269; phosphonic esters at pag. 1295; sulphonic amides and sulphonic esters a pag. 1296; azo compounds and carbammates at pag. 1280; hydrazides at pag. 1288. As for the synthesis of alkyl halides (intermediates for the synthesis of nitrate esters, nitrite esters and thionitrite via nucleophilic substitution) see at pag. 1274.

E) METHODS FOR THE SYNTHESIS OF NITROXY SUBSTITUTED ORGANIC ESTERS (E.G. BENZOATE, BUTANOATE)

[0061] Carboxylic esters are synthesized by:

E1) Reaction of an acid and an alcohol in the presence of a dehydrating agent

E2) Acylic nucleophilic substitution reaction of an alkyl halide and an alcohol

E3) Alkyfatic nucleophilic substitution reaction of an alkyfatic halide, preferably bromide, and a carboxylic ion

F) METHODS FOR THE SYNTHESIS OF AMIDES

F1) Carboxylic amides are synthesized by acylic nucleophilic substitution of an acid halide and an amine.

[0062] The prodrugs of the invention are useful for a chronic, controlled and selective administration of nitric oxide and therefore for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal system (e.g. rheumatoid arthritis, osteoarthritis, lupus, osteoporosis, Paget disease), of tegumental system

(e.g. ulcers, aphtha, psoriasis, dermatitis, skin tumors) of respiratory system (e.g. asthma, chronic obstructive pulmonary disease, allergy, emphysema, bronchitis, ARDS, rhinitis, cystic fibrosis, lung tumors), of gastrointestinal system (e.g. peptic ulcer, duodenal ulcer, ulcerative colitis, Crohn disease, hepatic cirrhosis, pancreatitis, esophagitis, gastritis, colon familial polyposis, colon-rectum tumors, liver tumors, oesophagus tumors, pancreas tumors, stomach tumors), of genital system (e.g. benign prostatic hypertrophy, prostatitis, sexual disorders, prostate tumors, breast tumors, uterus tumors, ovary tumors), of urinary system (urinary incontinence, bladder tumors) and of central nervous system (e.g. multiple sclerosis, Alzheimer disease, brain tumours).

[0063] Compounds of general formula (I) are preferably in a completely or partially amorphized form in order to improve their bioavailability that is to increase their AUC and/or their maximum plasmatic concentration (C_{max}) or to reduce the time necessary to obtain this concentration (T_{max}). This because it is known that an amorphized compound has usually a better solubility and a better solubilization rate than the same compound in a crystallized state.

[0064] The amorphized compounds of general formula (I) are obtainable by treating these compounds with one or more excipients, capable to amorphize these compounds. The techniques used for the amorphization are for example lyophilization, kneading and preferably spray-drying and co-grinding. In particular in the spray-drying technique the active principle is dissolved in a solvent, for example an alcohol, and the so obtained solution is mixed at room temperature with a solution or a suspension of excipients capable to amorphize the compounds of general formula (I). The resulting solution or suspension is treated in a spray-drying equipment. This last technique is also called solid dispersion technique and is particularly preferred.

[0065] The excipients are chosen from one of the following classes: polyalcohols (e.g. mannitol, sorbitol); monosaccharides or disaccharides (e.g. glucose, fructose, lactose), polysaccharides and their derivatives (e.g. microcrystalline cellulose, hydroxypropylmethylcellulose (HPMC)); polyvinylpyrrolidone (PVP); cyclodextrins and their derivatives (e.g. α -cyclodextrin, β -cyclodextrin, methyl- β -cyclodextrin, carboxymethyl- β -cyclodextrin, acetyl- β -cyclodextrin, 2-hydroxypropyl- γ -cyclodextrin, γ -cyclodextrin, dimethyl- β -cyclodextrin, 2-hydroxyethyl- β -cyclodextrin, 2-hydroxypropyl- β -cyclodextrin, 3-hydroxypropyl- β -cyclodextrin, trimethyl- β -cyclodextrin); agents which can increase the membrane permeability (e.g. SNAC, sodium caprylate).

[0066] Preferably they are chosen among: polyvinylpyrrolidone, hydroxypropylmethylcellulose, lactose, microcrystalline cellulose, 2-hydroxypropyl- β -cyclodextrin, 3-hydroxypropyl- β -cyclodextrin.

[0067] The necessary amorphization degree, which can be measured by a calorimetric experiment with DSC, is at least of 5 %, but preferably greater than 80%.

[0068] Thanks to this amorphization is possible to administer compounds of general formula (I), usually more lipophilic than original drugs and consequently with solubility problems, also per os (e.g. tablets, capsules) and also through a modified release formulation: in fact both conditions require a not too low solubility.

[0069] Preferably the modified release pharmaceutical formulations are parenteral, per os (diffusion systems, dissolution systems, erodable systems, osmotic systems and systems with ionic exchange resins), and transdermic release therapeutic systems (with reservoir, with membrane and with diffusion through polymeric membrane).

[0070] The compounds so obtained by spray-drying have a better bioavailability as shown by dissolution test and they can so be administered per os.

[0071] The w/w ratio among compounds of general formula (I) and the above cited excipients is preferably between 1:0,7 and 1:10.

[0072] Particularly preferred, as formulations for the compounds of this invention, are solid dispersion prepared with spray-drying technique using polyvinylpyrrolidone as excipient according to a drug/PVP ratio of 28/72 w/w.

[0073] The compounds of this invention may be administered orally, rectally, parenterally or by locally application (dermal, topical, transdermal, ocular, inhalation etc.)


[0074] The following examples are given to illustrate the invention and they are not limitative of the same.

SYNTHESIS EXAMPLES

EXAMPLE 1

5 paranitroxymethylbenzoic acid (ZI)

[0075]



[0076] To a suspension of 5.38 g of 4-bromomethylbenzoic acid (0.025 moles) in anhydrous acetonitrile (20 mL), silver nitrate (AgNO_3) (4.95 g, 0.029 moles) dissolved in anhydrous acetonitrile (10 mL) was added drop by drop. The reaction mixture was left away from light, under stirring, at reflux (81 °C) for 8 hours and at room temperature for other 16 hours. The suspension was filtered with buchner: the precipitate, that is the product and AgBr , was dissolved in methanol (150 mL), than it was heated and finally it was filtered. The solvent was evaporated at reduced pression and 3.75 g of the desired product were obtained.

Yield: 80%.


1H-NMR (500 MHz, $\text{DMSO}-d_6$): δ 7.98 (d, 2H, $J = 8.1$ Hz), 7.58 (d, 2H, $J = 8.1$ Hz), 5.65 (s, 2H);

IR (KBr) cm^{-1} : 1690 (C=O), 1670 e 1270 (N=O).

EXAMPLE 2

30 p-nitroxymethylbenzoyl- α -tocopherol (CNbXLa)

[0077]



[0078] 578 mg of N,N'-dicyclohexylcarbodiimide (DCC) (2.8 mmoli), 607 mg (3.08 mmoli) of paranitroxymethylbenzoic acid (ZI) (synthesized according to example 1) and a catalytic quantity of 4-dimethylaminopyridine (4-DMAP) were added, under nitrogen atmosphere, to a solution of α -tocopherol (Sigma-Aldrich code T-3251) (1.2 g, 2.8 mmoles) in CH_2Cl_2 (34 ml).

[0079] The reaction mixture is left under stirring for 5 hours. Et_2O is added to precipitate DCU which has been pro-

duced during the reaction and then the reaction is filtered upon cotton. The solution was deprived of the solvent at reduced pressure. The crude product was purified by flash chromatography, packing the column with hexane and eluting with a mixture hexane/diisopropyl ether/CH₂Cl₂ 85/5/10.

1.497 g of the desired product were obtained. Yield: 88%.

R_f = (hexane/diisopropyl ether 6:4): 0.61

¹H-NMR (CDCl₃) δ 8.27 (2H, d, J = 8.53 Hz), 7.53 (2H, d, J = 8.53 Hz), 5.48 (2H, s), 2.62 (2H, m), 2.11 (3H, s), 2.05 (3H, s), 2.01 (3H, s), 1.85-1.70 (2H, s broad), 1.61-1.05 (26H, CH₂ e CH aliphatic chain, CH₃ ring), 0.88-0.83 (12H, m, CH₃ aliphatic chain).


¹³C-NMR (CDCl₃) δ 164.47, 149.60, 140.59, 137.78, 130.67, 128.67, 126.82, 125.04, 123.21, 117.56, 75.14, 73.66, 39.40, 37.49, 37.43, 37.42, 32.80, 27.98, 24.81, 24.45, 22.70, 22.61, 21.06, 20.64, 19.75, 19.70, 13.03, 12.17, 11.84.

MS (EI, 70eV) m/z 610.4 (M⁺H).

Elementary analysis:			
Calculated	C:72.87%	H:9.09%	N:2.30%
Found	C:72.86%	H:9.09%	N:2.28%

EXAMPLE 3

[0080]



N-[4-(5-metil-3-phenylisoxazol-4-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Eva)

[0081] Paranitroxymethylbenzoic acid (ZI) (3.5 mmoles, 689 mg) synthesized according to example 1, N,N'-dicyclohexylcarbodiimide (DCC) (3.19 mmoles, 659 mg), and 4-dimethylaminopyridine (4-DMAP) (200 mg) were added to a solution of 4-(5-methyl-3-phenylisoxazol-4-yl)benzensulfonamide (valdecixib) (EV) (prepared as described in EP-0809636) (3.17 mmoles, 1 g) in anhydrous tetrahydrofuran. After stirring for 24 hours at room temperature, the reaction mixture was concentrated. The residue was dissolved in ethyl acetate, washed with water, dried over anhydrous magnesium sulphate and concentrated at reduced pressure.


576 mg of the desired product were obtained (yield 54 %).

MS (EI, 70eV) m/z 494.1 (M⁺H).

Elementary analysis:			
Calculated	C:58.41%	H:3.88%	N:8.51%
Found	C:58.54%	H:3.84%	N:8.47%

EXAMPLE 4

[0082]



N-[4-(5-methyl-3-phenylisoxazol-4-yl)phenylsulfonyl]-p-nitroxymethylbenzamide sodium salt (EVb)

[0083] A mixture of N-[4-(5-methyl-3-phenylisoxazol-4-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (EVa) (synthesized according to example 3) (500 mg, 1.01 mmoles) and sodium hydroxide 1 N (1.01 mmoles) in ethanol was concentrated to dryness.

[0084] The residue was diluted with ethanol and was concentrated again. The residue was dried under vacuum and 494 mg of the desired product were so obtained (yield 95%).


MS (EI, 70eV) m/z 516.1 (M⁺H)

Elementary analysis:

Calculated	C:55.92%	H:3.52%	N:8.15%
Found	C:55.64%	H:3.39%	N:8.08%

EXAMPLE 5

[0085]



N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela)

[0086] This compound was synthesized according to the synthesis described in example 3 using, as reagents, N-[4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]]benzenesulfonamide (celecoxib) (EI) (synthesized according to J Med Chem 1997, 40, pag 1347-1365) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1. Yield 58%.


MS (EI, 70eV): m/z 561.1 (M⁺H)

Elementary analysis:

Calculated	C:53.27%	H:3.42%	N:10.00%
Found	C:53.11%	H:3.44%	N:9.97%

ESEMPIO 6

[0087]



N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide sodium salt (Elc)

[0088] This compound was synthesized according to the synthesis described in example 4 using, as reagents N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela) (prepared as described in example 5) and sodium hydroxide. Yield 58%.

MS (EI, 70eV): m/z 583.1 (M⁺H)


Elementary analysis:

Calculated	C:51.55%	H:3.11%	N:9.62%
Found	C:51.37%	H:3.05%	N:9.55%

EXAMPLE 7

(11 β)-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECVIIa) (first synthesis)

[0089]



[0090] Parachloromethylbenzoyl chloride (30 mmoles) (sigma-aldrich code 270784) and triethylamine were added to a solution of (11 β)-11,17,21-trihydroxy-pregna-1,4-diene-3,20-dione (prednisolone) (ECVII) (sigma-aldrich code P6004) (20 mmoles, 7.2 g) in tetrahydrofuran.

[0091] The reaction was stirred for 24 hours and then the solvent was evaporated at reduced pressure. The residue was treated with ethyl acetate, was filtered and the intermediate (ECVIIi) was obtained anhydriying with sodium sulphate and concentration at reduced pressure (19 mmoles, 9.7 g) (yield 95%).

[0092] Silver nitrate (30 mmoles), dissolved in 20 mL of acetonitrile, was added drop by drop to the intermediate (ECVIIi) dissolved in anhydrous acetonitrile (40 mL) and tetrahydrofuran (90 mL). The reaction was stirred for 72 hours in the dark.

[0093] The precipitate was filtered, the solvent was evaporated under reduced pressure and the residue was purified by silica gel chromatography (methylene chloride/ethyl acetate 3/7) and then cristalyzed from tetrahydrofuran.

[0094] 7.67 g (yield 71%) of a white powder having a melting point of 235°C are so obtained.

MS (EI, 70eV) m/Z 540.2 (M⁺H)

Elementary analysis:

Calculated	C: 64.55%	H: 6.16%	N: 2.60%
------------	-----------	----------	----------

(continued)


Elementary analysis:

Found	C:64.41%	H:6.20%	N:2.51%
-------	----------	---------	---------

ESEMPIO 8

(11 β)-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECVIIa) (second synthesis)

[0095]



[0096] Paranitroxymethylbenzoic acid (ZI) (10 mmoles, 1.97 g) synthesized according to example 1 was added to a solution of (11 β)-11,17,21-trihydroxy-pregna-1,4-diene-3,20-dione (ECVII) (prednisolone) (Sigma-Aldrich code P6004) (10 mmoles, 3.6 g) in tetrahydrofuran (90 mL).

[0097] The reaction was kept at 0 °C and under continuous stirring. N,N'-dicyclohexylcarbodiimide (DCC) (11 mmoles, 2.26 g) and a catalytic quantity of 4-dimethylaminopyridine (4-DMAP) were added.

[0098] After one hour the mixture was heated to room temperature; after 24 hours the precipitate was filtered and the solvent was evaporated at reduced pressure. The residue is treated with ethyl acetate (150 mL) and washed with water (3 X 100 mL). The organic phase was anhydridified with sodium sulphate and the solvent was evaporated.

[0099] The crude product was purified by chromatography on silica gel column eluting with chloroform/ethyl acetate 3/7.

4.42 g (yield 82%) of the final product were so obtained.

MS (EI, 70eV): m/z 540.2 (M⁺H)


Elementary analysis:

Calculated	C:64.55%	H:6.16%	N:2.60%
Found	C:64.67%	H:6.19%	N:2.63%

EXAMPLE 9

(11 β)-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-4-ene-3,20-dione (ECVIIIa)

[0100]



[0101] Parachloromethylbenzoyl chloride (7 mmoles) (sigma-aldrich code 270784) and triethylamine were added to a solution of (11 β)-11,17,21-trihydroxy-pregna-4-ene-3,20-dione (ECVIII) (hydrocortisone) (sigma-aldrich code H3160) (5 mmoles, 1.8 g) in tetrahydrofuran.

[0102] The reaction was stirred for 24 hours and then the solvent was evaporated at reduced pressure. The residue was treated with ethyl acetate and water; it was filtered and the intermediate (ECVIIIi) was obtained anhydrifying with sodium sulphate and concentration at reduced pressure (4.8 mmol, resa 96%, 2.60 g).

[0103] Silver nitrate (7.5 mmoles), dissolved in 8 mL of acetonitrile, was added drop by drop to the intermediate (ECVIIIi) dissolved in anhydrous acetonitrile (10 mL) and tetrahydrofuran (32 mL). The reaction was stirred for 72 hours in the dark.

[0104] The precipitate was filtered, the solvent was evaporated under reduced pressure and the residue was purified by silica gel chromatography (methylene chloride/ethyl acetate 3/7) and then cristalyzed from tetrahydrofuran.

2.03 g (yield 75 %) of the desired product are so obtained.


MS (EI, 70eV): m/z 542.2 (M⁺H)

Elementary analysis:

Calculated	C: 64.31%	H: 6.51 %	N: 2.59%
Found	C: 64.44%	H: 6.40%	N: 2.52%

EXAMPLE 10

[0105]



(11 β ,16 α)-9-fluoro-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECXCa)

[0106] The compound is synthesized according to the synthesis described in example 8, using as reagents (11 β ,16 α)-9-fluoro-11,17,21-trihydroxy-pregna-1,4-diene-3,20-dione (dexamethasone) (ECXC) (Sigma-Aldrich code D-9184) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 73%. MS (EI, 70eV): m/z 572.2 (M⁺H)

Elementary analysis:

Calculated	C:63.20%	H:5.95%	N:2.37%
Found	C:63.04%	H:6.00%	N:2.45%

EXAMPLE 11

[0107]



(11 β ,16 α)-9-fluoro-16,17-[butylidenebis-(oxy)]-11-hydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (JIIc)

[0108] The compound is synthesized according to the synthesis described in example 8, using as reagents (11 β ,16 α)-9-fluoro-16,17-[butylidenebis-(oxy)]-11,21-dihydroxy-pregna-1,4-diene-3,20-dione (budesonide) (JII) (Sigma-Aldrich code B-7777) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 68%. MS (EI, 70eV): m/z 610.2 (M⁺H)

Elementary analysis:

Calculated	C:65.01%	H:6.45%	N:2.30%
Found	C:65.09%	H:6.37%	N:2.41%

EXAMPLE 12

[0109]



(11β)-11,17,21-tris-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECVIIb)

[0110] The compound is synthesized according to the synthesis described in example 8, using as reagents (11β)-11,17,21-trihydroxy-pregna-1,4-diene-3,20-dione (ECVII) (prednisolone) (Sigma-Aldrich code P6004) and 3 equivalents of paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 72%. MS (EI, 70eV): m/z 898.2 (M⁺H)

Elementary analysis:

Calculated	C:60.20%	H:4.83%	N:4.68%
Found	C:60.31%	H:4.69%	N:4.63%

EXAMPLE 13

[0111]



(3β)-3-(p-nitroxymethylbenzoyloxy)-androst-5-en-17-one (ECLXIb)


[0112] The compound is synthesized according to the synthesis described in example 2, using as reagents (3β)-3-(p-nitroxymethylbenzoyloxy)-androst-5-en-17-one (prasterone) (ECLXII) (Sigma-Aldrich code D-4000) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.

Yield 79%. MS (EI, 70eV): m/z 468.2 (M⁺H)

Elementary analysis:			
Calculated	C:69.36%	H:7.11%	N:3.00%
Found	C:69.51%	H:7.09%	N:3.04%

EXAMPLE 14

[0113]



N-[4-(p-nitroxymethylbenzoyloxy)phenyl]-acetamide (ECVIa)


[0114] The compound is synthesized according to the synthesis described in example 2, using as reagents N-(4-hydroxyphenyl)-acetamide (acetaminophen) (ECVI) (Sigma-Aldrich code 430A) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.

Yield 82%. MS (EI, 70eV): m/z 331.1 (M⁺H)

Elementary analysis:			
Calculated	C:58.18%	H:4.27%	N:8.48%
Found	C:58.03%	H:4.22%	N:8.53%

EXAMPLE 15

[0115]



(p-nitroxymethylbenzoyl)salicylic acid (ECXCla)

[0116] The compound is synthesized according to the synthesis described in example 2, using as reagents salicylic acid (ECXCI) (Sigma-Aldrich code S-7401) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.

Yield 81%. MS (EI, 70eV): m/z 318.05 (M⁺H)


Elementary analysis:

Calculated	C:56.79%	H:3.49%	N:4.42%
Found	C:56.71%	H:3.45%	N:4.47%

EXAMPLE 16

2',3',4'-triacetyl-5'-(p-nitroxymethylbenzoyl)-riboflavin (CNbIa)

[0117]



[0118] 17.53 ml of a solution 1M of PBr_3 in CH_2Cl_2 (17.53 mmoles) were added to a suspension of riboflavin (CNbI) (Sigma-Aldrich code 47861) (3 g, 7.97 mmoles) in 114 ml of AcOH , kept at room temperature, under N_2 and in the dark. After 1 hour, when all was in solution, 5.3 ml of CH_3COBr (71.73 mmoles) were added. After 2 hours 400 ml of CHCl_3 were added and the solution so obtained was poured on 400 ml of H_2O . The organic phase was separated and the solvent was removed under reduced pressure. The crude product so obtained was purified by crystallization from methanol obtaining the desired product. The product was then further purified by flash chromatography, packing the column with methylene chloride and eluting with a mixture $\text{CH}_2\text{Cl}_2/\text{MeOH}$ 99:1.

[0119] 1.111 g of (CNbII) (1.96 mmoles) are so obtained

Yield: 24.5 %

$R_f(\text{CH}_2\text{Cl}_2/\text{MeOH } 9:1): 0.78$

$^1\text{H NMR}$ (CDCl_3) δ 8.44 (1H, s), 8.02 (1H, s), 7.58 (1H, s), 5.67 (1H, m), 5.47 (1H, dd, $J = 2.75$ and 6.87 Hz), 5.39 (1H, ddd, $J = 3.67$, 5.5 and 6.87), 5.3-4.6 (2H, broad), 3.74 (1H, dd, $J = 3.67$ and 11.46 Hz), 3.61 (1H, dd, $J = 5.55$ and 11.46 Hz), 2.58 (3H, s), 2.45 (3H, s), 2.33 (3H, s), 2.20 (3H, s), 1.78 (3H, s).

$^{13}\text{C NMR}$ (CDCl_3) δ 170.1, 169.8, 159.2, 154.5, 150.6, 148.1, 136.9, 135.9, 134.5, 132.9, 131.0, 155.6, 71.8, 69.6, 45.2, 30.7, 21.3, 21.0, 20.8, 20.3, 19.4.

MS (EI, 70eV) m/z (%) 565 ($M^+ + 1$, 40), 242 (55), 43(100).

$[\alpha]_D^{25} = +131.5$ (c 0.5, CHCl_3)

[0120] 1 g of AgNO_3 was added to suspension of 1.111 g of (CNbII) (1.96 mmoles) in 10 ml of acetonitrile. The reaction was left at reflux for 24 hours. The reaction was left at room temperature, CHCl_3 was added and was centrifuged to remove AgBr so produced.

[0121] The solvent was removed at reduced pressure. The crude product was purified by flash chromatography, packing the column with methylene chloride and eluting with a mixture $\text{CH}_2\text{Cl}_2/\text{MeOH}$ 99:1.

[0122] 146 mg of (CNblii) (0.29 mmoles) were so obtained as a mixture of 2 regioisomers in a 1:2 ratio.

Yield: 26.2 %.

$R_f(\text{CH}_2\text{Cl}_2/\text{MeOH}$ 9:1):0.51

^1H NMR (CDCl_3) δ 8.85 (2H, s), 8.07 (1H, s), 8.06 (1H, s), 7.76 (2H, s), 5.69 (1H, m), 5.49 (1H, m), 5.34 (1H, m), 5.27 (2H, d, $J = 8.54$ Hz), 5.1-4.7 (4H, broad), 4.51 (1H, m), 4.46 (1H, dd, $J = 3.05$ e 12.21 Hz), 4.39 (1H, dd, $J = 3.66$ e 7.94 Hz), 4.21 (1H, dd, $J = 6.71$ e 12.21 Hz), 4.14 (1H, m), 2.59 (6H, s), 2.45 (6H, s), 2.21 (3H, s), 2.1 (3H, s), 2.02 (3H, s), 2.0 (3H, s), 1.8 (3H, s), 1.9 (3H, s).

MS (EI, 70eV) m/z (%) 503 ($M^+ + 1$, 67), 61 (100).

[0123] 59.8 mg of N,N' -dicyclohexylcarbodiimide (DCC) (0.29 mmoles), 63 mg (0.32 mmoles) of paranitroxymethylbenzoic acid (ZI) synthesized according to example 1 and a catalytic quantity of 4-DMAP were added to a solution of (CNblii) (146 mg, 0.29 mmoles) in CH_2Cl_2 at room temperature and under N_2 . After 3 hours the acid was disappeared. The crude product was purified by flash chromatography, packing the column with methylene chloride and eluting with a mixture $\text{CH}_2\text{Cl}_2/\text{MeOH}$ 99:1.

[0124] 146 mg of the desired product (CNbla) (0.21 mmoles) were so obtained as a mixture of 3 regioisomers.

Yield: 72.3 %.


$R_f(\text{CH}_2\text{Cl}_2/\text{MeOH}$ 9:1):0.77.

^1H NMR (CDCl_3) δ 9.65 (1H, s), 9.50 (1H, s), 9.45 (1H, s), 8.24-8.21 (4H, m, aromatics), 7.95-7.85 (2H, m, aromatics), 7.71 (1H, m, aromatics), 7.63-7.45 (9H, m, aromatics), 7.33 (2H, m, aromatics), 6.01-5.37 (15H, assignable to acetyls tertiary H and to benzylic H), 5.27-4.70 (6H, assignable to secondary H on N), 4.58-4.08 (6H, assignable to secondary H on acetyls), 2.52-1.65 (45H, assignable to acetyls CH_3 and to aromatic ring CH_3).

MS (EI, 70eV) m/z (%) 682 ($M^+ + H$, 66), 663 (78), 279 (100).

EXAMPLE 17

[0125]



5-methoxy-2-[[[4-methoxy-3-methyl-5-(p-nitroxymethylbenzoyloxymethyl)-2-pyridinyl]methyl]sulfinyl]-1H-benzimidazole (RXCa)


[0126] The compound is synthesized according to the synthesis described in example 2, using as reagents 5- α -hydroxyomeprazole (RXC) synthesized according to WO99/56746 and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.

Yield 70%. MS (EI, 70eV): m/z 541.1 ($M^+ + H$)

Elementary analysis:			
Calculated	C:55.55%	H:4.48%	N:10.36%
Found	C:55.39%	H:4.41%	N:10.31%

EXAMPLE 18

[0127]



5-(p-nitroxymethylbenzoyloxy)-2-[[4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazole (RXIIa)

[0128] The compound is synthesized according to the synthesis described in example 2, using as reagents 5-O-desmethylomeprazole (RXII) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 75%. MS (EI, 70eV): m/z 511.1 (M⁺H)

Elementary analysis:

Calculated	C:56.46%	H:4.34%	N:10.97%
Found	C:56.39%	H:4.32%	N:10.77%

EXAMPLE 19

[0129]



5-(p-nitroxymethylbenzoyloxy)-2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazole (RCa)

[0130] The compound was synthesized according to the synthesis described in example 2, using as reagents 5-hydroxylansoprazole (RC) synthesized according to WO00/04904 and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 78%. MS (EI, 70eV): m/z 565.1 (M⁺H)

Elementary analysis:

Calculated	C:51.06%	H:3.39%	N:9.93%
Found	C:50.99%	H:3.35%	N:9.87%

EXAMPLE 20

[0131]



(E)-3-[1-[4-[2-(dimethylamino)ethoxy]phenyl]-2-phenyl-1-butenyl]phenol p-nitroxymethylbenzoic acid ester (SVIc)

[0132] The compound was synthesized according to the synthesis described in example 2, using as reagents droloxifene (SVI) synthesized according to US5047431 and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.


Yield 80%. MS (EI, 70eV): m/z 567.2 (M⁺H)

Elementary analysis:

Calculated	C:72.07%	H:6.05%	N:4.94%
Found	C:72.01%	H:5.98%	N:4.89%

EXAMPLE 21

[0133]



5-[4-(2-Carboxy-ethylcarbamoyl)-phenylazol-2-(4-nitroxymethylbenzoyloxy)-benzoic acid (ECXVIIIa)

[0134] The compound was synthesized according to the synthesis described in example 2, using as reagents bal-salazide (ECXVIII) and paranitroxymethylbenzoic acid (ZI) synthesized according to example 1.

Yield 67%. MS (EI, 70eV): m/z 537.1 (M⁺H)


Elementary analysis:

Calculated	C:55.97%	H:3.76%	N:10.44%
Found	C:55.91%	H:3.74%	N:10.47%

EXAMPLE 22

2-Acetylsulfanylmethyl-4-oxo-4-p-tolyl-butyric acid 4-nitroxy-butyl ester (EXXXIVa)

[0135]



[0136] 1.9 mL of toluene (17.8 mmoles) were added to a suspension of itaconic anhydride 95% (17.8 mmoles, 2.1 g) in 70 mL of CH_2Cl_2 . In the span of 30 minutes 4.7 g of AlCl_3 were added. The reaction was stirred for other 4 hours. The solvent was removed at reduced pressure and water and ice were added to the crude product. 3 mL of concentrated

HCl were added and the product was extracted with ethyl acetate.

[0137] The product was anhydriified with Na_2SO_4 , was filtered and deprived of the solvent at reduced pressure. 3.4 g of the product (EXXXIVi) were obtained. Yield 93.6%.

^1H NMR (400 MHz, CDCl_3): δ 7.87 (d, 2H, $J=8.3$ Hz), 7.25 (d, 2H, $J=8.3$ Hz), 6.50 (s, 1H), 5.77 (s, 1H), 3.95 (s, 2H), 2.41 (s, 3H).

[0138] K_2CO_3 (50 mg, 0.15 mmoles) in H_2O (200 μL) was added drop by drop to a solution of (EXXXIVi) (500 mg, 2.4 mmoles) and thiolacetic acid (214 μL , 2.88 mmoles) in DMF (5 mL) kept at 30 $^\circ\text{C}$. The reaction was stirred for 2 hours. Water was added to the reaction mixture and then HCL 10% was added to reach pH 5. The product was extracted with ethyl acetate, was washed with water and brine, was anhydriified with Na_2SO_4 and the solvent was removed at reduced pressure. The product was purified by crystallization from Et_2O /hexane. 1.1 g of the desired product (EXXXIV) (3.8 mmoles) were obtained.

Yield: 77.5%.

^1H NMR (500 MHz, CDCl_3): δ : 7.84 (d, 1H, $J=8.6$ Hz), 7.25 (d, 1H, $J=8.6$ Hz), 3.50-3.16 (m, 5H), 2.41 (s, 3H), 2.32 (s, 3H).

[0139] 4-Br-butanol (82 μL , 0.94 mmoles), HOBT (85 mg, 0.63 mmoles), DIC (100 μL , 0.63 mmoles) and a catalytic quantity of 4-DMAP were added to a solution of (EXXXIV) (176 mg, 0.63 mmoles) in 5 mL of CH_2Cl_2 /DMF 9:1 kept under N_2 . The reaction was stirred for 6 hours, the solvent was removed at reduced pressure, CHCl_3 was added and the reaction mixture was washed 3 times with brine. The mixture was anhydriified with Na_2SO_4 and the solvent was removed at reduced pressure. The product was purified by flash chromatography (eluting: hexane/AcOEt 85:15). 76 mg of the desired product (EXXXIVii) (0.19 mmoles) were obtained.

Yield: 30 %. R_f (hexane/AcOEt 85:15): 0.22.

^1H NMR (500 MHz, CDCl_3): δ : 7.84 (d, 2H, $J=8.3$), 7.25 (d, 2H, $J=8.3$), 4.23 (t, 1H, $J=6.3$), 3.49-3.41 (m, 3H), 3.31-3.12 (m, 4H), 2.41 (s, 3H), 2.34 (s, 3H), 2.18 (m, 2H).

[0140] AgNO_3 (97 mg, 0.57 mmoles) was added to a solution of (EXXXIVii) (76 mg, 0.19 mmoles) in CH_3CN (5 mL).

The reaction was left at reflux for 6 hours. The solution was filtered to remove AgBr so produced and the solvent was removed at reduced pressure. CHCl_3 was added and AgNO_3 was filtered. The solvent was removed at reduced pressure and the product was purified by flash chromatography (eluting: AcOEt/hexane 2:8).

[0141] 50 mg of the desired product (EXXXIVa) (0.13 mmoles) were so obtained.


Yield: 69%. R_f (hexane/AcOEt 8:2): 0.20

^1H NMR (500 MHz, CDCl_3): δ : 7.83 (d, 2H, $J=8.2$), 7.25 (d, 2H, $J=8.2$), 4.54 (m, 2H), 4.21 (m, 2H), 3.48-3.43 (m, 1H), 3.29-3.15 (m, 4H), 2.40 (s, 3H), 2.32 (s, 3H), 2.05 (m, 2H).

EXAMPLE 23

4-Nitroxy-butyric acid 5,7-bis-benzyloxy-2-(3,4-bis-benzyloxy-phenyl)-4-oxo-4H-chromen-3-yl ester (CNbXVa)

[0142]



[0143] 1.12 g of dihydrated quercetin (CNbXV) (3.3 mmoles) in dry DMF (10 mL) were added drop by drop to a suspension of K_2CO_3 (1.96 g, 14.2 mmoles) in dry DMF (3 mL) kept under N_2 . The reaction was stirred for 1 hour. Benzyl bromide (1.8 mL, 14.8 mmoles) was added drop by drop and the reaction was stirred all the night. DMF was removed at reduced pressure and ethyl acetate and water were added to the crude product. The organic phase was separated and washed 2 times with brine. The mixture was anhydriified with Na_2SO_4 , was filtered and the solvent was removed at reduced pressure. The crude product so obtained was purified by flash chromatography eluting with a mixture CH_2Cl_2 /hexane 9:1.

[0144] 1.484 g of the desired product (CNbXVi) (2.24 mmoles) were obtained.

Yield: 67.9% R_f (AcOEt/hexane 2:8): 0.38

^1H NMR (CDCl_3) δ 12.68 (1H, s), 7.71 (1H, d, $J=1.97$ Hz), 7.56 (1H, dd, $J=8.86$ e 1.97 Hz), 7.50-7.21 (20H, m), 6.97 (1H, d, $J=8.86$ Hz), 6.46 (1H, d, $J=2.45$), 6.44 (1H, d, $J=8.86$ Hz), 5.24 (2H, s), 5.12 (2H, s), 5.05 (2H, s), 4.99 (2H, s).

[0145] 4-Bromo-butyryl chloride (768 μL , 6.3 mmoles) and Et_3N (878 μL , 6.3 mmoles) were added to a solution of CNbXVi (1.4 g, 2.1 mmoles) in 30 ml of THF: a complex chloride- Et_3N , insoluble in THF, was formed. The reaction was stirred 5 hours at room temperature. The complex was filtered and THF was removed at reduced pressure. The product was obtained by precipitation from THF-hexane. 1.372 g of (CNbXVii) were obtained (1.69 mmoles).

Yield: 80 %. R_f (AcOEt/hexane 2:8): 0.32

^1H NMR (CDCl_3) δ 7.66 (d, 1H, $J=1.88$ Hz), 7.49 (dd, 1H, $J=8.45$ e 1.88 Hz), 7.44-7.14 (m, 20H), 6.94 (d, 1H, $J=8.45$ Hz), 6.81 (d, 1H, $J=1.87$ Hz), 6.81 (d, 1H, $J=1.87$ Hz), 5.22 (s, 2H), 5.13 (s, 2H), 4.98 (s, 2H), 4.96 (s, 2H), 3.62 (t, 2H, $J=6.57$ Hz), 2.96 (t, 2H, $J=7.51$ Hz), 2.40 (quintet, $J=7.51$ e 6.57).


[0146] AgNO_3 (862 mg, 5.07 mmoles) was added to a suspension of (CNbXVii) (1.372 g, 1.69 mmoles) in 50 mL of CH_3CN . The reaction was left at reflux for 5 hours. The solution was left to clear to remove AgBr. The solvent was removed at reduced pressure. The product was obtained by precipitation from THF-hexane: 1.1 g (1.38 mmol) of (CNbXVa) were obtained.

Yield: 82%. R_f (AcOEt/hexane 3:7): 0.64

¹H NMR (CDCl₃) δ 7.65 (d, 1H, J=1.87 Hz), 7.49 (dd, 1H, J=8.45 and 1.87 Hz), 7.46-7.15 (m, 20H), 6.94 (d, 1H, J=8.45 Hz), 6.83 (d, 1H, J=2.34 Hz), 6.67 (d, 1H, J=2.34 Hz), 5.22 (s, 2H), 5.14 (s, 2H), 4.98 (s, 2H), 4.95 (s, 2H), 4.68 (t, 2H, J=6.58 Hz), 2.91 (t, 2H, J=7.51 Hz), 2.28 (quintet, J=7.51 and 6.58).

EXAMPLE 24

[0147]




beta-[2-([2-(8-azaspiro[4.5]dec-8-ylcarbonyl)-4,6-dimethylphenyl]amino)-2-oxoethyl]-(R)-1-naphthalene-propanoic acid-(4-nitroxybutyl)-ester (RXXXIIIa)

[0148] This compound was synthesized according to the synthesis described in the third and the fourth step of example 1 (from (EXXXIV) to (EXXXIVa)), using itriglumide (RXXXIII) (sigma-aldrich code 19778) as reagent.

EXAMPLE 25

[0149]




(Z)-5-fluoro-2-methyl-1-[[4-(methyl-sulfonyl)phenyl]methylene]-1H-indene-3-acetic acid-(4-nitroxybutyl)-ester (CNdid)

[0150] This compound was synthesized according to the synthesis described in the third and the fourth step of example 1 (from (EXXXIV) to (EXXXIVa)), using exisulind (CNdi) as reagent.

EXAMPLE 26

[0151]



N-[4-(5-metil-3-phenylisoxazol-4-yl)phenylsulfonyl]-p-nitroxymethylbutanamide (EVd)

[0152] This compound was synthesized according to the synthesis described in the third and the fourth step of example 1 (from (EXXXIV) to (EXXXIVa)), using 4-(5-methyl-3-phenylisoxazol-4-yl)benzensulfonamide (valdecixib, (EV), synthesized as described in EP-0809636) as reagent.

MS (EI, 70eV) m/Z 446.1 (M⁺H).


Elementary analysis:

Calculated	C:53.93%	H:4.30%	N:9.43%
Found	C:53.99%	H:4.27%	N:9.41%

EXAMPLE 27

m-nitroxymethylphenol (ZI)

[0153]




[0154] 3-hydroxybenzyl alcohol (5 g, 40.30 mmoles) in methylene chloride (16 mL) was added to hydrobromic acid (48%) (25 mL). The reaction was left at room temperature for 4 hours. The reaction mixture was washed with aqueous sodium bicarbonate and was anhydried with anhydrous sodium sulphate. Methylene chloride was removed at reduced pressure. The oily residue was dissolved in anhydrous acetonitrile (25 mL) and a solution of silver nitrate (6.85 g, 40.32 mmoles) dissolved in anhydrous acetonitrile (10 mL) was added drop by drop and in the dark.

[0155] After 12 hours the precipitate (silver bromide) was filtered and the solvent was removed at reduced pressure. The so obtained oily residue was dissolved in toluene (22 mL) and the solution was purified by silica gel chromatography (toluol/ethyl acetate 7/3 v/v). The eluate was dried at reduced pressure and 2.65 g of the desired product (yield 39%) were so obtained.

EXAMPLE 28

[0156]



(3 α ,5 β ,7 β)-3,7-dihydroxycholan-24-oic acid (m-nitroxymethylphenol)ester (ELXVc)

[0157] M-nitroxymethylphenol (ZI) (7 mmoles, 1.18 g) prepared according to example 27 was added under stirring to a solution of ursodiol (Sigma-Aldrich code U5127) (2 g, 5.09 mmoles) dissolved in chloroform (18 mL) and dimethylacetamide (17 mL).

[0158] N,N'-dicyclohexylcarbodiimide (1.44 g, 7 mmol) and 4-dimethylaminopyridine (70 mg) were added to the solution cooled at a 0°C and kept under stirring. After 1 hour the mixture was heated to room temperature. After 24 hours the precipitate was filtered and the solvent was removed at reduced pressure. The residue was treated with ethyl acetate (100 mL) and washed with water (3 X 70 mL).

[0159] The organic phase was anhydriified with sodium sulphate and the solvent was removed at reduced pressure.


[0160] The residue was purified by silica gel chromatography eluting with n-hexane/ethyl acetate 1/9. 1.24 g of the desired product were obtained.

Yield 45%. MS (EI, 70eV): m/z 544.3 (M+H)

Elementary analysis:			
Calculated	C:68.48%	H:8.34%	N:2.58%
Found	C:68.41%	H:8.32%	N:2.60%

EXAMPLE 29

[0161]




(17 β)-17[[[(1,1-dimethylethyl)amino]carbonyl]androsta-3,5-diene-carboxylic acid (m-nitroxymethylphenol)ester (Uld)

[0162] This compound was synthesized according to the synthesis described in example 28 using, as reagents, epristeride (UI) (synthesized according to EP289327) and m-nitroxymethylphenol (ZI) synthesized according to example

Elementary analysis:			
Calculated	C:69.79%	H:7.69%	N:5.09%
Found	C:69.84%	H:7.68%	N:5.11%

glucosamine nitrate salt (EXXXa)


[0163]



[0164] AgNO₃ (78 mg, 0.46 mmoles) dissolved in 300 µl of H₂O was added to a solution of di D-Glucosamine hydrochloride (Sigma-Aldrich code G2206) (100 mg, 0.46 mmoles) in H₂O (1 mL) under stirring and at room temperature; a precipitate was formed (AgCl). The reaction was stirred for 10 minutes, was cooled at 0°C and the solid was removed by centrifugation. The solvent was removed and the product was solid/sticky. The solid was washed many times with EtOH to obtain a powdery solid. mp 90-93°C

EXAMPLE 31

[0165]




1-benzyl-3-[3-(dimethylamino)propoxy]-1H-indazole nitric salt (ELXa)

[0166] This compound was synthesized according to the synthesis described in example 30 using, as reagent, benzydamine hydrochloride (ELXa) (Sigma-Aldrich code B5524). Yield 95%.

Elementary analysis:			
Calculated	C:61.28%	H:6.50%	N:15.04%
Found	C:61.23%	H:6.69%	N:15.12%

EXAMPLE 32

[0167]

N-methyl-3-(p-trifluoromethylphenoxy)-3-phenylpropylamine nitric salt (UCXXXIa)


[0168] This compound was synthesized according to the synthesis described in example 30 using, as reagent, fluoxetine hydrochloride (UCXXXI).

Yield 93%.

Elementary analysis:			
Calculated	C:54.84%	H:5.14%	N:7.52%
Found	C:54.92%	H:5.37%	N:7.62%

EXAMPLE 33

[0169]

(+)-N-methyl-3-(1-naphthalenyloxy)-3-2-thienylpropylamine nitric salt (UXLIa)


[0170] This compound was synthesized according to the synthesis described in example 30 using, as reagent, duloxetine hydrochloride (UXLIa).

Yield 89 %.

Elementary analysis:			
Calculated	C:59.98%	H:5.59%	N:7.77%
Found	C:60.07%	H:5.56%	N:7.71%

EXAMPLE 34

[0171]



2-(m-hydroxy-N-tolylanilinomethyl)-2-imidazoline nitric salt (UVIIIa)

[0172] This compound was synthesized according to the synthesis described in example 30 using, as reagent, phen-tolamine hydrochloride (UVIII) (Sigma-Aldrich code P7547). Yield 92%

Elementary analysis:			
Calculated	C:72.57%	H:6.81%	N:14.94%
Found	C:72.51%	H:6.83%	N:14.87%

PHARMACOLOGICAL EXAMPLES

EXAMPLE 1






Absorption of the compounds of the invention by passive diffusion through biological membranes (gastrointestinal and cutaneous absorption) according to the model described by the first Fick law, in comparison with that of all known nitrate vasodilators








[0173] A model describing the absorption of molecules by passive diffusion through biological membranes (gastrointestinal and cutaneous absorption) is described by the first Fick law (see Amorosa "Principi di tecnologia farmaceutica" pag 491).






[0174] We have calculated DA (mg/cm²) that is the absorbed dose per unit area during a period of 15 minutes according to the model described by the first Fick law, as described in the document EPA/600/8-91-011B, January 1992, Interim Report. U.S. Environmental Protection Agency, Exposure Assessment Group, Office of Health and Environmental Assessment, Washington, DC.

[0175] Since DA=Kp·Cw·t, we have before calculated LogP (logarithm of the distribution coefficient n-ottanol/water) as described in Meylan et al J. Pharm. Sci. 1995; 84; pag. 83-92. Then, with it, we have calculated Cw that is water solubility (mg/cm³) (according to Meylan et al Environ. Toxicol. Chem. 1996; 15; pag. 100-106). Finally we have calculated the permeability coefficient of the molecule from water (Kp, (cm/hr)) (as described in EPA/600/8-91-011B, January 1992, Interim Report. U.S. Environmental Protection Agency, Exposure Assessment Group, Office of Health and Environmental Assessment, Washington, DC).

TABLE I: ABSORBED DOSE PER UNIT AREA DURING A PERIOD OF 15 MINUTES OF THE COMPOUNDS OF THE INVENTION, ACCORDING TO THE FIRST FICK LAW, IN COMPARISON WITH THAT OF SOME KNOWN NITRATE VASODILATORS

	COMPOUND	DA = absorbed dose (mg/cm ²) per unit area during a period of 15 minutes according to first Fick law,
1	Nitroglycerine 	$3.6 \cdot 10^{-4}$
2	Isosorbide dinitrate 	$3.2 \cdot 10^{-4}$
3	Isosorbide mononitrate 	$1.8 \cdot 10^{-3}$
4	Nicorandil 	$8.1 \cdot 10^{-4}$
5	Pentaerythritol tetranitrate 	$2.5 \cdot 10^{-5}$
6	Sodium nitroprusside	$2.8 \cdot 10^{-6}$

		
7	(EVa) 	$7 \cdot 10^{-8}$
8	(ECLXIb) 	$1.1 \cdot 10^{-7}$
9	(RXCa) 	$1.9 \cdot 10^{-8}$
10	(ECVIII) 	$8.9 \cdot 10^{-6}$
11		$1.2 \cdot 10^{-7}$
12	(ECVIIIa) 	$3.3 \cdot 10^{-8}$

13	(ECVIIc)		$2.5 \cdot 10^{-8}$
14	(ECXCa)		$8.9 \cdot 10^{-9}$
15	(RXXXIIa)		$2.5 \cdot 10^{-10}$
16	(ELXVc)		$8.4 \cdot 10^{-9}$
17	(UId)		$6 \cdot 10^{-9}$

[0176] As shown by the results of table I, we have unexpectedly found that the compounds of the invention have an absorption from 10 to 1000 times slower than classic nitrate vasodilators (nitroglycerine, isosorbide dinitrate, isosorbide mononitrate, nicorandil, pentaerythritol tetranitrate).

[0177] This is an important therapeutic advantage because it is a controlled release of nitric oxide, that is nitrates are transformed metabolically in vivo into nitric oxide but, as said before, is essential that the rate of this release is not high to avoid hypotensive side effects and also potentially proinflammatory and proapoptotic side effects.

[0178] The compounds of the invention can so be adsorbed much more slowly than classic nitrate vasodilators and for this reason they are devoid of hypotensive side effects as proved by example 3.

EXAMPLE 2

Endogenous S-nitrosohemoglobin (SNO-Hb) levels in rat blood and after administration of N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela)

[0179] A highly sensitive photolysis-chemiluminescence methodology was used. Nitric oxide, released from Hb-SNO through photolysis, was detected in a chemiluminescence spectrometer by reaction with ozone (McMahon, T. J., and Stamler, J. S. (1999) Methods Enzymol. 301, 99-114).

[0180] Blood was obtained from the left ventricle (arterial) and jugular vein (venous) of anesthetized Sprague-Dawley rats: 12 were controls and 12 were treated with 100 mg/Kg of N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela). Red blood cells were isolated by centrifugation at 800 g, washed three times in phosphate buffered saline at 4 °C, lysed by the addition of 4-fold excess volume of deionized water containing 0.5 mM EDTA and desalted rapidly according to the method of Penefsky at 4 °C.

[0181] In 24 rats, Hb samples were divided in two aliquots which were then treated or not treated with 10-fold excess HgCl₂ which can remove the signal of Hb(Fel)NO.

[0182] N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela) can significantly increase S-nitrosohemoglobin (SNO-Hb) levels both in rat arterial and in rat venous blood.

TABLE III:

Endogenous S-nitrosohemoglobin (SNO-Hb) levels in rat blood and after administration of N-[4-(5-p-tolyl-3-trifluoromethyl-1H-pyrazol-1-yl)phenylsulfonyl]-p-nitroxymethylbenzamide (Ela)		
	Arterial SNOERR-Hb (nM)	Venous SNO-Hb (nM)
Endogenous levels	311 +- 55	32 +- 14
Levels after administration of (Ela) (100 mg/Kg i.p.)		

EXAMPLE 3

Arterial blood pressure effects of oral administration of sodium nitroprusside and (11 β ,16 α)-9-fluoro-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECXCa)

[0183] Sodium nitroprusside (0.5 mg/kg) in carboxymethylcellulose 0.5% or an equimolar dose (1.09 mg/Kg) of (11 β ,16 α)-9-fluoro-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECXCa) in carboxymethylcellulose 0.5% or the vehicle alone (control group) were administered per os to 15 male wistar rats divided into 3 groups and after anaesthesia.

[0184] Blood pressure was continuously recorded for 4 hours.

TABLE II:

RAT ARTERIAL BLOOD PRESSURE EFFECTS OF ORAL ADMINISTRATION OF SODIUM NITROPRUSSIDE (0.5 MG/KG) AND (11 β ,16 α)-9-FLUORO-11,17-DIHYDROXY-21-(P-NITROXYMETHYLBENZOYLOXY)-PREGNA-1,4-DIENE-3,20-DIONE (ECXCA) (1.09 MG/KG)		
Control (%)	Sodium nitroprusside (%)	(ECXCa) (%)
100	76	100

[0185] These results prove that (11 β ,16 α)-9-fluoro-11,17-dihydroxy-21-(p-nitroxymethylbenzoyloxy)-pregna-1,4-diene-3,20-dione (ECXCa) does not modify systemic blood pressure while sodium nitroprusside can cause a marked hypotension.

Claims


1. Compounds of general formula (I), their pharmaceutically acceptable salts, their in vivo hydrolyzable prodrugs, their tautomers and their diastereomers



(I)

where:

- q is an integer from 1 to 5;
- F is a molecule or a drug for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal, tegumental, respiratory, gastrointestinal, genito-urinary and central nervous systems;
- X is chosen among 3 groups of substituents, -M, -T and -V where:
- M is chosen among the following groups which can release nitric oxide in vivo: nitrate ester (AI) -ONO₂; nitrate salt (AII); nitrite ester (AIII)
- ONO; thionitrite (AIV) -SNO; NONOate (AV) -NO(NO)



- the undulated line shows where and how is the bond which is necessary to link M (on the right of the line) and the drug F (on the left of the line);
- T is chosen among the following radicals, optionally salified:
- O-R₁-M; -O-R₁-O-R₁-M; -O-R₁-S-R₁-M; -O-R₁-NR₂-R₁-M;
- S-R₁-M; -S-R₁-O-R₁-M; -S-R₁-S-R₁-M; -S-R₁-NR₂-R₁-M;
- NR₂-R₁-M; -NR₂-R₁-O-R₁-M; -NR₂-R₁-S-R₁-M; -NR₂-R₁-NR₂-R₁-M;
- (CO)-R₁-M; -(CO)-R₁-O-R₁-M; -(CO)-R₁-S-R₁-M; -(CO)-R₁-NR₂-R₁-M;
- O-(CO)-R₁-M;
- R₁-O-R₁-M; -R₁-S-R₁-M; -R₁-NR₂-R₁-M;
- PO(O-)O-R₁-M;


where M is described as above;


- R₁- is a saturated or unsaturated, linear or branched alkylene, having from 1 to 21 carbon atoms or a saturated or unsaturated, optionally heterosubstituted or branched cycloalkylene, having from 3 to 7 carbon atoms or an optionally heterosubstituted arylene having from 3 to 7 carbon atoms;
- R₂ is H or a saturated or unsaturated, linear or branched alkyl, having from 1 to 21 carbon atoms or a saturated or unsaturated, optionally heterosubstituted or branched cycloalkyl, having from 3 to 7 carbon atoms or an optionally heterosubstituted aryl having from 3 to 7 carbon atoms;
- R₁- and -R₂ may be substituted with -OH, -SH, -F, -Cl, -Br, -OPO₃H₂, -COOH, NR₂ or with a saturated or unsaturated, linear or branched alkyl, having from 1 to 10 carbon atoms or with a saturated or unsaturated, optionally heterosubstituted or branched cycloalkyl, having from 3 to 7 carbon atoms;
- the bond between -F and -T is hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphuric ester, a sulphonic amide, a sulphonic ester.
- the above cited pharmaceutically acceptable salts are salts from inorganic acid (e.g. nitrate, nitrite, chlorhydrate, bromhydrate, sulphate, phosphate), salts from organic acids (e.g. citrate tartrate, acetate, maleate, fumarate, ossalate, p-toluensulphonate, methanesulphonate, ethansulphonate, benzenesulphonate), from inorganic bases (e.g. ammonium, sodium, litium, potassium, magnesium, calcium and zinc salts) or from organic bases (e.g. ammonium salts of organic amines).


The bond between -R₁ and -M is described by the above cited formulae from (AI) to (AV) that is the undulated line shows here where and how is the bond which is necessary to link -M (on the right of the line) and -R₁ (on the


left of the line);

- V is chosen among $-Z-M_2$, $-O-Z-M_2$, $-N(R_2)-Z-M_2$, $-R_1-Z-M_2$, $-O-R_1-M_2$, $-O-R_1-Z-M_2$ where:
- M_2 is chosen among $-M$, $-R_1-M$, $-O-R_1-M$, $-S-R_1-M$, $-N(R_2)-R_1-M$
- where R_1 , R_2 and M are described as above;
- $Z-M_2$ is chosen among the following radicals, optionally salified with nitric acid:











where:

- R_3 is chosen among -H, -OH, -NH₂, -NO₂, -CH₃, -CN, -OCH₃, -CH₂OH, -COOH, -CHO, -F, -Cl, -Br, -CF₃;
- "L" is an oxygen atom -O-, a sulphur atom -S-, a nitrogen atom -NR₂-, a selenium atom -Se- or a carbon atom -CR₂R₂-;
- W is chosen among -CH=, =N-, -N+(O-)=; n_1 is an integer from 0 to 3; n_2 is an integer from 1 to 6, preferably from 1 to 4;
- R_1 , R_2 , are described as above;
- the dotted line is a simple bond or a double bond; -Ar₁- is an optionally heterosubstituted arylene having from 3 to 7 carbon atoms;
- the undulated line shows where is the bond between -V and the drug -F;
- the bond between -F and -V is hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a car-


bammate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphonic amide, a sulphonic ester.

2. Compounds according to claim 1, in which -X is chosen among nitrate salt (All) in a stoichiometric ratio with F of at least 1:1 and the following monovalent radicals -Y₁ optionally salified with nitric acid:







(CaX)




(CaXI)




(CaXII)



(CaXIII)




(CaXIV)




(CaXVI)




(CaXVI)




(CbI)




(CbII)




(CbIII)




(CbIV)




(CbV)




(CbVI)




(CbVII)




(CbVIII)



(CbIX)




(CbX)




(CbXI)


5



(CbXII)




(CbXIII)




(CbXVI)


10



(CbXVII)




(CbXVIII)




(CbXIX)


15



(Ccl)




(CclI)




(CclII)


20



(CclV)




(CclV)




(CclVI)


25



(CclVII)




(CclVIII)




(CclIX)


30



(CclX)




(CclXI)




(CclXII)


35



(CclXIII)




(CclXIV)




(CclXV)

40



(CclXVI)




(CclXVII)


45

50


55




(CdI)




(CdII)




(CdIII)




(CdIV)




(CdV)




(CdVI)




(CdVII)




(CdVIII)




(CdIX)




(CdX)




(CdXI)




(CdXII)




(CdXIII)




(Cel)




(CelI)












(CelII)




(CelIV)









(ChVII)



(ChVIII)



(ChIX)




(ChX)


where:

- the dotted line is a simple bond or a double bond;
- the undulated line shows where is the bond between $-Y_1$ and the drug $-F$;
- the bond between $-F$ and $-Y_1$ is hydrolyzable in vivo by metabolic or enzymatic activity and in particular is a carboxylic ester, a carboxylic amide, a glycoside, an acetal, a ketal, an azo compound, an hydrazide, a carbamate, a thioester, a thioamide, a phosphoric ester, a phosphonic ester, a sulphonic amide, a sulphonic ester.


3. Compounds according to claim 2, in which $-X$ is chosen among nitrate salt (All) in a stoichiometric ratio with F of at least 1:1 and the following monovalent radicals $-Y_2$ optionally salified with nitric acid:




(Cal)



(Call)




(Calll)



where the bond between $-Y_2$ and the drug $-F$, in the point shown by the undulated line is a carboxylic ester or a carboxylic amide.

4. Compounds according to claim 3 in which $-X$ is the following monovalent radical $-Y_3$ (paranitroxymethylbenzoyl):



where the bond between $-Y_3$ and the drug $-F$, in the point shown by the undulated line, is a carboxylic ester or a carboxylic amide.

5. Compounds according to claims 1-4 in which q is 1.

6. Compounds according to claims 1-5 in which $-F$ is chosen among the following 8 groups of molecules (from 1A to 8A) which are identified by their own INN ("International Nonproprietary Name", from "World Health Organization" database) or by their own company code or by their own chemical name.

GROUP 1A:

ζ_1 -tocopherol, ζ_2 -tocopherol, δ -tocopherol, ϵ -tocopherol, η -tocopherol, β -tocopherol, γ -tocopherol, α -tocopherol, 17 β -estradiol, 21-acetoxypregnenolone, 6-mercaptopurine, 8 α -hydroxy-riboflavin, abetimus, aceclofenac, acemetacin, acetaminosalol, acetoxolone, acexamic acid, aconitine, 3-acetylconitine, actarit, adapalene, adxanthromycin, ajulemic acid, alclofenac, alclometasone, aldesleukin, algestone, alonacic, allopurinol, alminoprofen, amcinafal, amcinonide, amebucort, amelometasone, amfenac, amiprilose, amixitrene, ampiroxicam, amrinone, amtolmetin guacil, anakinra, aniolac, anisperimus, anitrazafen, apafant, apazone, aprepitant, araprofen, artecanin, asimadolone, asobamast, aspirin, ascomycin, ataquimast, atiprimod, atizoram, atliprofen, atrasentan, atreleuton, aurothioglucose, aurothiomalat, aurothiomalic acid, azapropazone, azaspirane, azastene, azathioprine, azimexon, azure A, azure B, azure C, bakeprofen, bamaquimast, balsalazide, basiliximab, batimastat, beclometasone, bendazac, benorylate, benoxaprofen, benzbromarone, benzpiperylone, benzydamine, bepafant, berberine, bermoprofen, betamethasone, betamethasone acibutate, beiwutine, bilirubin, biliverdin, bifeuprofen, bimosiamose, bindarit (ELXVII), bosentan, boswellic acids, brasilicardin a, brequinar, bromfenac, bromhexine, bromisoval, bromosaligenin, broperamole, buccillamine, bucloxic acid, bucolome, budesonide, bufexamac, bufezolac, bulleyaconitine, bumadizone, busulfan, butanixin, butibufen, butixirate, butixocort, carbenoxolone, canin, carprofen, celecoxib, chenodeoxycholic acid, chloroprednisone, chloroquine, ciamexon, ciclesonide, cicloprofen, cinaproxen, cinfenoac, cinmetacin, cipemastat, ciproquazone, clamidoxic acid, clidanac, cliprofen, clobetasol, clobetasone, clobuzarit, chlorin e6, chlorophyll, clocortolone, clofenamic acid, clofexamide, clofurac, clometacin, clonixin, clopirac, cloticasone, cloprednol, cloximate, cobanamide, colchicine, colfenamate, coproporphyrin (I, II, III), cometasone, cortisolone, cortivazol, cortodoxone, cridanimod, cyclophosphamide, cyclosporin (A,B,C,D,G), 10-deazaaminopterin, dacomafant, daltroban, dapitant, darbufelone, darusentan, deflazacort, defoslimod, dehydrocholic acid, delmetacin, deloxolone, deltibant, deracoxib, descinolone, desonide, desoximetasone, dexamethasone, dexamethasone acefurate, dexamethasone-21-phosphate, dexbudesonide, dexibuprofen, dexindoprofen, dexketoprofen, dexmedolac, dextiopronin, deuteroporphyrin IX, diacerein, diclofenac, diclonixin, difenamizole, difenpiramide, diflorasone, diflucortolone, diflumidone, diflunisal, difluprednate, diftalone, diethylhomospermine, dimepranol, dipyrrocetyl, dipyrone, diphenyleneiodonium, ditazole, domoprednate, drocinonide, dronabinol, droxicam, duometacin, edatrexate, eltenac, emorfazone, emoctakin, endrysone, enfenamic acid, enolicam, enoxolone, enrasentan, epirizole, eremophyllene a, esculamine, esculentin A, esflurbiprofen, esonarimod, esonarimod, estriol, etersalate, etodolac, 12-epi-scalaradial, etofenamate, etoricoxib, everolimus, ezlopitant, falcinonide, famprofazone, felbinac, fenamole, fenbufen, fenclofenac, fenclorac, fenclozic acid, fendosal, fenflumizole, fenleuton, fenoprofen, fempipalone, fentiazac, fepradinol, feprazone, figopitant, flavine-adenine dinucleotide, flavonone hydrazone, flazalone, flousulide, flobufen, fluarandrenolide, fluazacort, fluclozonide, fludrocortisone, flufenamic acid, flumetasone, flumizole, flunisolid, flunixin, flunoxaprofen, fluocinolone acetonide, fluocinonide, fluocortin, fluocortolone, fluorometholone, fluperolone, fluprednidene, fluprednisolone, fluprofen, fluproquazone, fluquazone, flurbiprofen, fluretofen, flutiazin, fluticasone, folinic acid, forfenimex, formocortal, foropafant, frabuprofen, furaprofen, furciprofen, furobufen, furofenac, ganaxolone, gentisic acid, gestodene, glaspimod, glatiramer, glucametacin, glycol salicylate, glucosamine,

gold thiomalic acid, guaiazulene, gusperimus, halcinonide, halobetasol, halometasone, halopredone, heptayrix, hemin, hematoporphyrin IX, hematoporphyrin D, hemipyrocyanine, hexaprofen, higenamine, hydrocortamate, hydrocortisone, hydroxychloroquine, 3-hydroxyparthenolide, kutkoside, ibufenac, ibuprofen, ibuproxam, icariin, icatibant, ilomastat, ilonidap, imiquimod, indobufen, indometacin, indoprofen, inosine, intrazole, iotroxic acid, iodinin, isatoribine, isofezolac, isoflupredone, isonixin, isoprednidene, isoprofen, isoxepac, isoxicam, israpafant, ivarimod, ketoprofen, ketorolac, ketorolac tromethamine, ketotrexate, kobiin, laflunimus, labradimil, lanepitant, lappaconitine, leflunomide, levamisole, lexipafant, lexofenac, limazocic, licovek, livax, lisofylline, lobenzarit, lobuprofen, lofemizole, lonaprofen, lonazolac, lornoxicam, losmiprofen, loteprednol etabonate, lotifazole, loxoprofen, lubeluzole, mabuprofen, mafosfamide, marimastat, mazipredone, meclofenamic acid, meclorisone, medrysone, mefenamic acid, melittin, meloxicam, meprednisone, mesalazine, meseclazone, mesoporphyrin IX, metacetamol, metanixin, metbufen, methotrexate, methocarbamol, methylprednisolone, methylprednisolone suleptanate, methylcobalamin, methimazole, metiazinic acid, metronidazole, mexoprofen, minocycline, minopafant, mipragoside, miroprofen, misoprostol, mitoxantrone, mizoribine, modafinil, modipafant, mobenakin, mofebutazone, mofetil, mofezolac, mometasone, morazone, morniflumate, moxilubant, mycophenolate mofetil, myoral, N-deacetylranaconitine, N-deacetylflinaconitine, N-deacetylappaconitine, N-methyl-protoporphyrin IX, nabumetone, naflcort, nagarine, napirimus, naproxen, nemorobucin, nepadutant, nepafenac, nicortonide, niflumic acid, nimesulide, niometacin, nitraquazone, N-desmethylbenzylamine, nivacortol, nopolitantium, nupafant, octisalate, odalprofen, olsalazine, oleanolic acid, onapristone, oprelvekin, orpanoxin, orazipone, osanetant, oxaceprol, oxametacin, oxaprozin, oxepinac, oxindanac, oxipurinol, oxolamine, oxyfenamate, oxyphenbutazone, paclitaxel, paeony, paracetamol, paramethasone, paranyline, parecoxib, parthenolide, parsalmide, pelubiprofen, pemedolac, penicillamine, pentostatin, pentoxifylline, perisoxal, perizoxal, petrosaspongiolide M, phenylbutazone, piclamilast, picroside I, pidolacetamol, pidotimod, pidotimod, piketoprofen, pilocarpine, pimecrolimus, pimetacin, pipebuzone, piperylone, pirazolac, pirfenidone, piroxicam, pirprofen, pitonakin, pralnacasan, pranoprofen, prasterone, prednazate, prednazoline, prednicarbate, prednisolone, prednisolone 25-diethylaminoacetate, prednisolone sodium phosphate, prednisone, prednival, prednazoline, prednylidene, priefenamate, prifelone, prinomastat, prinomide, probenecid, procodazole, proglumetacin, propacetamol, propyphenazone, proquazone, prospidium, protizinic acid, protoporphyrin IX, quercetin, rameswaralide, ramifenazone, ranaconitine, rapamycin, resiquimod, resiquimod, resocortol, rhein, ribavirin, riboflavin, riboflavin monophosphate, riboflavin tetrabutryate, riboflavin triacetate, triptolide, ridogrel, rimexolone, rimonabant, roceprofen, rofecoxib, romazarit, romurtide, roquinimex, s-adenosylmethionine, salacetamide, salicylamide, salicylamide o-acetic acid, salicylsulfuric acid, salaspermic acid, salnacedin, salsalate, saredutant, scyphostatin, seclazone, secotanaparthanolide, seprilose, sermetacin, setipafant, sibenadet, sirolimus, sitaxentan, sodium hyaluronate, sonemin, solimastat, strepronin, stercobilin, sudoxicam, sufosfamide, sulfaloxic acid, sulfasalazine, sulfapyrazone, sulindac, sumacetamol, suprofen, susalimod, susalimod, suxibuzone, tacrolimus, talmetacin, talnetant, talniflumate, talosalate, tanetin, tanomastat, tarasentan, tauroselcholic acid, tasonermin, tazeprofen, tazofelone, tebufelone, temarotene, tenidap, tenoxicam, teceleukin, tepoxalin, teriflunomide, terofenamate, terprenin, tesicam, tesimide, tetrandrine, tetriprofen, tezosentan, thalidomide, therafectin, thielocin B3, thiazolinobutazone, thiethazole, thymocartin, thymopentin, thymotrinalin, tianafac, tiaprofenic acid, tiaramide, ticolubant, tifacogin, tiflamizole, tifurac, tilmacoxib, tilnoprofen arbamel, timegadine, tinoridine, tiopinac, tiopronin, tiopapofen, tiptotimod, tixocortol, tobramycin, tofenamic acid, tolmetin, tomoxiprole, tresperimus, triamcinolone, 1-(2-trifluoromethylphenyl) imidazole, 1H-[1,2,4]Oxadiazolo[4,3-a]quinoxalin-1-one, tribuzone, triclone, trifezolac, triflumidate, trimetrexate, triptolide, tripedane, triptochlorolide, triptolide, triptonide, triptolidenol, triptolide, 16-hydroxytriptolide, tripterine, triptotriterpenic acid B, 12-methoxy triptonoterpene, tropesin, tucaresol, tulopafant, ubenimex, ufenamate, ularitide, ursodeoxycholic acid, ursulcholic acid, urobilin, uroporphyrin (I, III), valacyclovir, valdecoxib, valganciclovir, vedaprofen, vitamin E acid succinate, vitamin E nicotinate, vofopitant, xanoxic acid, xenbucin, ximoprofen, zaltoprofen, zidometacin, zileuton, zoliprofen, zomepirac, α -bisabolol, yunaconitine, wilforlide A, wilforlide B, A-176120, A-197574, A-119435, A-205804, A-241548, A-252444.0, A-293507, A-771726, A-77951, ABS-103, ABT-281, ABT-839, AGIX-4207, AGT-1, ALX-0600, AM-6898A, AM-6927, AM-724, AM-80, AP-1903, APC-2059, APO-501, AR-C73346XX, ARM-434, ATM-027, ATM-027, ATL-2502, BASB024, BASB033, BASB034, BAY-12-9566, BAY-U-3405, BB-2275, BBIC, BB-2827, BB-76163, BCX-1777, BCX-34, BF-389, BMS-184000, BMS-188667, BMS-193884, BMS-214662, BMS-453, Bio-1211, Bio-1272, BX-471, BXT-51072, CARN-1000, C-220, CBF-BS2, CBP-1011, CC-1069, CC-1088, CC-3052, CDB, CDC-501, CDC-801, CDF-571, CGP-28238, CGS-33090A, CHI 621, CK-17, CK-101A, CK-102, CK-103A, CK-112, CK-113, CK-114, CK-115, CK-116, CK-119, CK-120, CK-122, CK-111, CK-117, CK-118, CK-121, CK-123, CK-124, CK-125, CK-126, CK-127, CK-128, CK-130, CK-131, CK-132, CK-133, CK-134, CK-135, CK-136, CK-137, CK-138, CK-139, CK-140, CK-141, CK-142, CK-143, CK-144, CK-145, CK-146, CK-147, CK-148, CK-149, CK-150, CK-151, CK-152, CK-153, CK-154, CK-156, CK-160, CK-163, CK-CLASP-1, COX-189, CPH-82, CP-123369, CPI-1714, CR-3294, CS-670, CSIMM-1, CT-12441, CT-5219, CT-757, CT-767, CT-5269, CY-9701, DA-9601, D-1927, D-609, D-9120, DMP777, DPC-789, DU-6712, DUP-697, DX-88, E-5110, E-5531, E-5564, E-6080, ER-34122, ERL-080, FK-506, FO-5904,

FR-167344, FR-153657, FR-228352, FTY-720, G009, GI-245402, GL-701, GPI-1046, GPI-6150, GR-205171, GR-253035, GW-406381, GW-468816, GW-273629, GW-274150, HCL-113, HE-2200, HEP-689, HMR-3408A, HS-378, IC-14, IC-202A, IC-202B, IC-485, ICN-17261, IM-46068, IR-208, IR-208, IR-501, ISA(TX)247, ISIS-104838, ISIS-13280, ISIS-13989, ISIS-16374, ISIS-17044, ISIS-17470, ISIS-18155, ISIS-18669, ISIS-19493, ISIS-2302, ISIS-3082, ISIS-25302, ISIS-27104, IVL-745, J-104132, J-113397, J-113863, JJ-319, JTE-522, K-1115A, KE-298, KE-748, KE-758, KF-20444, KME-4, KT-651, L-167307, L-3002, L-685818, L-732531, L-733725, L-745337, L-761000, L-766112, L-776967, L-778123, L-778736, L-784506, L-784512, L-788123, L-791456, L-818571, LDP-02, LF-173657, LF-160335, LF-160687, LJP-394, LJP-712, LK-413, LU-135252, LY-262691, LY-242040, LY-311727, LY-733725, M-40403, MC-1R, MCP-3, MDL-108180, MDL-201112, MK-591, MK-0663, ML-3000, ML-3116, ML-3176, ML-3177, MNA-715, MSP-771, MSP-771, MX-32, MX-56, MX-68, NBI-5788, NMI-377, NS-398, OB-101, OB-186, OM-89, OM-294DP, ONO-NT-126, ONO-4817, ONO-AE-1329, OP-229-648, OP-2000, PCM-4, PD-057081, PD-098059, PD-159879, PD-56840, PD-980589, PEP-1261, PGE-2946979, PGV-20229, PIXY-321, PMX 622, PNU-168727, PNU-190192, PP1D-1, PS-508, PTI-601, R-115777, R-125224, R-173262, RAD-001, RO-320-1195, RO-32-3555, RPR-130401, RPR-200765A, RS-130830, RS-57607, RVC-588, RVC-589, RVC-593, RVC-595, RVC-596, RVC-597, RVC-598, RVC-599, RVC-600, RVC-601, RWJ-57504, RWJ-67657, RWJ-68354, S-19812, S-2474, S-27609, S-33516, SA-6541, SA-9499, SB-202190, SB-203580, SB-203580, SB-206718, SB-209670, SB-210313, SB-217242, SB-217969, SB-220025, SB-226882, SB-242235, SB-262105, SB-273005, SB-683698, SC-236, SC-26196, SC-77537, SC-299, SC-558, SC-560, SC-57461A, SC-57666, SC-58125, SC-58236, SC-58451, SCH-218157, SCH-23863, SCH-66336, SCIO-469, SCV-07, SDZ-RAD, SDZ MDL-987, SDZ-281240, SDZ ASM-981, SEK-1005, SH-636, SI-3501, SIT-115, SKF-105809, SKF-86002, SP-057, SP-4-1, SP-600125, SPA-1761B, SR-31747, SR-140333A, SU-101, SU-20, T-614, TAK-044, TAK-603, TAN-2474A, TBP-1, TBC-3486, TBC-3342, TMC-2A, TMC-2B, TMC-2C, TMC-95A, TMX-67, TR-9109, TP-10, TRK-530, TS-932, TSL-225, U-19451A, VK-19911, VML-295, VRT-37742, VX-148, VX-702, VX-740 (HMR-3480), VX-765, VX-944, VX-954, WA-8242B, WF-27082B, WIN-64338, WY-14643, Y-39041, WY-48489, Y-700, Z-53, ZD-2315, ZD-6416, ZD-7349, ZD-7349A, ZK-809984, ZK-810000, 1400W

GROUP 2A:

1- α -hydroxy-vitamin D₂, 17 β -estradiol, 22-oxy-calcitriol, 24,28-methylene-1- α -hydroxy-vitamin D₂, 3-allylfarnesol, 4B4-6-21, 4-hydroxy-tamoxifen, A-176120, A-197574, abiraterone, ABT-839, AGIX-4207, AGT-1, alendronic acid, altreonogest, AP-21946, AP-22188, AP-22408, AP-22409, AP-22650, APC-3328, arginylglycylaspartic acid, arzoxifene, avicatonin, bafilomycin A1, BB-2275, BF-389, BMP-17, BMS-214662, butedronic acid, calcifediol, calcipotriol, calcitonin, calcitriol, celecoxib, CGP-77675, CHF-3142, CHF-3150, CHF-3316.01, CLIK-071, CLIK-164, CLIK-166, clodronic acid, clomifene, colecalciferol, concanamycin A, COX-189-, CP-336156, CP-336156, CP-424391, cystatin C, D-609, DCR5, deaminohydroxy-toremifene, deracoxib, desogestrel, DF-1601A, dienogest, dihydrolaloxifene, dihydrotachysterol, 21,25-dihydroxycholecalciferol, doxercalciferol, droloxifene, E2-BP, E-5110, ED-71, elcatonin, EMD-84444, enclomifene, ergocalciferol, esomeprazole, esonanimod, estradiol, etidronic acid, etonogestrel, examorelin, 775B, FA-70D, falecalcitriol, FC-1271, flocalcitriol, formebolone, FR-167356, FR-177995, GGTI-2166, GGTI-298, HEP-187, HEP-689, HMR-3339A, HMR-3408A, ibandronic acid, idoxifene, IGF-1/BP11, IM-46068, incadronic acid, inocoterone, ipriflavone, ISIS-104838, ISIS-17044, ISIS-27104, KE-298, KE-748, KE-758, KME-4, KW-8232, L-167307, L-778123, L-788123, lansoprazole, lasofoxifene, leminoprazole, levormeloxifene, levosimendan, lidadronic acid, liposomal isa-13-1, MDL-201000, MDL-201003, MDL-201053, MDL-201112, medronic acid, medroxyprogesterone, mesabolone, minodronic acid, miproxifene, NDE-1003, 4-hydroxy-tamoxifen, N-desmethyl-tamoxifen, neridronic acid, nitromifene, NNC-45-0095, nomegestrol, norelgestromin, norethindrone, norethisterone, NPS-2143, NPS-2143, NSL-1406, NVP-AAK980, NVP-AAK-980, olpadronic acid, omeprazole, OPG, ORG-30659, ormeloxifene, osaterone, oxidronic acid, pamidronic acid, panomifene, pantoprazole, PCM-4, PD-098059, PD-098059, PD-980589, PGE-336646, pipendoxifene, piridronic acid, plicamycin, pralnacasan, progesterone, promegestone, R-115777, rabeprazole, raloxifene, ranelic acid, risedronic acid, RO-26-9228, roxibolone, RPR-130401, RPR-200765A, RPR-200765A, RWJ-67657, RWJ-68354, S-2474, SB-202190, SB-203580, SB-206718, SB-210313, SB-220025, SB-223245, SB-242235, SB-242784, SB-242784, SB-265123, SB-267268, SB-273005, SC-56631, SC-68448, SCH-60663, SCH-66336, SCIO-469, SCRC-2941-18, secalciferol, secalciferol, semparatide, SH-636, simendan, SKF-105809, SKF-86002, solimastat, SR-31747, SUN-E3001, T-614, TAK-778, TAN-2483A, TBP-1, tamoxifen, tenatoprazole, teriflunomide, teriparatide, teriparatide, tibolone, tilmacoxib, tiludronic acid, TJN-135, toremifene, trenbolone, trimegestone, trimgestone, trioxifene, TSE-424, valdecoxib, vinigrol, vitamin D₁, vitamin D₂, vitamin D₃, vitamin D₃-1-retinate, vitamin D₄, vitamin D₅, vitamin K₂, VK-19911, VX-702, VX-740, VX-745, VX-765, VX-954, WY-47766, XT-238, XT-44, XT-533, XW-630, YM-175, zanoterone, ZG-2807A, zindoxifene, zoledronic acid, zuclomifene

GROUP 3A:

ABT-594, ADL-10-0101, ALX-0646, 5-bromosalicylic acid acetate, acetaminophen, acetylsalicylsalicylic acid, 2-acetylsalicylamido-4-picoline, alendronic acid, alfentanil, alimadol, alletorphine, allylprodine, almotriptan, alniditan,

aloxiprin, alphaprodine, alpiropride, ALX-0388, ALX-0646, AM-374, AM-404, aminochlorthenoxazin, aminopropyl-
 lon, aminopyrine, anandamide, anileridine, anilopam, antipyrine, antrafenine, apadoline, aprepitant, asimadoline,
 aspirin, avitriptan, benzydamine, benzylmorphine, bezitramide, BCH-2963, BIBN-4096BS, botulinum toxin type A,
 5 bre mazocine, brifentanil, bromadoline, bucin, buprenorphine, butacetin, bupivacaine, butinazocine, butorphanol,
 calcium acetylsalicylate, capsavanil, carbamazepine, carbiphen, carfentanil, carsalam, chlorthenoxazine, cin-
 chophen, ciprofadol, ciprofloxacin, ciramadol, cizolirline, clodronic acid, clonitazene, clonixeril, cloracetadol, co-
 deine, cogazocine, CP-96345, CP-99994, CP-55940, cropropamide, crotethamide, dapitant, delmopinol, deso-
 morphine, dexoadol, dextromoramide, dexmedetomidine, dezocine, diampromide, dibusadol, didemnin B,
 10 difenamil, dihydrocodeine, dihydroergotamine, dihydromorphine, dimenoxadol, dimepheptadol, dimethylthia-
 mbutene, dioxaphetyl, dipipanone, diproxadol, dipyrocytyl, dipyrone, divalproex, dolasetron, donitriptan, dota-
 rizine, doxpicomine, E-2078, eletriptan, emorfazone, enadoline, epirizole, eptazocine, epibatidine, ergocornine,
 ergocornine, ergocryptine, ergotamine, eseridine, esketamine, ET-142, ethenzamide, ethoheptazine, ethoxa-
 zene, ethylmethylthiambutene, ethylmorphine, etodolac, etofenamate, etonitazene, ezlopitant, F-11356, famprid-
 ine, fenoprofen, fentanyl, figopitant, filenadol, FK-888, floctafenine, flufenamic acid, flumedroxone, flumexadol,
 15 fluorenone, fluoxetine, flupirtine, fluradoline, flurbiprofen, fonazine, fosfosal, frakefamide, frovatriptan, gaboxadol,
 ganaxolone, GI-87084B, glafenine, GR-73632, GR-82334, GR-203040, GV-150526, GV-228869, GV-213237, GV-
 196771, GV-217828, GW419458, hydrocodone, hydroxypethidine, HU-210, ibandronic acid, ibazocine, icatibant,
 ICI-174864, incadronic acid, indomethacin, iprazochrom, isoladol, IS-159, isomethadone, JTE-522, JWH-051,
 JWH-015, ketazocine, ketobemidone, ketoprofen, ketorfanol, ketorolac, L-365260, lanepitant, lappa-
 conitine, lefetamine, letimide, levonantradol, levorphanol, levobupivacaine, lidadronic acid, lisuride, lofentanil, lom-
 erizine, lorcinadol, L-732138, L-758298, L-759633, L-759656, L-759787, L-768242, L-775606, LY-235959, LY-
 274614, LY-303870, LY-334370, LY-344864, LY-334370, MBT, MDL-747216, meperidine, meptazinol, metaceta-
 mol, metazocine, metergotamine, methadone, methotrimeprazine, methyl dihydromorphine, methysergide,
 20 metkephamid, metoclopramide, metofoline, metopon, mexiletine, mimbane, minodronic acid, mirfentanil, MK-801,
 molinazone, morphine, moxazocine, MR-2266, MT-500, myfadol, myrophine, nabitan, nafoxadol, nalbuphine, nal-
 pitantium, nalmexone, nantradol, naproxen, naproxol, naratriptan, narceine, nefopam, nefopam, nepadutant, ner-
 bacadol, nexeridine, nicodine, nicodicodine, nicomorphine, nifenazone, nonivamide, norcodeine, norlevorpha-
 nol, normethadone, normorphine, norpianone, NS-398, ocfentanil, OHM3295, olvanil, osanetan, oxapadol, ox-
 etorone, oxitriptan, oxycodone, oxymorphone, pamidronic acid, paracetamol, parsamide, p-bromoacetanilide, PD-
 117302, PD-154075, pentazocine, perisoxal, phenacetin, phenadoxone, phenazocine, phenazopyridine, phenira-
 midol, phenocoll, phenoperidine, picenadol, pidolacetamol, piminodine, pinadoline, pipradimadol, pipramadol, pir-
 itramide, pizotiline, PL-017, p-lactophenol, PNU-109291, pravadoline, pravadoline, prodilidine, prodolic acid,
 30 profadol, proheptazine, promedol, propacetamol, propiram, propoxyphene, propofol, proxorphan, quadazocine,
 R-84760, remifentanil, rimazolium, rimonabant, risedronic acid, rizatriptan, ropivacaine, RP-60180, RP-67580,
 RP-68651, RPR-100893, RS-127445, S-19014, saletamide, salicin, sameridine, salverine, saredutant, SB-
 209509, SB-218842, SB-220453, SB-235863, SCH-23390, SCH-50971, SDZ-NKT-343, sergolexole, simetride,
 SNF-8702, SNF-8814, SNF-8820, SNF-9007, spiradoline, SR-140333, SR-141716A, SR-142801, SR-144528,
 SR-48965, SR-48968, sufentanil, sumacetamol, sumatriptan, suprofen, talnetant, tetrandrine, thiambutene, tidem-
 bersat, tifluadom, tilidine, tiludronic acid, tinoridine, tolpadol, tonaberstat, tonazocine, topiramate, tramadol, trefen-
 40 tanil, tricalacetamol, tropoxin, U-50488H, U-62066, U-69593, veradoline, verilopam, viminol, vofopitant, volazocine,
 xorphanol, WIN-55212-2, zatosectron, zenazocine, zoledronic acid, zolmitriptan, zucapsaicin, ziconotide

GROUP 4A:

ζ_1 -tocopherol, ζ_2 -tocopherol, α -tocopherol, δ -tocopherol, ϵ -tocopherol, η -tocopherol, β -tocopherol, γ -tocopherol,
 atizoram, 6-azauridine, 8 α -hydroxy-riboflavin, acitretin, adapalene, algestone, γ -aminolevulinic acid, amlexanox,
 45 anthralin, azaribine, azelaic acid, APC-2059, ASM-981, becapermin, bergaptene, bexarotene, BMS-185411,
 BMS-297208, bucladesine, butantrone, calcipotriene, cedefingol, chrysarobin, cioterone, CMI-392, CP-80633,
 CPR-1152, cycloheximide, cyproterone, cytoxazone, dapsone, dexamethasone, FR-900520, domoprednate,
 enazadrem, ER-38930, ER-41666, etretinate, FK-506, H-1305, HU1124, hyaluronic acid, hydrocortisone, IR-502,
 ISIS-12854, ISIS-18268, L-762943, lactic acid, lexacalcitol, lobophorin A, lonapalene, maxacalcitol, momordin Ic,
 50 motretinide, MRE-0094, NAB2, NIP-530, pantoprazole, pauciflorine a, peldesine, pexiganan, prednisolone, pred-
 nison, pyrogallol, R-115866, repifermin, resorcinol, retinoic acid, riboflavin, riboflavin monophosphate, riboflavin
 tetrabutylate, riboflavin triacetate, seocalcitol, paricalcitol, RO-201724, SDZ-ASM-981, safinol, SB-216754, SB-
 235699, SB-332235, SCH-47112, sulfapyridine, tacalcitol, TAK-427, tazarotene, temarotene, tepoxalin, terbin-
 afine, tetroquinone, thalidomide, ticolubant, tioloxone, TP-508, TRK-820, vitamin E acid succinate, VX-497

GROUP 5A:

4-phenylbutyrate, ablukast, acefylline, clofibrol, acetylcysteine, acitazanolast, acreozast, acrivastine, adamexine,
 adapalene, adibendan, albifylline, albuterol, alclometasone, alifedrine, alinastine, allocamide, almeterol xinafoate,
 almitrine, alprogen, altapizone, ambicromil, ambroxol, amebucort, amelometasone, amibone, amipizone, aml-

exanox, amphotericin B, andolast, antazoline, apafant, apaxifylline, argatroban, argimesna, arofylline, asmanex,
 asobamast, astemizole, ataquimast, atizoram, atreleuton, azatadine, azelastine, baclofen, baicalein, bamaqui-
 mast, bambuterol, bamipine, barmastine, batebulast, beclometasone, becotide, beloxamide, benafentrine, ben-
 cisteine, benproperine, benzonatate, bepafant, bepotastine, betamethasone, bietanautine, bilastine, bimosia-
 5 mose, binizolast, bitolterol, bromhexine, bromodiphenhydramine, brompheniramine, brovanexine, broxaterol,
 budesonide, bufenadrine, bufrolin, bunaprolast, butamirate, butaprost, butethamate, butixocort, cabastine, caf-
 feine, calfactant, calcitrol, camonagrel, caramiphen, carbapenem, carbetapentane, carbinoxamine, carbocisteine,
 carebastine, carmantadine, cartasteine, cefaclor, cefpimizole, cetirizine, cetoxime, chlophedianol, chlorcyclizine,
 10 chloropyramine, chlorothen, chlorpheniramine, ciclesonide, ciclotropium, cilomilast, cilutazoline, cimaterol, ci-
 metropium, cinalukast, cinnarizine, cipamfylline, ciproquazone, cirazoline, cistinexine, clemastine, clemizole,
 climbazole, clobenzepam, clobenztropine, clobutinol, clocinazine, cloperastine, clopidogrel, closiramine, clotica-
 sone, cloxacepride, codeine, codeine N-oxide, codeine phosphate, colterol, cormetasone, cromakalim, cromogli-
 cate lisetil, cromoglicic acid, cromolyn sodium, cyclexanone, cycliramine, cyproheptadine, cysteine, dacemazine,
 15 dacisteine, dacopafant, dalbraminol, daltroban, dametralast, danosteine, dapitant, darodipine, dazmegrel, dazo-
 quinast, decominol, deflazacort, deltibant, dembrexine, denbufylline, depropine, descarboethoxyloratadine, descin-
 olone, desloratadine, desonide, desoximetasone, dexamethasone, dexamethasone-21-phosphate, dex-
 brompheniramine, dexbudesonide, dexchlorpheniramine, dextetozoline, dexsecoverine, dextiopronin, dextrometh-
 orphan, dibenzonium, difeterol, dihydrocodeine, dihydrocodeinone enol acetate, dimemorfan, dimesna, dime-
 20 thindene, dimethoxanate, dimetorfan, dioxethedrin, diphenhydramine, diphenylpyraline, diproteverine, divabuterol,
 docebenone, domipizone, domitroban, doqualast, dorastine, doxaminol, doxaprost, doxepin, doxofylline, doxy-
 lamine, dropopizine, drotebanol, duramycin, ebastine, eclazolast, efletirizine, eflumast, elziverine, embramine,
 emedastine, enefexine, enazadrem phoshate, enofelast, enoxamast, enprofylline, ensulizole, epinastine, epine-
 phrine, eprazinone, erdosteine, esculetin, espatropate, etacepride, etanterol, ethylmorphine, etolotifen,
 25 elymemazine, ezlopitant, fenethazine, fenleuton, fenoterol, fenprinaast, fexofenadine, figopitant, filaminast,
 flerobuterol, flezelastine, flixotide, fluazacort, flixotide, flufylline, flumetasone, flunisolide, fluprofylline, fluproqua-
 zone, fluticasone, flutropium, fominoben, formoterol, foropafant, fudosteine, furafylline, furegrelate, furoate, gam-
 fexine, genleuton, genistein, glimepiride, guaiaactamine, guaiaipate, gualetolin, guaifenesin, guaifylline, guaimesal,
 30 guaisteine, halometasone, hexopyrronium, heterocodeine, histamine, histapyrrodine, hydrocodone, ibudilast, hy-
 droxychloroquine, hydroxyzine, icalitab, idaverine, idenast, ifetroban, ilonidap, imitrodast, imoxiterol, indanazo-
 line, ipratropium, iproheptine, iralukast, isalsteine, isamoxole, isbogrel, isbufylline, isoaminile, isocromil, iso-
 etharine, isopromethazine, isoproterenol, isothipendyl, israpafant, itazigrel, ketotifen, lanepitant, laprafylline, leto-
 steine, levalbuterol, levcromakalim, levmetamfetamine, levocabastine, levocetirizine, levodropropizine, levopro-
 poxyphene, levopropylhexedrine, levosulpiride, lexipafant, lifarizine, linazolast, linetastine, linotroban, lisofylline,
 35 lodoxamide, lofemizole, lombazole, lomerizine, lonapalene, loratadine, loxanast, luteolin, mabuterol, mapinastine,
 masoprocol, mebhhydrolin, mecysteine, medrylamine, melquinast, menthol, mepixanox, mequitamium, mequi-
 tazine, meribendan, meropenem, mesna, metaproterenol, metron s, metaterol, methafurylene, methaphenilene,
 methapyrilene, methotrexate, methylprednisolone, mexafylline, midaxifylline, midazolast, midesteine, mifentidine,
 milrinone, milverine, minocromil, minopafant, mipitroban, mizolastine, mizolastine, mizolastine, modipafant, mo-
 40 guisteine, mometasone, mometasone, montelukast, morclofone, morphine sulphate, motapizone, moxaverine,
 moxifloxacin, moxilubant, nafagrel, nalocort, naminterol, napactadine, naphazoline, narceine, nardeterol, ne-
 docromil, nelteneine, nemazoline, nepadutant, neraminol, nesosteine, nestifylline, nicogrelate, nisbuterol, ni-
 traquazone, nivimedone, noberastine, norastemizole, norgestrel, normethadone, noscapine, nuclomedone, nupa-
 fant, nuvenzepine, olopatadine, olpimedone, olprinone, omonasteine, ontazolast, orphenadrine, osanetant, oxa-
 45 brexine, oxagrelate, oxalinast, oxarbazole, oxatomide, oxeladin, oxolamine, oxomemazine, ozagrel, pamicogrel,
 paramethasone, pargeverine, pemirolast, pentoxifylline, perbufylline, phenindamine, pheniramine,
 phenylephrine, phenylpropanolamine, phenyltoloxamine, phenylbutyrate, pholcodine, piclamilast, picoperine, pi-
 cumast, picumeterol, pimobendan, pinacidil, pipazethate, pirbuterol, pirmagrel, pirodormast, pirolate, pobilukast,
 pramlukast, prednisolone, prednisolone farnesylate, prednisone, prenalterol, prenisteine, prenoverine, prenoxdi-
 50 azine, procaterol, promethazine, propentofylline, propiverine, proxicromil, pseudoephedrine, pumafentrine, py-
 ribenzamine, pyrilamine, pyroxamine, pyrrobutamine, quazolast, quifenadine, quiflapon, quillaic acid, quinotolast,
 racemethorphan, racephedrine, ramatroban, radolmidine, raxofelast, repirinast, resiquimod, revatropate, revenast,
 ridogrel, rimiterol, rilopirox, rimonabant, rispenzepine, ritlukast, rocastine, rocepafant, rociverine, roflumilast, ro-
 lafagrel, rolipram, rotoxamine, rupatadine, salbutamol, salmeterol, salmeterol xinafoate, salmisteine, samixogrel,
 55 saredutant, sarpogrelate, satigrel, scopinast, secoverine, seratrodist, seretide, setipafant, sevitropium mesilate,
 siguazodan, siltenezepine, sintropium, sivelest, somantadine, sophocarpine, spirofylline, stacofylline, stepronin,
 sudexanox, sulotroban, sulukast, sunagrel, suplatast, tagorizine, talnetant, tasulfidine, taurosteine, tazanolast, tazi-
 fylline, taziiprinone, telmesteine, tematropium, temelastine, temiverine, tenidap, tepoxalin, terbogrel, terbutacromil,
 terbutaline, tetrazolast, texacromil, thenaldine, theophylline, thonzylamine, tiacrilast, tibenelast, ticolubant, tiffami-

zole, tilbroquinol, tiliquinol, tinazoline, tiotropium, tioxamast, tipecidine, tiprinast, tixanox, tobramycin, tobuterol, tolafrinone, tolazoline, tolpropamine, tomelukast, torbafylline, tranilast, tranilast, traxanox, triamcinolone, triamcinolone acetone, trifluorel, tripolidine, tritoqualine, troleandomycin, tulobuterol, tulopafant, tyloxaphol, ularitide, uridine 5'-triphosphate, urushiol, verlukast, verofylline, vinpocetine, vofopitant, xamoterol, xanoxic acid, zafirlukast, zanamivir, zaprinast, zardaverine, zileuton, zilpaterol, zindotrine, zinterol, zipeprol, zolamine, A-277249, A-64077, A-76745, A-78773, A-78773, A-79175, A-85761, AA-861, ABT-761, AH-21132, AMG-126737, APC-366, AR-C68397, AR-C89855, AR-D111421, AWD-12-281, AWD-12-343, AY-0068, BA-679-BR, BAY-19-8004, BAY-19-9996, BAY-K-8644, BAY-U-3405, BAY-U-9773, BAY-X-1005, BAY-X-7195, BAY-X-9773, BBR-2221, BBR-2222, BHC-1996, BHC-284, BHC-1, BIO-1211, BI-RM-270, BIRZ-227, BM-113, BM-16.2115, BOM-1006, BRL-52974, BPC-15, BW-755C, BWA-78U, BY-217, CDP-840, CDS-90910, CE-2072, CE-1037, CGH-2466, CGH-2466, CGP-45715A, CGP-49823, CGP-69669A, CGP-73400, CGS-21680, CGS-25019C, CH-13584, CI-1018, CI-1044, CMI-392, CMI-977, CP-105696, CP-195494, CP-195543, CP-199330, CP-199331, CP-220629, CP-288886, CP-293121, CP-80633, CP-99994, CPX, CS-560, CS-615, CT-5219, CT-747, DAX, D-22888, D-4396, D-4418, D-58, DCF-987, DF-1681, DMP-777, DPC657, E-25, E-3040, EF-40, EPI-2010, ER-27319, ETH-615, F-1322, FK-224, FK-355, FK-888, FPL-55712, FR-134043, FR-184280, FUB-593, GR-213487, GT-261163X, GW-215864, GW-250495, GW-311616A, GW-328267, HMR-4011, HMR-4011A, HP-3, ICI-198615, ICI-204219, ICI-211965, ICI-D2138, ICI-200355, IDEC-152, IL-4-DM, INS-365, INS-37217, IPL-4088, IPL-576092, IVL-745, J-104129, K-5993, KAA-276, L-615919, L-648051, L-649923, L-651392, L-689065, L-658758, L-691816, L-697198, L-699333, L-708780, L-733321, L-739010, L-746530, L-743986, L-826141, LAS-31025, LDP-977, LM-1484, LM-1507.NA, LY-170680, LY-171883, LY-213024, LY-210073, LY-223982, LY-233469, LY-255283, LY-264086, LY-292728, LY-293111, LY-303870, MAFP, MDL-105212A, MDL-105172A, MDL-108207DA, MEN-10627, MEN-11467, MJ-451, MK-0476, MK-0591, MK-0679, MK-571, MK-679, MK-886, MKS-492, ML-3000, ML-3176, MOL-294, MPB-07, MPB-07, MRS-1523, NA-00226A, NA-00226B, NCS-613, NCS-630, NCS-631, NCS-632, NIP-520, NKP-608C, NPC-18915, OC-229-648, ONO-LB457, ONO-LB448, ONO-1078, ONO-4057, ONO-5046, ONO-6818, OR-1958, ORG-20241, ORG-30029, PA-1806, PF-5901, PF-10042, PNU-142731A, PR-001337, R-113281, R-133663, R-146225, R-840, RK-0202, REV-5901, RG-12,525, RG-12525, RO-20-1724, RP-23618, RP-64966, RP-66153, RP-73401, RPR-106541, RPR-106541, RPR-114597, RPR-122818, RPR-132294, RPR-132703, RS-601, RS-635, RU-486, RWJ-2048, RWJ-63556, S-1319, S-1674, S-2474, SB-683698, SB-201146, SB-209247, SB-205312, SB-207499, SB-209247, SB-223412, SB-227122, SB-244525, SB-332235, S-36496, SC-41930, SC-53228, SC-50605, SC-51146, SC-53228, SCH-205528, SCH-217048, SCH-351591, SCH-55700, SCH-60059, SIL-13RA2-FC, SKF-104353, SHF-104493, SKF-106203, SKF-94836, SKF-96231, SM-15178, SR-140333, SR-144190, SR-48212, SR-48968, SYN-1390, SYN-1396, T-0757, T-2585, TA-270, TAK-661, TASP-V, TBC-1269, TBC-3342, TBC-3586, TEI-8362, TEI-9874, TMC-120B, TP10, TMK-688, TRK-851, TR-14531, TR-9109, U-50488-H, U-62066E, U-875302, V-11294, VB-5122, VML-530, VUF-5087, VUFB-19363, VUF-K-8707, VUF-K-8788, WAY-121006, WHI-P180, WHI-P97, Y-27632, YM-38336, YM-44778, YM-49244, YM-976, ZD-0892, ZD-2138, ZD-4407, ZD-6021, ZD-8321, ZM-230487, ZM-274773, YM-976

GROUP 6A:

4-amino-salicylic acid, 5-hydroxy-omeprazole, aceglutamide, acetorphan, acetoxolone, aldioxo, alemcinal, alizapride, alkofanone, alosetron, amiglumide, amoxicillin, arbaprostil, asperlicin, azacitidine, azasetron, azithromycin, bemasetron, benexate, benzotript, bergenin, bisfentidine, bromcresol green, bromcresol purple, budesonide, buzepide, carbenoxolone, casofekamide, catechin, cetraxate, cilansetron, cimetidine, cinitapride, cisapride, clarithromycin, dalcotidine, darenzepine, darifenacin, debroxamet, deprostil, devazepide, devazepide, dexloxiglumide, didanosine, difenoxin, dimeticone, diphenoxylate, dolasetron, donetidine, dosmalfate, ebrotidine, ecabapide, ecabapide, ecabet, egualen, enprostil, esaprazole, esomeprazole, etintidine, exisulind, fabesetron, famotidine, famotidine, fedotozine, fenofenimin, galdansetron, gefarnate, goodyeroside A, granisetron, idremcinal, indisetron, irsogladine, irsogladine, isotiquimide, itasetron, itopride, itriglumide, lafutidine, lagatide, lamivudine, lamidine, lansoprazole, lavoltidine, leminoprazole, lerisetron, letrazuril, lidamidine, lintitript, lirexapride, loperamide, lorglumide, loxiglumide, lozilurea, lupitidine, lurosetron, mebiquine, meciadanol, 6-mercaptopurine, mesalamine, mesalazine, mesalazine, methylnaltrexone, metoclopramide, metronidazole, mexiprostil, mifentidine, mirisetron, mosapride, mosapride, mosapride, nepaprazole, niperotidine, nizatidine, nolinium, norcisapride, norcisapride, nuzenzepine, octeotide, olsalazine, olsalazine, omeprazole, omeprazole sulphone, ondansetron, ornoprostil, osutidine, oxmetidine, palonosetron, pantoprazole, phenolphthalein, piboserod, pibutidine, picoprazole, pifarnine, pipratecol, pirenzepine, pirenzepine, plaunotol, porfimer, pranazepide, proglumide, prucalopride, pumaprazole, rabeprazole, racecadotril, ramixotidine, ramosetron, ranitidine, rebamipide, remiprostol, renzapride, ricasetron, ridogrel, rifaximin, rioprostil, rispenzepine, rolfeponide, rosaprostol, rotraxate, roxatidine, saviprazole, siltenzepine, simeticone, sofalcone, somatostatin, sopromidine, spiraprostil, spiroglumide, spizofurone, sucralfate, sucrosefate, sufotidine, sulamserod, sulfasalazine, sulisatin, tarazepide, tazofelone, tegaserod, tegaserod, telenzepine, telenzepine, tenatoprazole, teprenone, thalidomide, ticalopride, timoprazole, tinidazole, tiotidine, tizanidine, tolmidone,

tomoglumide, tranexamic acid, trapenacaine, trileotide, trileotide, trimoprostil, tritiozine, tropisetron, troxipide, tuvati-
dine, ufiprazole, uzarin, venritidine, zaldaride, zaltidine, zatosetron, zolenzepine, zolenzepine, zolimidine, ϵ -aceta-
midocaproic acid, 5-ASA-CYS, A-71378, A-71623, ABT-229, AD-2698, ADL-8-2698, APC-2059, AR-R15849, AT-
61, ATL-2502, AU-006, AU-130, AU-224, AU-413, AU-461, BIMU-8, BILN-303-SE, BXT-51072, BXT-51108, BY-
112, CA-1028, CAM-CAM-1028, 1481, CDC-801, CDP-571, CHF-17454, CJ-11974, CI-988, CP-212454, CP-
122721, CR-1392, CR-1409, CR-1505, CR-2345, CR-2622, CR-2945, CR-2194, DA-3934, DA-6034, DA-9601,
DA-9601, DZ-3514, E-3620, EB-3810, EM-574, FK-480, FK-1052, FR-127519, FR-145715, FR-180102, FR-
182024, FR-193879, FR-208419, G-009, GR-205171, GM-611, GS-332, GW-5823, GW-7178, H199, H-335/25,
HC-62, HC-7011, HC-74, HP-0310, ICM-3, IQM-95333, ISIS-2302, ISIS-14803, ISIS-22023, IT-9302, IY-81149, J-
104129, J-106366, JB-9315, JK-1085, KC-11458, L-364718, L-365260, L-368730, L-368935, L-740093, L-754030,
LDP-02, LY-206890, LY-219057, LY-246736, LY-315535, LY-316108, MK-329, MKC-733, NABI-3700001, NE-0080,
OP-2000, OTC SB-300, P371A1, PA53, PD-134308, PD-135158, PD-138450, PD-140548, PTR-3046, Q-33160A,
R-116712, RO-32-6167, RO-48-5695, RP-69758, RP-73870, S-15176, SB-207266, SC-50998, SCH-28080, SCH-
33405, SDZ-HTF-919, SHANVAC-B, SK-896, SK-951, SKK-47029, SKF-96067, SKF-97574, SL-65.0102, SLV-
305, SPI-447, SR-27897, SR-27897B, SR-58611, T-0632, T-0970, TA-510, TP-1202, TP-680, TR-14035, TS-951,
TT-S24, VRT-21493, XYZ-033MP, Y-34867, Y-34959, Y-36912, YH-1885, YJA-20379, YJA-20379-5, YJA-
20379-8, YM-022, YM-114, YM-53389, YNS-15P, Z-338, ZNC-2381, Y-905, YNS-15P,

GROUP 7A:

17 β -estradiol, 1-docosanol, 3-allylfamesol, 7-morpholinomethyltheophylline, abarelix, acefylline, acetazolamide,
alfuzosin, alprostadil, altizide, alverine, amanozine, ambuside, amikacin, amiloride, amitriptyline, apomorphine,
arbutin, atosiban, atropine, azosemide, baclofen, bendroflumethiazide, benzthiazide, bethanechol, bexlosteride,
botulinum toxin A, bumetanide, butizide, candesartan cilexetil, canrenoic acid, cetorelix, chloraminophenamide,
chlorazanyl, chlorothiazide, ciprofloxacin, clenbuterol, clinafloxacin, clindamycin, clofenamide, clopamide, clorex-
olone, cyclopenthiiazide, cyclothiazide, dantrolene, darifenacin, deacetylmoxisylyte, desacetylspironolactone, 6 β -
idrossi-7 α -tiometil spironolactone, desipramine, desmopressin, desogestrel, dicycloverine, dicyclomine,
dienestrol, dihydrotestosterone, disulfamide, doxazosin, doxepin, doxercalciferol, doxiverin, drospirenone, du-
losetine, dutasteride, eflornithine, emeprium, ephedrine, epitizide, eplerenone, epristeride, estradiol, estriol,
ethacrynic acid, ethiazide, ethinylestradiol, ethoxzolamide, etonogestrel, etozolin, fenquizone, fesoterodine, fidux-
osin, finasteride, flavoxate, flumethiazide, fluoxetine, flurbiprofen, fosfomycin, furosemide, ganirelix acetate, gati-
floxacin, gestonrone, hydracarbazine, hydrochlorothiazide, hydroflumethiazide, hyoscyamine, hyoscyne, imid-
april, imipramine, inaperisone, indapamide, indometacin, ipratropium, isosorbide, izonsteride, lanperisone, lopera-
mide, losartan, mannitol, mebeverine, mefruside, mercaptamine, mepartricin, mespirenone, mesterolone, meth-
azolamide, methocalcone, methyclothiazide, methyltestosterone, meticrane, metolazone, midodrine, midodrine,
moxisylyte, muzolimine, naftopidil, naftopidil, nepadutant, nifedipine, niguldipine, nitrofurantoin, norethindrone,
norfloxacin, nortriptyline, ofloxacin, oleandrin, osanetant, osaterone, oxendolone, oxybutynin, oxybutynin, pa-
paverine, paroxetine, perhexiline, phenoxybenzamine, phentolamine, phenylephrine, phenylpropanolamine, pim-
agedine, pinacidil, piretanide, piretanide, polythiazide, prasterone, prazosin, propantheline, propiverine, prostag-
landin E₁, prostaglandin F_{2 α} , prostavasin, protheobromine, pseudoephedrine, quinethazone, resiniferatoxin, rox-
ithromycin, salbutamol, saredutant, sevelamer, sildenafil, sirolimus, suplatast, tacrolimus, talnetant,
tamsulosin, teclothiazide, temiverine, terazosin, terbutaline, terodiline, testosterone, theobromine, tibolone, ticry-
nafen, tolterodine, torsemide, trans-retinoic acid, trazodone, tretinoin, triamterene, trichlormethiazide, trimeges-
tone, tripamide, triptorelin, troglitazone, trospium, turosteride, upidosin, vamicamide, vardenafil, vardenafil, xenox-
in-1, xipamide, yohimbine, A-176120, A-197574, ABT-232, ABT-839, ABT-866, ABT-980, AH-9700, AIO-8507L,
ALRT-4204, ALRT-4326, AZD0947, AZD5106, BAY-38-9456, BMS-214662, BMS-284756/T-3811ME, BMS-
341400, BMY-7378, CDB-4124, Chi-MrIA, CL-385004, CS-891, CV787, DA-8159, DecbSM, DV-182, DWH-146e,
E-4010, E-8010, EMD-221829, ESR-1150, FK-176, FK-453, FR-119680, FR-149175, FR-229934, GI-198745, GS-
332, GW-419458, GYKI-16084, HP-4, HP-7, HY-770U, IC-351, IM-46068, ISIS-24195, J-811, JTP-20993, K-
4610178, K-4610422, KCO-616, KRP-197, KW-3902, KW-7158, L-372662, L-374943, L-757464, L-771688, L-
778123, L-780945, L-788123, LG-120746, LG-121071, LG-121104, LU25-109, LU-25-109, LU-302872, MEDI-
491, MEDI-501, MEDI-503, MEDI-504, melanotan II, MEN-10627, MK-826-, MX-6, NC-1800, NK-433, NMI-187,
NMI-221, NMI-678-11, NNC-45-0781, NS-21, NS-49, NS-8, NZ-419, ONO-5816, ONO-8815, OPC-41061, OPC-
51803, Org-30659, PNU-157706, PNU-156765, PNU-156804, PNU-200577, PT-14, R-115777, RCC-36, RCC-36,
Rec-15/2615, Rho-TIA, RO-60-0332, RO-70-0004, RPR-100579, RPR-130401, RS-100329, RSD-992, RU-
58642, RWJ-38063-, SB-223412, Sch-66336, SGN-00101, SL-5770499, SL-251039, SNA-4606-1, SNAP-5089,
SNAP-5399, SNAP-6201, SNAP-6383, SNAP-5540, SNAP-6543, SNAP-6552, SNAP-6991, SNAP-7242, SNAP-
7915, SPM-007, SR-144190, SR-48968, SR-49059, SR-59026A, T-1032, TA-1790, TA-1790, TAK-637, TSE-424,
UK-343664, UK-357903, VIPGC-NO, VLM-588, VNA-932, VP-365, WAY-133537, WAY-141608, WAY-151616,
YM-31758, YM-32906, YM-36117, YM-58790, YM-905, YM-934, Z-15, Z-350, ZD-0947, ZD-6169, MUDE, EDEX,

TOPIGLAN, ALPROX-TD, INVICORP

GROUP 8A:

5 β sitosterol, α tocopherol, β tocopherol, γ tocopherol, δ tocopherol, ϵ tocopherol, η tocopherol, α_1 sitosterol, ζ_1 tocopherol, ζ_2 tocopherol, α -carotene, β -carotene, γ -carotene, δ -carotene, β -citaurin, γ -sitosterol, β -sitosterol, α -tocopherol, 10-bromopauillone, 10-desacetylbaicatin III, 13-cis-retinoic acid, 16-Methyloxazolomycin, 17-(Allylami-
 10 no)-17-demethoxygeldanamycin, 2-(2-amino-3-methoxyphenyl)-chromone, 2,2,5,7,8-pentamethyl-6-hydroxy-chro-
 mane, 2-hydroxychalcone, 2-methoxyestradiol, 3-allylfarnesol, 3-Aminopyridine-2-carboxaldehyde, 3-deoxysily-
 christin, 3-hydroxyflavone, 2-phthalimidino glutaric acid, 3,4-didehydroretinoic acid, 3-indolemethanol, 4'-bromo-
 flavone, 4-aminothalidomide, 4-bromothénylguanidine, 4-dedimethylaminosancycline, 4-Demethylpenclomedine,
 10 4-hydroxybutyroxymethyl-retinate, 5,6-dimethylxanthenone-4-acetic acid, 5'-hydroxythalidomide, 5-aza-2-deox-
 ycytidine, 5-azacytidine, 5-fluorouracil, 5-hydroxytryptophan, 5-methoxytryptamine, 6-azauridine, 6-gingerol, 6-hy-
 droxymethyl-acylfulvene, 6-mercaptopurine, 6-shogaol, 6-thioguanine, 7-Hydroxycoumarin, 7-hydroxystau-
 rosporene, 9-cis retinoic acid, 9-aminocamptothecin, 9-aminocamptothecin, 9-Hydroxycrisamicin A, 9-nitrobromo-
 15 pauillone, 14-hydroxy-4,14-retroretinol, abarelix, acacetin, aceglatone, acetylharpagide, acetyldinaline, acitretin,
 acrimarin F, acyfulvene, adefovir, adenine, adozelesin, aeruginosamide, alanine, alanosine, albendazole, aldes-
 leukin, alitretinoin, allantoin, allcis-5,8,11,14,17-eicosapentaenoic acid, allicin, allin, allixin, allopurinol, all-trans
 retinoic acid, all-trans-4-hydroxyretinol, all-trans-4-hydroxyretinoic acid, all-trans-4-oxoretinol, all-trans-4-oxo-
 retinoic acid, almuheptolide A, alpha-amyrin, alpha-curcumene, alpha-linolenic-acid, alpha-pinene, alpha-ter-
 pinene, altretamine, alsterpauillone, altretamine, amamistatin A, amentoflavone, amifostine, aminoglutethimide,
 20 aminopterin, anguillosporol, ampelopsin, amphidinolide T, amrubicin, amsacrine, amygdalin, anastrozole, ances-
 tim, ancitabine, anecortave, anethole, angiopoietins, angiostatin, anhydrovinblastine, annamycin, annomuricin D,
 annopentocins, anserine, anthocyanins, anthocyanosides, anthranilic acid, antimycin A1, antimycin A3, antineo-
 plaston A10, anvirzel, apigenin, apigetrin, apiin, apirole, aplidine, apocyanin (A, B, C, D), apomine, arabinogalactan,
 arbutin, arcylriacyanin A, arginine, arglabin, ariculatin, asimin, asimicin, asiminocin, asmarine B, asperuloside,
 25 astacin, astaxanthin, astragalol, avrainvillamide, axillarin, azacitidine, azafurin, azaserine, azidodideoxyguanosine,
 baicalein, baptigenina, batimastat, bengamide, bergapten, beta-alethine, betaine, berberine, beta-ionone, betulin,
 bexarotene, bicalutamide, bifendati, bilobalide, bilobols, biochanin A, biotin, biricodar, bisantrene, bisnafide, bixin,
 bizelesin, boheminine, borneol, bornyl-acetate, brassicolene, brassinin, brevicollin, bromelain, bromotaxane, bropi-
 rimine, bryostatin 1, buserelin, busulfan, busurelin, bullanin, buthionine, butylidene-phthalide, butyric acid, caffeic
 30 acid, caffeic acid, caloporoside, calicheamycin, calusterone, calphostin S, camphene, camphor, camptothecin,
 canavaninelupeol, canpagin, canstatin, cantharidin, canthaxanthin, canventol, capecitabine, capsaicin, capsan-
 thin, carboplatin, carboxyamidotriazole, cardanols, carmofur, carmustine, carnosic acid, carnosine, carnosol, car-
 nosolic acid, carvacrol, carolin (A, B, C), carvone, caryophyllene, caryophyllene-oxide, carzelesin, carzinophilin,
 carboquone, catechin, catechin, ceftiofur, cernadotin, centaurein, cercosporin, cetrorelix, chavicol, chalcones,
 35 cherimoline, chloptosin, chlormadinone, chlorogenic acid, chlorophyll, chloroquinoxaline sulfonamide, chromo-
 carb, chrysanthemamaxanthin, chrysin, chrysoeriol, chlorambucil, chlornaphazine, chlorozotocin, cichoric acid, cilen-
 gitide, cineole, cinnamic acid, cipemastat, cirsimaritin, cirsieneol, cis-inochiresinol, cisplatin, citral, citric acid, cit-
 rusine, cladribine, clofarabine, cnicin, cnidilide, cobalamin, combretastatin, combretastatin A4, combretastatin A4
 phosphate, conophylline, contortrostatin, conyferyl alcol, coporang, cordycepin, cortivazol, cotara, coumarin, cou-
 40 mestrol, crellastatin A, CRM-51005, crocetin, cryptophycin, cryptophycin-1, cryptophycin-52, cryptoxanthin (α , β ,
 γ , δ), curacin A, cuscenol B, curcumin, cyanidin, cyanidin 3 galactoside, cyanidin 3 glucoside, cyanidin 3,5 diglu-
 coside, cyanidin 3-rhamnoglucoside, cyanidin 3-soforoside, cyasterone, cycloartenol, cyclophosphamide, cymene,
 cystemustine, cytarabine, cytotrienin IV, daidzein, dacarbazine, daidzin, damnacanthol, daphnezomine G, daph-
 nodorin A, datiscetin, daunorubicin, decitabine, declopramide, defosfamide, dehydrodidemnin B, delphinidin, del-
 45 phinidin 3,5 diglucoside, delta-3-carene, delta-7-sterols, 5,7-dichloroemodin, demecolcine, denileukin diftitox, de-
 nopterin, depsipectide, desmethyleleutherobin, desmopressin, desoxyepothilone a, desoxyepothilone B, cis-2'-
 deoxy-2'-fluoromehtylene-cytidine, dexamethasone, dexormaplatin, dexrazoxane, detirelix, diazaphilonic acid, di-
 aziquone, dibromodulcitol, diethylnorspermine, diethylstilbestrol moriophosphate, difflomotecan, dihydroxycalcit-
 50 riol, dimeflin, dimesna, diosmetin, diosmin, discodermolide, discorhabdin P, diphyllins, docetaxel, dolastatin-10,
 dolastatin-15, dolostatin, doxifluridine, doxil, doxorubicin, dromostanolone, echinacoside, echinenone, ecteinasci-
 din-757, ecteinascidin-743, edatrexate, edelfosine, edeine, edotreotide, eflornithine, elacridar, elemene, eleu-
 therobin, elinafide, ellagic acid, emfilermin, emitefur, emtricitabine, emodin, endostatin, eniluracil, enloplatin, en-
 ocitabine, epicatechin, epigallocatechin, epigallocatechin-3-O-gallate, epipachysamine E, epirubicin, epitostanol,
 55 epothilone (A, B, C, N-oxide, E, D), eptaplatin, equol, erbstatin, eriodictyol, eruboside-b, esculetin, estragole,
 espelcin, estramustine, ethanidazole, etoglucid, etoposide, etoposide phosphate, etretinate, eugenol, eupatorin,
 eudistomin H, exatecan, exemestane, exisulind, fadrozole, falcacindiol, fagopyrin, falnidamol, farnesylthiosalicylic
 acid, fenretinide, ferulic-acid, feruloyl-4-hydroxycinnamoylmethane, fialuridine, finrozole, fisetin, flavin-adeninin-
 8 α -hydroxy-riboflavin, flavine-adenine dinucleotide, flavone-8-acetic acid, flavopiridol, flavoxanthin, floxuridine, flu-

asterone, fludarabine, fludarabine phosphate, fluoropyrimidine, fluorouracil, flutamide, fluvirucin B2, folic acid, fo-
 linic acid, formamicin, formestane, formononetin, fosfestrol, fraxinol, fucoxanthin, fulvestrant, fumagillol, fumagillol
 chloroacetylcarbamate, fustin, galangin, galarubicin, gallic acid, gallocatechin, galocitabine, gamma-terpinene,
 ganirelix, gardenin (A, B, C, D, E), geldanamycin, gemcitabine, gemfibrozil, genistein, genistein-7-phosphate, gen-
 5 istin, genkwanin, geldanamycin, gentisic acid, geraniol, gimeracil, goniodonin, ginkgolide A, ginkgolide B, glufos-
 famide, glutathione, glutethimide, glucose, 1-glucosamine, 2-glucosamine, 6-glucosamine, 2-galattosamine,
 1-fructosamine, 2-fructosamine, glyceollin, glyceollin-II, glycine, glycitein, glycitin, gnidimacrin, goserelin, gossy-
 pol, griseolic acid, halimide, harmine, harmaline, harmalol, harman, halofuginone, heliquinomycin, herbimycin A,
 hemiasterlin, hepaxanthin, hesperetin, hesperidin, heteroxylan, hexestrol, hispidulin, histamine, histidinol, homo-
 10 harringtonine, hycamtin, hypericin, 7,7'-dichlorohypericin, hydrocaffeic acid, α -hydroxyfarnesylphosphonic acid,
 hydroxymethylacetylfulvene, hydroxyurea, 5-hydroxynoracronycine, hycamtin, hyperin, hyperoside, hypocrellin (A,
 B), hispidospermidine, human endostatin 6-49, idarubicin, ilatreotide, ilomastat, imatinib, imexon, imidacrine, im-
 prosulfan, indanocine, indirubin, indole-3-acetic-acid, inosine, inositol, intoplicine, ipriflavone, iproplatin, irigenin,
 irinotecan, irisquinone, irofulven, iseganan, isatoribine, isochlorogenic acid, isoeugenol, isofraxidin, isoliquiritogen-
 15 in, isopimpinellin isoquercetin, isoquercitrin, isorhamnetin, isorosmanol, isovitexin, iturelix, justicidin A, kaempferol,
 kahalalide F, karenitecin, ketotrexate, krestin, kynurenic acid, kushenol (B, H, E, K, N, M), kuraninone, kosamol
 A, kurardin, labiatic-acid, lactacystin, ladirubicin, lapachol, lavendustin, l-carnosine, ledoxantrone, lentinan, lerid-
 istim, letrozole, leucocyanidin, leucotropin, leucovorin, leuprolide, leuprorelin, leucrozole, licocoumarone,
 licoflavanone, licochalcone A, lignin, limonene, linalol, linarin, linoleic-acid, liquiritigenin, lisofylline, lobaplatin,
 20 lobradimil, lometrexol, lonidamine, losoxantrone, luminacin D, lupeol, lurtotecan, lutein, luteolin, luteolin-7-gluco-
 side, luzindole, lycopene, lycobetaine, lycophyll, lycoxanthin, macrocarpin A, malvidine 3 glucoside, malvidine 3,5
 diglucoside, mammastatin, mannomustine, marimastat, maslinic-acid, maspin, mechlorethamine, megestrol, me-
 latonin, melengestrol, melphalan, menadiol, menogaril, menthone, mepitostane, mesna, meshima-ex, methotrex-
 ate, 1-methoxyagrocavine, 3-methoxyquercetin, miboplatin, midostaurin, mifepristone, migrastatin, miltefosine,
 25 mirostipen, mispyric acid, mitalactol, mitobronitol, mitoguazone, mitolactol, mitomycin C, mitotane, mitoxantrone,
 mivobulin, mofarotene, mopidamol, morin, motretinide, myo-inositol, myrcene, myroridin K, myricetin, myristicin,
 14-methylpentadecanoic acid, 16-methylinoleic acid methyl ester, N-(2 hydroxyethyl)-retinamide, N-(2 hydroxy-
 phenyl)-retinamide, N-(2-carboxyphenyl)retinamide, N-(4-carboxyphenyl)-retinamide, N-(4-carboxyphenyl)-reti-
 namide, N-(ethyl)retinamide, N-(4-etoxy-carbonylphenyl)-retinamide, N-(4-hydroxyphenyl)-retinamide, N-(4-hy-
 30 droxyphenyl)-retinamide-O-glucuronide, naamidine A, N-acetyl-5-hydroxytryptamine, naringenin, naringin, neda-
 platin, nemorubicin, neoheperidin, neplanocin A, neparensinol B, nepetrin, N-hydroxymethyl-thalidomide, nica-
 rdipine, N-hydroxyphthalimide, nicotinamide, nilutamide, nimustine, nitracrine, nobiletin, nolatrexed, nonataxel,
 nordihydroguaiaretic acid, noscapine, novembicin, O-6-benzylguanine, octreotide, oleanolic-acid, oliverine, olo-
 mucine, oltipraz, onapristone, oncocidin A1, oprelvekin, orientin, ormaplatin, orotic acid, oroxylin, oteracil, oxali-
 35 platin, oxostephanine, ozogamicin, paclitaxel, pachystaudine, pancratistatin phosphate, paecilquinone A, pan-
 tothenic acid, pantothenic acid, p-coumaric acid, pavetannin B1, p-cymene, panorex, pectolinarigenin, pelargonid-
 in, pelargonidin 3 glucoside, pelargonidin 3,5 diglucoside, peloruside a, peltatins, pemetrexed, Penicillamine,
 Pentacea, pentamidine, pentetate, pentostatin, peonidin, perfosine, perillyl alcohol, petunidin, phenamet, phe-
 40 nesterine, phenylhistin, phenylbutyrate, phloretin, phloroglucinol, phosphatidyl-choline, phthalascidin, p-hydroxy-
 benzoic-acid, phytic-acid, pibrozelesin, picibanil, piceatannol, pifithrin-A, pinitol, pirarubicin, piritrexim, pironetin,
 piroxantrone, podophyllinic acid, podophyllotoxin, porfimer, pratensein, prednimustine, prinomastat, proanthocy-
 anidins, probenecid, procabazine, progenipoietin G, propionic acid, protocatchuic acid, prunetin, prunellin, pso-
 ralen, pteropterin, purpurogallin, pyrazoloacridine, pyridoxine, pyrisulfoxin a, pyroxamide, Q-12713, quercetage-
 45 tin, quercetin, quercetin -O- β -D-galactoside, quercetin-3-galactoside, quercetin-3-rhamnoglucoside, quercimeri-
 trin, quercitrin, raltitrexed, ranimustine, ranpirnase, razoxane, radicol, rebeccamycin, reblastatin, repifermin, res-
 veratrol, retinal, retinilhydroxymethylether, retinol, rhamnetin, rhodomycin, riboflavin, riboflavin monophosphate,
 riboflavin tetrabutylate, riboflavin triacetate, rhinacanthin (C, D), robinetin, robinin, rohitukine, roquinimex, ros-
 marinic acid, roscovitine, rosmadial, rosmanol, rosmaridiphenol, rosmarinic acid, rosmariquinone, rubitecan, ru-
 50 bixanthin, rutin, safingol, safrole, sakuranetin, salicylic-acid saponin, salicylihalamide A, sanguinarine, s-allyl-l-
 cysteine, saponaretin, saponins, sarcodictyin A, sarcophytol A, sardomozide, sargramostim, saskatchewan, sat-
 raplatin, scoparin, scopoletin, scopafungin, scutellarein, schizophyllan, scytonemin, sebriplatin, secobatzelline A,
 sedoxantrone, selenocysteine, selenomethionine, sensamide, serotonin, shermilamine D, sigmastanol, silandrin,
 silybin, silychristin, silydianin, silymarin, silymonin, sinapic acid, sitosterol, sizofiran, sobuzoxane, soblidotin, so-
 55 lasodine, solimastat, somatostatin, sophoricoside, sophoraflavone G, spiroplatin, sparfosic acid, spisulosine,
 spongistatin, spinencin, squalamine, β -tethymustine, staurosporine, stigmaterol, streptonigrin, streptothricin B,
 streptozocin, suberanilohydroxamic acid, sulfuretin, sulidac sulfone, supidimide, suradista, suramin, syringalde-
 hyde, syringic acid, taglutimide, talaporfin, taiwanhomoflavone A, tamandarin A, tannic acid, tannin, tanomastat,
 tasonermin, taurine, taurolidine, tautomycin, taxifolin, taxol, tazartene, tecogalan, tectorigenin, tegafur, teloxantro-

ne, temozolomide, tengeretin, teniposide, tenuazonic acid, terpinen-4-ol, tesmilifene, testolactone, tetrahydrocortisol, tetramethylpyrazine, tetrandrine, tetrocarcin A, tezacitabine, thalidomide, theaflavin, theaflavine, thielavin B, thiamine, thiamiprine, thionine, thysiferyl 23-acetate, thioctic acid, thioguanine, thymalfasin, thymol, tipifarnib, tiazofurin, timcodar, tirapazamine, tirazone, tirilazad, tocladesine, tocol, tonkinectin, tokaramide A, tomudex, topostatin, topotecan, torularhodin, trans ferulic acid, trapoxin b, triaziquone, tributyrin, trichostatin (A, B, C, D), tridolgosir, triethylenemelamine, trigonelline, trilostane, trimetrexate, trimidox, triptorelin, triptofordin C2, trolox C, troponin I, troxacitabine, troxerutin, trunkamide A, tryptamine, tryptophan, tubercidin, tubulysin A, tumerone, tumstatin, tyrphostin, ubenimex, umbelliferone, uncarinic acid A, uracil mustard, urethan, ursolic acid, valereinic acid, valeric acid, valrubicin, valspodar, vanillic acid, vanillin, vaporeotide, vatalanib, verapamil, verteporfin, vesnarinone, vinblastine, vincristine, vindesine, vinflunine, vinorelbine, violaxanthin, vitamin a2, vitamin E acid succinate, vitexin, vitilevuamide, virulizin, vorozole, wogonin, xanthophyll, xanthotoxin, xanthotoxol, xenomin 1, zacopride, zalcitabine, zeaxanthin, zeniplatin, ziconotide, zingerone, zingibain, zinostatin, zorubicin, 506U78, 5F-203, 6-MCDF, 6-MPG, 776C85, A-007, A-105972, A-176120, A-125800, A-177430, A-177775, A-197574, A-198401, A-228839, A-316023, ABT-518, ABT-627, ABT-839, AC-7700, AC-9301, ACRP30R2, AD-198, AE-941, AG-99, AG-12275, AG-12286, AG-1288, AG-1478, AG-18, AG-2034, AG-2037, AG-3340, AG-3433, AG-494, AG-555, AG-7352, AG-825, AG-879, AGN-190168, AGN-193109, AGM-1883, AGR-129, AH-12, AH-27, AH-30, AH-7, AL-245, AL-6, AM-580, AMD-473, AMD-3100, AMP-404, AN-207, AN-238, APC-8015, APC-8024, AR54-, AR5LAC20, ARH460-23, AS5-2H, AT-5015, AVI-4126, AZD-3409, AZD-6474, B-317, B-429, B-581, B-956, B-1086, BAL-9602, BAM-002, BAY-12-9166, BAY-12-9566, BAY-38-3441, BAY-43-9006, BB-1277, BB-21295, BB-67357, BB-76163, BB-2516, BB-3644, BB-94, BBL22, BBR-2778, BBR-3438, BBR-3464, BBR-3576, BBR-3610, BE-41956A, BE-43547A1, BE-45985X, BE-54238A, BE-55051, BE-56384, BE-56980, BE-60828, BE-67251, BEC2, BGP-15, BIBH-1, BIBX-1382, BIM-46068, BIWA4, BLP-25, BLS-0597, BMD-188, BMP-6, BMS-27291, BMS-181174, BMS-182751, BMS-184476, BMS-184477, BMS-186511, BMS-188797, BMS-200659, BMS-214662, BMS-247550, BMS-247615, BMS-247616, BMS-265246, BMS-275291, BN-80245, BN-80915, BN-80927, BNP-1100, BNP-1350, BNP-7787, BP-04, BP-1, BPHA, BR-630, BSU-1075, BSU-9057, BZA-2B, BZA-5B, C-1027, C-1311, C-75, CB-96, CB-300907, CB-300919, CB-30865, CB-7646, CC-3052, CC-4047, CC-5013, CC-7085, CCI-779, CD-1599, CD-437, CD-2314, CDC-501, CDC-801, CEP-2563, CEP-701, CGP-41251, CGP-48664, CGP-52608, CGP-74514, CGP-79787, CGP-79807, CGS20267, CGS-24592, CGS-27023A, CHAP-31, CHAP-81, CHS-828, CHT-22, CI-1006, CI-1021, CI-1027, CI-1031, CI-1033, CI-1042, CI-958, CI-980, CI-994, CJ-11974, CKD-602, CKD-731, CL-387785, CM101, CM-101, CMA-676, CMB401, CN-706, CN-787, COL-3, CP-1, CP-248, CP-263114, CP-358744, CP-358774, CP-461, CP-609754, CPC-405, CPD-5, CPR-2003, CPR-2005, CPR-3005, CPT-111, CRL-1005, CRL-8246, CRL-8256, CRM-51005, CRM-646-A, CSA, CS-682, CT-052923, CT-17, CT-2103, CT-2584, CT-2584, CTP-37, CV706, CV-787, CWJ-A-5, CYA-246, CYS-3-AMBA-Met, D-2163, D-24241, D-24851, D-609, DAB389IL-7, DB-67, DB-81, DC-TA-46, DDE-131, DDE-261, DDE-313, DDE-380, DE-310, DJS-811, DOX-GA3, DP-242/3-, DP-71, DR-70, DT388-GM-CSF, DTI-015, DTPA-BRE-3, DW-2143, DW-2282, DX-8951F, DZ-3358, E21R, E-350, E-3620, E6-BP, E-7070, E-7869, EB-1089, ED-501, EDP-137, EG009, EKB-569, ELF3, EM-12, EM-800, EMD-1211974, EO-9, EPO-906, ERA-923, ER-34617, ER-35794, ER-38925, ER-68203, ER-68203-00, ERA-923, ES-936, ET-743, ETM-775, F-11782, FB-642, FC-2.15, FCE-28948, FCE-29381, FCE-29771, FD-594, FDUMP, FDU-NOAC, FE-200486, FE-200486,, FE-399, FJ-5002, FK317, FPP-33, FR-143430, FR-182877, FR-186054, FR-901228, FRI-20, FT-ALZ, FTI-2148, FTI-2153, FTI-276, FTI-277, FY21-AA09, GI-198745, G-207, G-3139, GBC-590, GF-120918, GD0039, GEM-231, GEX1Q5, GF-109203X, GFB-111, GFMO-1, GGTI-2166, GGTI-298, GI-129471, GL-331, GLI-328, GM2-KLH/QS-21, GM-95, GMK, GnRH-III, GPI-0100, GR-891, GR-128107, GR-135533, GRN-5384, GSDI-126, GTI-2040, GTI-2501, GTX-006, GV-1301, GVH-313, GW-1843, GW-2059, GW-395058, GW-5181, GW572016, GW-8510, GW-9499, GW-974, H-10, HA-1, HA-14-1, HI-368, HPKCI, HSCS-1, HSPE-7, HSPPC-96, HWL-12, HX-600, HYB-0432, HYB-165, IB-367, IIK7, IB-96212, ICI-164384, ICI-245991, IDEC-Y2B8, IDN-5005, IDN-5109, ILX23-7553, ILX-295501, ILX-651, IM-46068, IM862, IMC-C225, INGN-201, INGN-241, INGN-251, INX-3001, INX-3280, INXC-6295, IRX-2, ISIS-10639, ISIS-12539, ISIS-12884, ISIS-14864, ISIS-15999, ISIS-16009, ISIS-16518, ISIS-16601, ISIS-16609, ISIS-16834, ISIS-17509, ISIS-19387, ISIS-20772, ISIS-21028, ISIS-22783, ISIS-23722, ISIS-23905, ISIS-2503, ISIS-25513, ISIS-27067, ISIS-28313, ISIS-28949, ISIS-3521, ISIS-4189, ISIS-5132, ISIS-5132, ISIS-7597, J-104134, J-104871, J-107088, J-109404, JBT-3002, JF-05-59, JK-1624S02, JKC-362, JM-216, JMV-1802, JTE-522, K-135, K-252a, K-22387, KAN-108308, KAN-104141, KF-22678, KF-25706, KF-41399, KF-58333, KHPC-10, KI-6783, KM-043, KNK-437, KOCH-5, KR-30035, KRN-5500, KRN-7000, KRN-8602, KS-505a, KT-5720, KT-6149, KT-6352, KW-2170, L-377202, L-39, L-452958, L-651582, L-731734, L-731735, L-739749, L-739750, L-744832, L-745631, L-778123, L-779450, L-779575, L-783277, LB-42908, LCS-640, LDI-200, LDP-341, LFM-A12, LFM-A13, LG-120744, LG-120753, LG-190119, LGD-1069, LGD-1550, LM-4108, LMB-2, LMB-7, LMS-83177, L-NDDP, LU-103793, LU-223651, LY-231514, LY-294002, LY-309887, LY-320236, LY-329146, LY-333531, LY-335979, LY-355703, MAG-283, MCC, MC-1473, MDL-101731, MDL-101986, MDL-73811, MDL-73811, MDX-11, MDX-210, MDX-447, MDX-H210, MEDI-503, MEDI-


507, MEDI-517, MEN-10710, MEN-11066, MEN-11951, MER-1020DA, MER-WF1726, MG-132, MG98, MGI-114, MGv, MIBG, MK-4, MK571, MK-869, MK-886, MKT-077, MI-1544, MI-1892, MM-36, MMI-270, MPC-7869, M-PGA, MPI-5020, MPV-2213AD, MR-20492, MS-209, MS-247, MS-27-275, MS-275, MS-325, MSI-1857, MTP-PE, MUP-98176, MV9411, MX6, MT965-A, MT965-B, N276-15, NA-22598B1, NAMI-A, NB-506, NB-1011, NBI-3001, NC100150, NCA-0424, NCO-700, NF-062, NF-06307, NG-60, NK-611, NIK-250, NHTS, NLCQ-1, NM-3, NS-398, NSC-314622, NSC-330507, NSC-354258, NSC-614491, NSC-614491, NSC-649488, NSC-655649, NSC-658875, NSC-674495, NSC-676632, NSC-678515, NSC-686288, NSC-693569, NSC-693632, NSC-7103505, NSC-D699127, NU/ICRF-505, NU:UB-31, NU:UB-73, NU-2058, NU-3076, NU-3121, NV1020, NX-1838, NX-211, OC-1012, OC-144-093, ODN-2009, ODN-698, ODN-83, OGT-719, ON-5543, ONO-4007, ONO-8711, ONYX-015, ONYX-838, OPB-3206, ORI-1313, OSI-774, P-4055, PADP, PAM4, PAK-104, PAK-104P, PD-089828, PD-145709, PD-0174073, PD-0183812, PD-090560, PD-098059, PD-128763, PD-153035, PD-158780, PD-160678, PD-166285, PD-166866, PD-168393, PD-173074, PD-173955, PD-173956, PD-180970, PD-183805, PD-184352, PI-88, PI-CA91, PKC-412, PKI-166, PLQ-22, PNU 145156E, PNU-144113, PNU 153429, PNU-157914, PNU-157977, PNU-159548, PNU-166196, PNU-177496, PP-33, PR-39, PR-69, PRO-533, PS-341, PS-724, PS-990, PSC-833, PSP-94, PT-523, PT-624, PTK-787, PX12, P-X-1544, Q-85, QM16-A, QS-21, QW-1624F2-2, R-101933, R-109339, R115777, R-116010, R123942, RB94, RK-0202, RL-0903, RMP-7, RO-09-4889, RO-25-4020, RO-25-6760, RO-25-9716, RO-28-2653, RO-31-7453, RO-31-7453, RO-41-5253, RO-50-4258, RO-65-7674, RP-527, RPR-108518, RPR-108514A, RPR-109881, RPR-115781, RPR-116258A, RPR-130401, RSR13, S-1127, S-16020-2, S179D-PRL, S-20928, S-20929, S-23906-1, S-30372, S-30972-1, S-3304, S-8184, S-836, SAHA, SAM-484, SB 249553, SB-203580, SB-209763, SB-238039, SB-247464, SB-251353, SB-408075, SB 596168, SBAS2, SBR-11-2897, SBR-11-3702, SBR-170-, SB-RA-131012, SB-T-1213, SB-T-1250, SB-T-101187, SC-1, SC-68448, SC-72115, SC-AAD9, SCH-207758, SCH-56396, SCH-58500, SCH-66336, SCHL-705, SD-7, SGI-101, SGN-10, SGN-15, SH-207, SJG-136, SL11047, SL-11093, SN-38, SMT-487, SN-38, SNF-4435C, SQ-67454, SP-1053C, SPC8490, SPD-424, SPIKET-P, SR 2789, SR 27897, SR-271425, SR-271425-, SR29142, SR-29142, SR-45023A, SR-4895, SR-49059, SRL-172, SS-555, ST-1481, STA-BX909, STI-412, STI-481, STI-571, SU-0879, SU-101, SU-1433, SU-1498, SU4312, SU-4793, SU-4942, SU-4984, SU-5204, SU-5212, SU-5402, SU-5406, SU-5416, SU-5477, SU-5614, SU-6668, SU-9516, SU-9902, SW-163E, T12, T-138067, T-2591, T-3782, T-607, T-64, T-67, T-900607, T-904064, T-98475, TA-2516, TA-2620-, TAS-103, TAS106, TER-117, TER-199, TER-286, TG-1031, TIP-19.40, TJN-151, TLC-144, TLC-D-99, TLC-ELL-12, TLK-199, TLK286, TMC-169, TMC-96, TNP-470, TOP-53, TRK-710, TTNPB, TT-2, TT-232, TX-1123, TX-1920, TXD-258, Tzt-1027, U-0126, UCN-01, UCS-1025A-, UCT-1072M1, V-93, VGA1102, VLTS-587, VN/85-1, VN/87-1, VNP-20009, VNP40101M, VP-16, VUF-5000, VUF-5434, VX-710, VX-853, WAY-170523, WHI-D11, WHI-D12, WHI-P154, WHI-P273, WIN-61651, WMC-26, WP-631, WP-745, WP-769, WR-1065, WT-126-34, WX-293T, XK-469, XR-11576, XR-3054, XR5000, XR-5944, XR-9576, YH-137, YH-138, YM294, YM511, YM529, YMB-6H9, ZD-0473, ZD-1626, ZD-1839, ZD-2767, ZD-4190, ZD-6126, ZD-6474, ZD-9063P, ZD-9331, ZK-119010, ZK-112993, ZK-191703, ZK-222584, ZK-229561, ZK-230211, ZM-445526, ZNPCF64, IRESSA, NEOQUIN

7. Compounds according to claims 1-6 in which -F is chosen among the following 8 groups of molecules (from 1 B to 8B) which are identified by their own structural formula or by their own INN ("International Nonproprietary Name" from "World Health Organization" database) or by their own company code or by their own chemical name.


GROUP 1B:

ABT-963, α -tocopherol, 8 α -hydroxy-riboflavin, aceclofenac, acemetacin, actarit, alclofenac, alclometasone, AGIX-4207, ajulemic acid (EL), amebucort, amelometasone, amiprilose, ampiroxicam, amtolmetin guacil, anakinra, aniolac, anisperimus, aprepitant, aspirin (ECI), AR-C73346XX (ECX), ataquimast (ECLX), atiprimod, atizoram, atreleuton, balsalazide (ECXVIII), bendazac, benorylate, benoxaprofen, benzydamine (ELX), bermoprofen, beclomethasone, betamethasone, betamethasone acibutate, bindarit, brequinar, BF-389 (EXLVIII), bromfenac, bucllamine, bucllamine, budesonide, bufexamac, bumadizone, butixocort, CB-2431, CC-1069, CC-1088, CEP-1347, celecoxib (EI) and 2 metabolites of it ((EII), (EIII)), chenodeoxycholic acid, chloroquine, ciclesonide, cinaproxen, cinmetacin, clidanac, clobuzarit, clofenamic acid, CGS-33090A, CLX-0921, CLX-120500, CK-135, COX-189, CS-502, cloticasone, CR-3558, cridanimod, cyclosporin A, darbufelone (EXLV), deflazacort, dehydrocholic acid, deltibant, deracoxib (EXIII), descinolone, desonide, dexamethasone (ECXC), dexketoprofen, dexamethasone acefurate, dexamethasone-21-phosphate, dexbudesonide, dexpemodolac, dextiopronin, diacerein, diclofenac (ECXIII), diflunisal, dipyrone, DPC-333, droxicam, erlotinib, esonarimod (XXXIV), etodolac (ECXVI), etofenamate, etoricoxib (EXI), E-5110 (EXLVI), everolimus, ezlopitant, fampridine (ELXI), felbinac, fenbufen, fenleuton, fentiazac, figopitant, flavine-adenine dinucleotide, flobufen (ECXVII), flosulide (EXXII), fluazacort, flufenamic acid, flunisolide, flurbiprofen (ECIV), fluticasone, fluocortin, FR-228352 (EVI), FTY-720 (ECL), ganaxolone, glucosamine (EXXX), ginkgolide B, GR-205171, GW-4459, halometasone, hydroxychloroquine, hydrocortisone (ECVIII), hyperin, ibufenac, ibuprofen (ECXIV), icatibant, ilonidap, indometacin (ECIX), indoprofen, ISIS-104838, isoxicam, ketopro-


fen (ECXII), ketorolac (EXC), KME-4 (EXLVII), KE-758 (EXXXV), KE-748 (EXXXVI), LL-Z-1640-2, laquinimod,
 lanepitant, leflunomide (EXXV), limazocic, lobenzarit, L-745337 (EXX), lornoxicam, loteprednol, J-113863
 (ELXXX), meclofenamic acid, mesalazine (ECII), meloxicam (ECXV), methotrexate (ECC), 6-methoxy-2-naphthy-
 lacetic acid (ELXIV), mofetil, ML-3000 (EVIII), mizoribine, mivotilate, mofezolac, mometasone, moxilubant, myc-
 5 ophenolate mofetil (EXXVIII), mycophenolic acid (EXXIX), MX-68 (EC), nabumetone, nalflocort, naproxen (ECV),
 N-desmethylbenzylamine (ELXIII), nepadutant, nepafenac, niflumic acid, nimesulide (EXV), NS-398 (EXXXIII),
 olsalazine, oxaprozin, oxolamine, oxisopred, paracetamol (ECVI), paramethasone, parecoxib (EIV), pemedolac,
 penicillamine, pentostatin, pimecrolimus, piroxicam, PNU-156804, pralnacasan (EXXXVII), prasterone (ECLXII),
 prifelone, prednisone, prednisolone (ECVII), prednazoline (ECCI), propacetamol, proglumetacin, quercetin, rem-
 10 inertant, resiquimod, rhein, riboflavin, riboflavin monophosphate, riboflavin tetrabutylate, riboflavin triacetate,
 ridogrel (ECXL), rimonabant, rofecoxib (EIX), romazarit, rofleponide, roquinimex (ECLXI), RWJ-67657, RWJ-
 68354, salicylic acid (ECXCI), S-19812 (ECXXX), SB-202190, SB-203580, SB-220025, SCIO-469, sinomenine,
 sirolimus, sivelestat, solimastat, SP-600125, spiradolene, sulfasalazine, S-2474 (EXXVII), SU-5271 (ELXII), sulin-
 dac (ECXI), suprofen, suxibuzone, tacrolimus, talnetant, tanomastat, tauroselcholic acid, tazofelone, tazadolene,
 15 tebufelone (ECXXXI), tenidap (ECIII), tenoxicam, tepoxalin (EVII), teriflunomide (EXXIV), thalidomide, tiaramide,
 ticolubant, tifurac, tilmacoxib (EIV), tilnoprofen arbamel, tiopronin, tomoxiprole, tolfenamic acid, tresperimus, T-
 614 (EXXI), TBC-1269, TSL-225, TTL-3, triamcinolone, triptolide, ursulcholic acid, UR-8813, ursodiol (ELXV) (EgX-
 II), valdecocix (EV), vofopitant, VX-743, WHI-P131 (ECLI), Y-39041, zileuton (ECXX), zomepirac, (EX), (EXII),
 (EXVI), (EXVII) (EXVIII), (EXIX), (EXXI-b), (EXXXI), (EXXXII), (EXXXIII), (ELXX), (EXXXVIII), (EXXXIX), (EXL),
 20 (EXLI), (EXLII) (ECLXIII), (ECLXX) (ECLXXI), (ECLXXII), (ECLXXX), (ECLXXXI), (ECLXXXII) (ECLXXXIII),
 (ECLXXXIV), (ECLXXXV), (ECLXXXVI)




(EgI)




(EgII)




(EgIII)




(EgIV)




(EgV)




(EgVI)











(EgVII)




(EgVIII)




(EgXI)







(EVII)




(EVIII)




(EIX)




(EX)




(EXI)




(EXII)




(EXVI)




(EXIII)




(EXIV)




(EXV)




(EXVII)








(EXVIII)




(EXIX)




(EXX)







(EXXXIII)




(ELXX)




(EXLV)




(EXLVI)




(EXXXIV)




(EXXXV)




(EXXXVI)




(EXXXVII)




(EXXXVIII)




(EXXXIX)




(EXL)




(EXLI)




(EXLII)




(EXLVII)




(EXLVIII)




(EL)




(ELX)




(ELXVII)




(ELXIII)




(ELXII)




(ELXI)




(ELXIV)




(ELXV)




(ECVII)




(ECVIII)




(ECXI)




(EXC)




(ECI)




(ECII)




(EC)




(ECIII)




(ECIV)




(ECV)




(ECVI)




(ECIX)




(ECXX)




(ECX)




(ECXI)




(ECXII)




(ECXIII)




(ECXIV)




(ECXV)




(ECXVI)




(ECXVII)




(ECXVIII)




(ECXXX)




(ECXXXI)




(ECXL)




(ECLX)




(ECL)




(ECLI)




(ECLXI)




(ECLXII)




(ECLXIII)




(ECLXX)




(ECLXXI)




(ECLXXII)




(ECLXXX)




(ECLXXXI)




(ECLXXXII)




(ECLXXXIII)




(ECLXXXIV)




(ECLXXXV)



(ECLXXXVI)



(ECXC)

GROUP 2B:

15 alendronic acid, AGN-4310, arzoxifene (SXXX), avicatonin, bazedoxifene/TSE-424, bervastatin, butedronic acid, calcipotriol, calcitriol (SVIII), CGP-77675, clodronic acid, CP-336156 (SXXXII), CP-424391, doxercalciferol, droloxifene (SVI), EB-1089 (SXXXV), ecalcitriene, ED-71, EMD-84444, ERA-923, esonarimod, estradiol, etidronic acid (SXV), F-9775A, F-9775B, falecalcitriol (SXXXI), FC-1271, GW-544, HMR-3339A, 4-hydroxytamoxifene, iban-

20 dronic acid (SXX), idoxifene, incadronic acid, LGD-2226, lasofoxifene (SVII), levormeloxifene, levosimendan, lex-

acalcitriol, lidadronic acid (SV), maxacalcitriol (SXL), medronic acid, minodronic acid (SIII), miproxifene, NDE-1003, neridronic acid, NPS-2143 (SXII), NVP-AAK980, olpadronic acid (SXXI), ORG-30659, one-alpha-D₂ (SXL), ormel-

25 oxifene, osaterone, oxidronic acid, pamidronic acid (SXXII), paricalcitol (SXXXVII), pipendoxifene (SXXXIII), pirid-

ronic acid, pitavastatin, plicamycin, pralnacasan, raloxifene (SXIII), ranelic acid, risedronic acid (SXVI), RWJ-

68354, SB-242784 (SIX), SB-265123, SB-267268, SB-273005, SC-56631, secalciferol, semparatide, simendan, SUN-E3001, TAK-778, teriparatide, tiludronic acid, tibolone, toremifene (SXIV), TJN-135, trimegestone, trioxifene, TSE-424, vitamina D₂ (SII), vitamina D₃, VX-745 (SX), zindoxifene, zoledronic acid (SIV), (SXI), (SXLII), (SL)

5

10

15

20

25

30



35

40

45




50

55



(SgI)




(SII)



(SIII)

(SIV)



(SV)



(SXV)



(SXVI)

(SVI)





(SVII)

(SVIII)




(SIX)

(SX)




(SXI)


(SXII)




(SXIII)




(SXXII)




(SXX)




(SXXI)




(SXXX)




(SXXXI)




(SXXXII)




(SXXXIII)




(SXXXV)




(SXXXVII)




(SXL)



(SXL I)




(SXL II)




(SL)

GROUP 3B:


ABT-594, alfentanil, almotriptan, apadoline, aprepitant, asimadoline, aspirin, baclofen, benzydamine, buprenorphine, bupivacaine, butorphanol, capsavanil (PI), CJC-1008, CNS-5161, codeine (PXIV), dapitant, dextromethorphan, dihydrocodeine (PXI), devazepibe, dronabinol, dutarizine, edronocaine, etidocaine, emfilermin, enadoline, etodolac, etofenamate, ezlopiant, fenoprofen, fentanil, figopitant, flufenamic acid, flurbiprofen, gabapentin, ganaxolone, GV-196771 (PII), hydrocodone (PXII), harkoseride, icatibant, indomethacin, ipravacaine, ketoprofen, ketorolac, lamotrigine, lanepitant, levobupivacaine, LY-293558, levonantradol, lidocaine, lofentanil, lomerizine, meperidine, mepivacaine, memantine, metacetamol, morphine, nabazenil, NNC-05-1869, NW-1029, naproxen, nepadutant, osanetant, oxycodone (PX), paracetamol (PIV), pentazocine, phenazopyridine, pidolacetamol, pravadolone, propacetamol, pregabalin, propoxyphene, remifentanil, rimonabant, rizatriptan, ropivacaine, rufinamide, saredutant, SCH-50971, SDZ-249-665, sufentanil, sumacetamol, suprofen, talnetant, tonabersat, topiramate, tramadol (PV), vofopitant, ziconotide, zoltriptan, zucapsaicin, (PIII)




(PI)




(PIV)




(PIII)




(PV)




(PX)



(PXI)




(PXII)




(PXIV)

GROUP 4B:

α -tocopherol (QIV), acitretin (QI), adapalene, amelubant, amlexanox (QIII), azathioprine, atizoram, calcitriol, calcipotriene/calcipotriol (Q10), bexarotene, dexamethasone, LPD-519, hydrocortisone, hydroxyurea, prednisolone, prednicarbate, prednisone, riboflavin, riboflavin tetrabutylate, riboflavin 6-thioguanine, triacetate, tacalcitol, lexicalcitol, maxacalcitol, moxilubant, seocalcitol, paricalcitol, sulfasalazine, tazarotene, tepoxalin, ticolubant, thalidomide. VX-497. (QII), zidovudine.




(QI)


**GROUP 5B:**

ablukast, ABT-761 (JVII), acetylcysteine, acitazanolast, acreozast, adapalene, albifylline, albuterol (JXXXII) (JgIII),
 alclometasone, alinastine, AMG-126767, R- α -methylhistamine (JCXXXI), ambicromil, ambroxol, amebucort, amel-
 ometasone, aminophylline, andolast, APT-366, apafant, apaxifylline, argatroban, argimesna, arofylline,
 AR-C68397AA (JXXXVI), asobamast, astemizole (JCXXXIV), ataquimast, atizoram, atreleuton, AY-0068, AWD-
 12-281 (JXVII), AWD-12-343, BAY-19-8004, BAY-X-1005 (JLXXX), bamaquimast, batebulast, benafentrine, bepa-
 fant, bepotastine, betotastine, betamethasone, bilastine, bimosiamose, binizolast, bitolterol, BP-294 (JCXXX),
 budesonide (JII) (JgII), bunaprolast, butaprost, butixocort, camonagrel, carebastine, cartasteine, CE-1037, ceti-
 rizine (JCXXXII), ciclesonide, cilomilast/SB-207499 (JXI), cilutazoline, cinalukast, cipamfylline, CI-1018 (JXIII), CI-
 1044 (JXVIII), CGH-2466, cistinexine, ciclesonide, clopidogrel, cloticasone, cromakalim, cromoglicate lisetil, con-
 tignasterol, cromoglicic acid (JI), CR-3465, cysteine, D-4418 (JXII), CPX (JLXXXIII), D-4396, dacopafant, daltroban,
 dametralast, danosteine, dapitant, dazoquinast, DAX (JLXXXIV), decarboethoxyloratadine, DF-1111301, deflaza-
 cort, deltibant, descinolone, desloratadine, desonide, dexamethasone, dexbudesonide, dexsecoverine, dextio-
 pronin, diproteverine, DMP-777, domitroban (JXXX), doqualast, doxaprost, drotebanol, ebastine, eclazolast, efle-
 tirizine, eflumast, elziverine, emedastine, enefexine, enofelast, enoxamast, epinastine, epinephrine, eprazinone,
 erdosteine, espatropate, etolotifen, ezlopitant, fenileuton, fenoterol (JXXXIV), fenprinaest, fexofenadine (JXC), fig-
 opitant, filaminast, flerobuterol, flezelastine, fluazacort, flunisolide, fluticasone (JV) (JgI), fominoben, foropafant,
 formoterol (JXXXV), fudosteine, furegrelate, genistein (JLXXII), genleuton, guaimesal, guaifenesin, guaisteine,
 halometasone, HSR-609, hydroxyzine, ibudilast, icatibant, ICI-200355, idaverine, idenast, ifetroban, ilonidap, im-
 itrodast (JCXI), INS-3653, ipratropium, IPL-4088, iralukast, isalsteine, isbogrel, isbufylline, isocromil, isoetharine,
 isoproterenol, israpafant (JXL), itazigrel, ketotifen, L-826141 (JXIX), L-658758, lanepitant, laprafylline, levalbuterol,
 levromakalim, levmetamfetamine, levocabastine, levocetirizine, levodropropizine, levosulpiride, lexipafant, lina-
 zolast, linetastine, linotroban, lirimilast, lisofylline, lonapalene, loratadine, loxanast, mapinastine, melquinast, mer-
 ibendan, mesna, metaproterenol, methylprednisolone, midaxifylline, midazogrel, midesteine, milverine, milrinone
 (JLXXI), minocromil, minopafant, mipitroban, mizolastine, modipafant, moguisteine, mometasone, montelukast
 (JC), MPB-07 (JLXXV), moxilubant, nafagrel, naphazoline, naflcort, N-acetylcysteine, nardeterol, nedocromil,
 nelteneine, nemazoline, nepadutant, nestifylline, NKP-608C, noberastine, norastemizole (JCXXXIV), nupafant,
 olopatadine, olprinone, ontazolast, osanetant (JCXX), oxalinast, oxitropium, ozagrel, pamicogrel, paramethasone,
 pemirolast, perbutylline, phenylbutyrate (JLXX), phenylpropanolamine (JXXII), piclamilast (JXXV), picumast, pi-
 cumeterol, pirbuterol, pirmagrel, pirodomast, pobilukast, pranlukast, prednisolone, prednisone, propiverine, pro-
 methazine, proxicromil, pumafentrine (JXIV), quazolast, quiflapon, quinotolast, racephedrine, racephedrine, ram-
 atroban (JXXXI), raxofelast, repirinast, revatropate, revenast, ridogrel, rimonabant, ritolukast, rocastine, rocepa-
 fant, roflumilast (JX), rolafagrel, rolipram, RPR-106541, rupatadine (JXCI), salmeterol (JXXXIII), salmisteine,
 samixogrel, saredutant, sarpogrelate, satigrel, scopinast, SCH-351591, seratrodast (JXC), selipafant, sevitropium,
 siguazodan, sivelestat (JL), spirofylline, stacofylline, sulotroban, sulukast, suplastat (JLX), T-440, talnetant, tau-
 rosteine, tazanolast, telmesteine, tematropium, temiverine, tenidap, terbogrel, terbutamol, terbutaline, tetrazolast,


texacromil, theophylline, tiacrilast, tibenelast, ticolubant, tiotropium, tioxamast, tiprinast, tolafentrine, tofnilast, tomelukast, tranilast (JII), toborinone (JXX), triamcinolone, tulopafant, UT-77, verlukast, vofopitant, V-11294A (JXV), YM-976 (JXVI), zafirlukast, zardaverine, zileuton (JIV), zilpaterol, zipeprol, (JXCII), (JCXXXIII), (JCXXXIV)




(JgI)



(JgII)




(JgIII)




(JI)


(JII)




(JIII)




(JIV)




(JV)




(JVII)




(JX)




(JXI)




(JXII)



(JXVII)




(JXVIII)



(JXIX)


(JXX)



(JXXII)


(JXXV)

(JXXX)




(JXXXI)

(JXXXIII)








(JXXXII)


(JXXXIV)



(JXXXV)

(JXXXVI)







GROUP 6B:

alizapride, alosetron, amiglumide, arbaprostil, AR-H047108, bromopride, budesonide, CAM-1028, 5-carboxyomeprazole (RXCII), 5-carboxytenatoprazole (RXCVI), 5-carboxyesomeprazole (RXCVII), chenodiol, cimetidine, cisapride, clarithromycin, clebopride, CR-2622, CR-3294, darifenacin, deprostil, desmethylrabeprazole (RXXVIII), devazepide, dexlorglumide (RXXXI), dolasetron, domperidone, dosmalfate, egualen (RXXX), E-3620, enprostil, esaprazole, esomeprazole (RIV), esolansoprazole (RCI), esopantoprazole (RCIII), famotidine, fedotozine, granisetron, 5-hydroxylansoprazole (RC), 5- α -hydroxyomeprazole (RXC), 5- α -hydroxyotenatoprazole (RXCIV), 5- α -hydroxyesomeprazole (RXCVIII), ezlopitant, itasetron, itriglumide (RgIV) (RXXXIII), IY-81149 (RIX), L-365,260 lansoprazole (RV), lafutidine, leminoprazole (RI), levosulpiride, loperamide, loxiglumide, L-365260, LY-288513, LY-262684, LY-191009, MKC-733, MK-869, meclizine, mesalamine, mexiprostil, MKC-733, metoclopramide, misoprostol (RgII) (RLXXII), mosapride, nepadutant, nepaprazole, nizatidine, nocloprost, norcisapride, 5-O-desmethylomeprazole (RXII), 4-O-desmethylpantoprazole (RXXII), olsalazine, omeprazole (RII), ondansetron, ornoprostil, osutidine, pantoprazole (RVI), pibutidine (RXLI), PD-135158, picoprazole (RLXIV), pipratecol, pranazepide, proglumide, pumaprazole, prucalopride, ranitidine, rabeprazole (RIII), rebamipide (RXXXIV), remiprostol, renzapride (RXXXII), rioprostil, rosaprostol (RgIII) (RLXX), roxatidine (RXL), RP-72540, RP-73870 (RLXXXI), S-0509 (RLXXXII), SB-641257, sepimostat (RL), spiroglumide, sonopiprazole, sulfasalazine, TAK-637, tarazepide, taurocholic acid, tegaserod, telenzepine, tenatoprazole (RVIII), timoprazole (RLXIII), tiopramide, trimoprostil, tropisetron, YIA-20379-1 (RLX), YM-022, YIA-20379-5 (RLXI), YIA-20379-8 (RLXII), zacopride, (RX), (RXI) (RXII), (RXIII), (RIV), (RXV), (RXVI), (RXVII), (RXVIII), (RXIX), (RXX), (RXXI), (RXXII), (RXXIII), (RXXIV), (RXXV), (RXXVI),


(RXXVII), (RLXV), (RLXXI), (RLXXX), (RXCIII), (RXCI), (RCII), (RCIV), (RCVI), (RCVII)






(RgIII)


(RgIV)




(RgV)




(RI)




(RII)




(RIII)




(RIV)




(RV)




(RVI)




(RVIII)




(RIX)




(RX)




(RXI)




(RXII)




(RXIII)




(RXIV)




(RXV)




(RXVI)




(RXVII)




(RXVIII)




(RXIX)




(RXX)




(RXXI)




(RXXII)




(RXXIII)




(RXXIV)




(RXXV)




(RXXVI)




(RXXVII)




(RXXVIII)




(RXXX)




(RXXXI)




(RXXXII)




(RXXXIII)




(RXL)




(RXLI)



(RL)




(RLXX)




(RLXXI)


(RLXXII)




(RLX)




(RLXI)




(RLXII)




(RLXIII)




(RLXIV)




(RLXV)




(RLXXX)




(RLXXXI)




(RLXXXII)




(RXXXIV)




(RXC)




(RXC I)




(RXCII)




(RXCIII)




(RXCIV)




(RXCVI)




(RXC VII)




(RXC VII)




(RC)




(RCI)




(RCII)




(RCIII)




(RCIV)



(RCVIII)




(RCVI)




(RCVII)


GROUP 7B:

ABT-980, AH-9700, AIO-8507L, alfuzosin (UV), alfatradiol, alvameline (ULXX), alprostadil (UXC), atosiban, apomorphine (UCXXX), atrasentan (UCXL), bexlosteride, bicalutamide, BMS-341400, CS-891, cyproterone (UCLII), DA-8159, darifenacin (ULXXXIII), deacetylmoxisylyte, dehydrocorydaline (UXXXV), (+)-desmethyisibutramine, doxazosin (UXL), duloxetine (UXLI), dutasteride, E-4010 (UXXII), E-4021 (UXXIII), E-8010, EMD-221829, eplerenone, ESR-150, epristeride (UI), FCE-27837, fesoterodine (ULXXV), fiduxosin (UCXII), finasteride, finrozole (UCXLI), fluoxetine (UCXXXI), FK-143 (UCL), FR-119680 (UCLIII), FR-229934, gestonorone (UII-b), GI-198745, GYKI-16084 (UIX), GYKI-12743, izosteride, KMD-3213 (UCX), KCO-616, KRP-197 (ULXXXVIII), inaperisone (ULXXXV), indoramin, izonsteride, L-771688/SNAP-6383 (UCXIII), L-780945/SNAP-6991 (UCXVI), lapisteride, lanperisone, LY-320236, LY-353433, mepartricin, mepazosin, moxisylyte, naftopidil (UC), NC-1800 (ULXXXIX), NS-49 (UXCV), osanetant, osaterone (UII), oxendolone (UIV), oxybutynin, phentolamine (UVIII), PNU-157706 (UCLII), PNU-83757, PNU-156765, PNU-200577, prazosin, propantheline, prasterone (UCI), propiverine, resinferatoxin, RBX-2258, REC-15/3079, Ro-70-0004 (UCXVII), RS-100329 (UCXVIII), RWJ-38063 (UCXIV), RWJ-69736 (UCXV), SB-223412, saredutant (UXCVII), sildenafil (UXXXIV), SNA-4606-1, SNAP-6383, SNP-7915 (UCXIX), (S)-doxazosin (UCXI), (S)-oxybutynin (ULXXXVII), sibutramine (ULXXX), SPM-007, suplastat (ULXXXIV), T-1032 (UXXX), TA-1790, TAK-637, tadalafil/IC-351 (UXXXI), talnetant, tamsulosin (UIII), TF-505, temiverine (ULXXXVI), terazosin, terodiline, tolterodine (ULXXXII), turosteride, N-desmethyilsildenafil/UK-103320 (UCLXX), UK-122764 (UVII), UK-343664, UK-357903, vamicamide, vardenafil (UVI), yohimbine (UCXXXII) (UgVII), zaprinast, YM-905 (ULXXXI), YM-53705, YM-46303, WAY133537, WAY151616, ZD-0947, ZD-6169 (UCXVI), Z-350 (UCLI), ZM-244085, (UX), (UXI), (UXII), (UXIII), (UXIV), (UXV), (UXVI), (UXVII), (UXVIII), (UXIX), (UXX), (UXXI), (UXXIV), (UXXV), (UCLIV), (UCLV), (UCLVI), (UCLVII), (UCLVIII), (UCLIX), (UCLXX), (UCLXXI), (UCLXXII), (UCLXXIII), (UCLXXIV)







(UgIII)




(UgIV)




(UgV)




(UgVI)




(UgVII)












(UgVIII)




(UgIX)




(UgX)







(UX)




(UXI)




(UXII)




(UXIII)




(UXIV)




(UXXIII)




(UXXII)








(UXXIV)




(UXXX)




(UXXXI)







(ULXXXIV)




(ULXXXV)




(ULXXXVI)




(ULXXXVII)




(ULXXXVIII)




(ULXXXIX)




(UXCV)




(UXC)




(UXCVI)




(UXCVII)




(UC)




(UCI)




(UCII)




(UCX)




(UCXI)



(UCXII)




(UCXIII)




(UCXIV)


(UCXV)




(UCXVI)




(UCXVII)




(UCXVIII)




(UCXIX)




(UCXXX)




(UCXXXI)




(UCXXXII)




(UCXL)











(UCXLI)




(UCL)




(UCLI)







(UCLXX)




(UCLXXI)



(UCLXXII)



(UCLXXIII)




(UCLXXIV)


GROUP 8B:

ABT-839 (CNdXLI), AC-7700 (CNaXLIV), AZD-3409, 3-allylfarnesol (CNdXLVI), amifostine (CNeIII), anecortave (CNaXXVI), 4-aminothalidomide (CNaIL), aminoglutethimide, anastrozole, all-trans retinoic acid (CNbLXXII), 2-(2-amino-3-methoxyphenyl)chromone (CNaXXIV), apigenin (CNbXIX), atrasentan (CNcXIII), asulacrine, BAY 59-8862, BB-3644, BMS-214662 (CNdL), BMS-275291, BBR-2778 (CNdXXI), BBR-3438 (CNdXXIV), BBR-3464, BBR-3576, bicalutamide (CNvII), buserelin, butyric acid (CNvII), camptothecin (CNdII), 9-aminocamptothecin (CNdIII), carboxyamidotriazole (CNaXXII), capecitabine, chlorogenic acid (CNbL), chrysin (CNbXX), CP-461 (CndIb), CP-609754, CI-994, CI-1033 (CNcXII), CGP-77675, cilengitide (CNaXXIII), cipemastat, cladribine, combretastatin A4 (CNaLXI), combretastatin A4 phosphate (CNaLXIII), CT-2584, curcumin (CNbLIII), 5,6-dimethylxanthone-4-acetic acid (CNaLXV), flavinic derivatives (CNbgI), flavonolic and flavonic derivatives (CNbgX), isoflavonic derivatives (CNbgXI), indolinonic derivatives (CNagI), flavanolic and flavanonic derivatives (CNbgXII), flavanolic derivatives (CNbgXIII), anthocyanidine derivatives (CNbgXIV), thalidomide derivatives (CNagXL), 2-phthalimidoglutaric acid derivatives (CNagXLI), phthalimide derivatives (CNagXLII), glucose derivatives (CNdgXL), fructose derivatives (CNdgXLI), galactose derivatives (CNdgXLII), retinoid derivatives (CNbLXX), dextrazoxane (CNeI), 4-dedimethylamino-sancycline (CnaXX), diflomotecan (CNdVII), all-cis-5,8,11,14,17-eicosapentaenoic acid (CNbLXI), daidzein (CNbXXXII), docetaxel, doxorubicin (CNdXXII), D-1927, edatrexate, efornithine (CNbLXIX), ellagic acid, EO-9 (CNdLXXX), EM-12 (CNaXLV), E-7010, epicatechin (CNbXXVI), ellagic acid, epigallocatechin-3-gallate (CNbXXVII), epirubicin, BMS-247550, BMS-214662, BMS-275291, ERA-923, erbstatin (CNcIV), erlotinib, exemestane, exatecan (CNdVI), fadrozole, fenretinide (CNbLXXIV), flinrozole (CNbLXVII), flavin-adenine-8 α -hydroxy-riboflavin (CNbIII), flavine-adenine dinucleotide/FAD, flavone-8-acetic acid (CNaLXVII), flavopiridol (CNaXXV), floxuridine, 5-fluorouracil, formestane (CNbLXIII), 1-fructosamine, (CNdLXXVIII) 2-fructosamine (CNdLXXVI), fustin (CNbXXIV), fumagillol (CNaXLIV), fulvestrant, genistein (CNbXXI), gefitinib, gemcitabine (CNdXXX), 1-glucosamine (CNdLXXIII), glutathione (CNbgXXXV), 2-glucosamine (CNdLXXIV), 6-glucosamine (CNdLXXV), 2-galattosamine (CNdLXXVII), halofuginone (CNaLX), histamine (CNvI), 4-hydroxybutyroxymethyl-retinate (CNbLXXII), 5'-hydroxythalidomide (CNaXLIV), ILX-23-7553, IDN-5109, imatinib/STI-571 (CNcII), imiquimod, hyperin (CNbIL), human endostatin 6-49, indanocene (CNaVI), kaempferol (CNbXVI), kynurenic acid (CNbXXX), ketotretate, 3-indolemethanol (CNdLXV), irinotecan (CNdIV), irufolven, itriglumide/CR-2945 (CNbXC), leuporelin, letrozole (CNbLXVIII), losoxantrone (CNdXXIII), ledoxantrone, luteolin (CNbXVIII), lurtotecan, LY-294002 (CNcVI), L-778123 (CNdXL), marimastat (CNcI), megestrol, methotrexate, MEN-11066, mitoxantrone (CNdXX), midostaurin,


mivobulin, myricetin (CNbXVII), myo-inositol (CNbLX), N-(4-carboxyphenyl)-retinamide (CNbLXXI), N-hydroxymethyl-thalidomide (CNaXLVII), N-hydroxyphthalimide (CNaXLVIII), N-acetylcysteine, naringenin (CNbXXII), nelzabine, octreotide (CNaLXVII), oltipraz, oroxylin (CNbXXVIII), OSI-774, 2,2,5,7,8-pentamethyl-6-hydroxychromane (CNbXLIV), oxandrolone (CNfI), paclitaxel, phenylbutyrate, PD-089828, PD-153035, pemetrexed, perillyl alcohol (CNbLXXV), quercetin (CNbXV), R-115777 (CNdXLII), raltitrexed, razoxane, resveratrol (CNbLI), riboflavin (CNbII), riboflavin monophosphate (CNbIV), roquinimex, RPR-130401 (CNdXLV), 2-phthalimidino glutaric acid (CNaXLVI), piroxantrone, prinomastat (CNcIII), riboflavin tetrabutylate, riboflavin triacetate (CNbV), rubitecan (9-nitro-camptothecin) (CNdV), PTK-787 (CNaXXI), Sch-66336 (CNdXLIII), β -sitosterol (CNbLXII), seocalcitol (CNdXC), squalamine (CNbLXIV), semaxanib/SU-5416/semoxind (CNaII), SCH-57068, silybin (CNbXXXI), STI-481 (CNdX), SPIKET-P (CNcVII), SPC-8490, SCH-66336, SCH-57050, S-3304, SU-6668 (CNaIII), SU-5406, SU-5614, SU-5477, SU-5402 (CNaXI), SU-4793, SU-5204, SU-4942, SU-4984, SU-5212, SU-4312, sulfuretin (CNaXV), sulindac sulfone/exisulind (CNdI), tesmilifene, tamoxifene, toremifene, tanomastat (CNcVIII), TAS-103, taxifolin (CNbXXIII), teloxantrone, tezacitabine, theaflavin (CNbXXIV), thalidomide (CNaXLIII), thymitaq, tirilazad (CNbLXIX), α -tocopherol (CNbXL), trolox C (CNbXLI), 2 tocotrienoli (CNbXLII) e (CNbXLIII), topotecan (CNdXXV), triptorelin, trans ferulic acid (CNbLII), triapine, trimetrexate, troxacitabine, ubenimex, 7-hydroxystaurosporine/UCN-01 (CNcV), vorozole, vesnarinone, vitamin E acid succinate (CNbXLIV), VX-710, YM-511, wogonin (CNbXXIX), ZD-1839/Iressa (CNcIX), ZD-4190 (CNcXI), ZD-6126, ZD-9331, ZK-222584, (CNaIV), (CNaV), (CNaVII), (CNaXII), (CNaXIII), (CNaXIV), (CNaXVI), (CNaXLb), (CNagL), (CNaLXII), (CNbgXXXII), (CNdVIII), (CNdIX), (CNdXLIV) (CNdXLVII), (CNdXLVIII), (CNdXLIX), (CNbXXXV), (CNbXXXVI), (CNbXXXVII), (CNbXXXVIII), (CNbXXXIX), (CNbIII), (CNcX)




(CNagl)




(CNagXL)




(CNagIII)




(CNagL)




(CNagXLI)




(CNagXLII)




(CNagXLb)









(CNbgl)




(CNbgX)



(CNbgXI)







(CNaVII)

(CNaXI)


(CNaXII)




(CNaXIII)




(CNaXIV)




(CNaXV)




(CNaXVI)




(CNaXX)




(CNaXXI)




(CNaXXII)




(CNaXXIII)




(CNaXXIV)




(CNaXXV)




(CNaXXVI)



(CNaXLIII)



















(CNaXLIV)




(CNaXLV)









(CNbXXVII)




(CNbXXVIII)




(CNbXXIX)




(CNbXXX)




(CNbXXXI)




(CNbXXXII)




(CNbXXXV)




(CNbXXXVI)




(CNbXXXVII)




(CNbXXXVIII)




(CNbIL)




(CNbXXXIX)




(CNbXL)








(CNbXLI)





(CNbXLII)




(CNbXLIII)









(CNdI)




(CNdII)




(CNdIII)




(CNdIV)




(CNdV)




(CNdVI)




(CNdVII)




(CNdVIII)




(CNdIX)




(CNdX)




(CNdXX)




(CNdXXI)




(CNdXXII)




(CNdXXX)




(CNdXXV)




(CNdXXIII)




(CNdXXIV)




(CNdXL)




(CNdXLII)




(CNdXLI)




(CNdXLIV)




(CNdXLV)




(CNdXLVI)




(CNdXLVII)




(CNdXLVIII)




(CNdXLIX)




(CNdL)




(CNdLXXIII)




(CNdLXXIV)




(CNdLXXV)




(CNdLXXVI)




(CNdLXXVII)




(CNdLXXVIII)




(CNdLXXX)











(CNdXC)




(CNdI)




(CNdII)







(CNel)




(CNell)




(CNelll)




(CNvl)



(CNvll)



(CNvlll)



(CNvllv)

where:

- R_4 is

- COOH ; -F ; -Cl ; -Br ; -CF_3 ; -NO_2 ; -CHO ; -CN ; -N_3 ;
- R_2 ; $\text{-O-}R_2$; $\text{-O-(CO)-}R_2$; $\text{-N(R}_2\text{)}_2$; $\text{-N(R}_2\text{)}_2\text{-(CO)-}R_2$; $\text{-R}_1\text{-O-}R_2$;
- $R_1\text{-S-}R_2$; $\text{-R}_1\text{-NR}_2\text{-R}_2$; $\text{-O-R}_1\text{-O-}R_2$; $\text{-O-R}_1\text{-S-}R_2$; $\text{-O-R}_1\text{-NR}_2\text{-R}_2$;
- $\text{S-}R_2$; $\text{-S-R}_1\text{-O-}R_2$; $\text{-S-R}_1\text{-S-}R_2$; $\text{-S-R}_1\text{-NR}_2\text{-R}_2$; $\text{-NR}_2\text{-R}_2$;
- $\text{NR}_2\text{-R}_1\text{-O-}R_2$; $\text{-NR}_2\text{-R}_1\text{-S-}R_2$; $\text{-NR}_2\text{-R}_1\text{-NR}_2\text{-R}_2$; $\text{-(CO)-}R_2$;
- $\text{(CO)-O-}R_2$; $\text{-(CO)-R}_1\text{-O-}R_2$; $\text{-(CO)-R}_1\text{-S-}R_2$; $\text{-(CO)-R}_1\text{-NR}_2\text{-R}_2$;
- $\text{PO(O-)-O-}R_2$; $\text{-SO}_2\text{-R}_2$; $\text{-O-SO}_2\text{-R}_2$; $\text{-SO}_2\text{-O-}R_2$;






- R_1 , -R_2 , W and the dotted line are described as above

- W_2 is -O- , -NH- , -NH= , $\text{-N(R}_2\text{)-}$, -CH=CH- , -S- ; =CH-


- n is an integer between 1 and 5, preferably 1

- m is an integer between 0 and 5


8. Compounds according to claims 1-7 chosen among the following 8 groups of compounds

GROUP 1C:


7




(EVd)




(EVe)




(EVg)




(EVla)




(EVIIa)




(EVIIb)




(EXIa)




(EXXVIa)




(EXIIa)




(EXXXa)




(EXIIIa)




(EXXXb)




(EXIIIId)




(EXIIIe)




(EXIVa)




(EXIVb)




(EXIVc)




(EXXIVa)




(EXXIVb)




(EXXVa)




(EXVa)




(EXXIXa)




(EXXVIIIa)




(EXXXIVa)




(EXXXVb)




(EXXXVa)




(EXXXIVb)




(EXXXVIIa)




(EXXXVIIb)




(EXLVa)




(EXLVb)




(ELXa)




(ELXIIIa)




(ELXIa)




(ELXIb)




(ELXIIa)




(ELXIVa)



(ELXVa)




(ELXVc)




(ELXVIIa)

(ELXVIIb)




(ELXVIIc)

(ELXXXa)




(ECIa)




(ECIb)


(ECIc)




(Ele)




(Elf)




(Elg)




(ECId)



(ECII)




(ECLXIla)




(ECLXIb)


(ECVIa)




(ECVIIa)




(ECVIIb)




(ECVIIId)




(ECVIIIa)








(ECVIIIb)








(ECXIa)



(ECXIIIa)



GROUP 2C:





15



20



25



30



40




45




50




55




(SXVa)




(SXIIIa)




(SXIIIb)




(SXIVa)




(SXIIIc)




(SXIIId)




(SXXXa)



(SXXXb)




(SXXXc)




(SXXXd)

30

GROUP 3C:





(PIa)






(PIIa)




(PVa)




25 GROUP 4C:






(QIIIc)


GROUP 5C




(JIa)




(JIb)




(JIc)




(JIId)








(JIIa)














(JIIb)




(JIIc)











(JCXXXIVa)




(JCXXXVa)




(JCXXXVb)


GROUP 6C:




(RIa)




(RIVa)




(RIIIa)




(RVIIIa)




(RIXa)



(RXXVIIIb)




(RXXVIIIa)




(RXXVIIIc)

(RXXVIIIId)




(RXXVIIIe)




(RXa)

(RXLa)




(RXXXIa)

(RXLb)




(RXXXIIa)

(RXXXIIb)




(RXXXIIIa)

(RXXXIIIb)




(RXXXIIIc)

(RXXXIIId)




(RXXXIIIe)

(RXXXIIIf)




(RXXXIIIg)

(RXXXIIIh)




(RXXXIIIi)

(RXXXIIIj)




(RXXXIIIk)


(RXXXIIIId)




(RXXXIIb)




(RXLla)




(RXLlb)




(RXXXIVa)




(RLa)




(RLXa)




(RLXb)




(RLXVa)




(RLXIa)




(RLXII)




(RLXIb)




(RLXXIa)




(RLXXXIa)




(RXCa)




(RXIIa)




(RCa),




(RXXIIa)



(RXCIVa)




(RXCIIa)




(RXCIVa)


GROUP 7C:




(UIa)




(UIVa)




(UIb)




(UIIc)




(UIc)




(UIId)




(UIIIa)




(UIIIb)




(UVa)




(UVIa)




(UVIIa)




(UVIIIa)




(UIIa)




(UVIIIb)




(UIXa)




(UXa)




(UXb)




(UXVa)




(UXVIa)








(UXVIIa)




(UXVIIIa)




(UXIXa)






(UXLa)




(UXLIa)

(UXLIb)




(ULXXa)

(ULXXVa)









(ULXXXa)

(ULXXXIa)




(ULXXXIIa)







(UCc)




(ULXXXVa)




(UCXIa)




(UCXXXIa)




(UCXXXIIa)



(UCLVIIa)




(UCLVIIIa)




(UCLXXa)


GROUP 8C:




(CNaIIla)




(CNaIIIf)



(CNaIIlb)




(CNaIIlc)




(CNaIIId)

(CNaIIe)




(CNaVa)

(CNaVb)




(CNaVIa)


(CNaVIId)



(CnaXXa)




(CnaXXIa)




(CnaXXIIa)


(CNaXXIVa)




(CNaXXVb)




(CNaXXVIa)




(CNaXXVIb)




(CNaXXVIb)




(CNaXLVIIa)




(CNaXLVIIb)




(CNaXLVIIc)




(CNaXLVIIe)




(CNaXLVIa)




(CNaXLVIIIa)




(CNaILa)




(CNaXLVIb)




(CNaLXa)




(CNaLXIa)




(CNaLXIc)




(CNaLXIVa)




(CNaLXVIIa)




(CNbIa)



(CNbIb)




(CNbld)



(CNble)

(CNbIf)




(CNbld)


(CNble)

(CNbIf)


(CNbIg)




(CNbXVa)




(CNbXVb)




(CNbXVe)




(CNbXVc)




(CNbXVd)




(CNbXVIa)




(CNbXIXa)




(CNbXXIa)



(CNbXXIVa)




(CNbXXVIa)




(CNbXIVa)


(CNbLIa)



(CNbXLa)




(CNbXLb)




(CNbLIIla)

(CNbLXIIa)




(CNbLIIlc)




(CNbLXIXa)

(CNbLXIXb)




(CNbLXIXc)

(CNbLXIXf)




(CNbLXIXa)


(CNbLXVa)




(CNbLXXIIa)




(CNbLXXIa)




(CNbLXXIc)




(CNbLXXId)




(CNbLXXIVa)




(CNbLXVa)




(CNbLXVb)




(CNbLXVIIa)







(CNbLXVIIIa)








(CNbXCb)




(CnbXCc)









(CndIVc)




(CNdXXa)




(CNdXXXa)



(CNdXXIIa)




(CNdXLla)




(CNdXLIIa)

(CNdXVa)



(CNdXLVIa)


(CNdLXXXa)



(CNelIa)

(CNella)


(CNvIa)




(CNfla)

(CNvIIa)


9. Compounds according to claim 8 chosen among the following 6 groups of compounds
-GROUP (Cal, Call)




(Ela)




(EVa)




(Elc)




(EVb)




(ECVIIa)




(ECVIIIa)



(ECXCa)




(ECVIIb)




(ECVIa)


(ECXCla)




(ECXVIIIa)




(EXXXVa)




(EXLVa)




(SVIIc)




(SXXXb)




(SVIc)




(SIVc)




(SIIIc)




(PIa)




(PVb)




(QIIIb)




(JIIc)




(JIIa)




(JCXXXVb)




(RXCa)




(RXIIa)




(RCa),




(RXXIIa)



(RXCIVa)




(RXXVIIIa)




(Ulc)

(ECLXIb)




(UCc)


(ULXXXIVb)




(CNbXLa)




(CNbla)



(CNaXLVIb)




(CNaXXVib)




(CNaVb)

GROUP (All):




(EVg)


. HNO₃



(EXXXa)




(ELXib)




(EXIIla)


. HNO₃




(ELXa)








(SXIIlb)








(SVIIa)



(JXCIIb)





(CNcIIa)

GROUP (CaIII, CaIV):



(EVd)



(ECLXIIa)








(JXCIIa)




45




55




GROUP (CaV, CaVI):







(ECVIIIb)




(ECVIId)




(JCa)




(RXCIIa)




(Uld)




(UCLVIIa)



(UCLVIIIa)




(CNdIc)




(CNaIIle)


GROUP (CaVII, CaVIII):




(CndIVb)




(CNbLXIXf)




(CNaIIIf)




(CNaXLVIIe)




(CNaXLVIb)

GROUP (CaXIII, CaXIV):

(Eli)



(EVc)



(EXIIIe)

10. Process to synthesize paranitroxymethylbenzoyl derivatives (-Y₃) in which compounds with at least one alcoholic or aminic or thiolic group react in two steps initially with p-chloromethyl-benzoyl chloride or p-bromomethylbenzoyl chloride and then with silver nitrate, or in a single step with previously synthesized paranitroxymethylbenzoic acid through a dehydrating agent.
11. Pharmaceutical composition containing a therapeutic effective quantity of a compound according to claims 1-9 mixed with excipients for pharmaceutical use.
12. Use of the compounds or compositions according to claim 11 for the preparation of medicaments for prevention and treatment of diseases for which a chronic, controlled and selective administration of nitric oxide is useful.
13. Use of the compounds or compositions according to claim 12 for the preparation of medicaments for prevention and treatment of inflammatory, ischemic, degenerative and proliferative diseases of musculoskeletal system (e.g. rheumatoid arthritis, osteoarthritis, lupus, osteoporosis, Paget disease), of tegumental system (e.g. ulcers, aphtha, psoriasis, dermatitis, skin tumors) of respiratory system (e.g. asthma, chronic obstructive pulmonary disease, allergy, emphysema, bronchitis, ARDS, rhinitis, cystic fibrosis, lung tumors), of gastrointestinal system (e.g. peptic ulcer, duodenal ulcer, ulcerative colitis, Crohn disease, hepatic cirrhosis, pancreatitis, esophagitis, gastritis, colon familial polyposis, colon-rectum tumors, liver tumors, oesophagus tumors, pancreas tumors, stomach tumors), of genital system (e.g. benign prostatic hypertrophy, prostatitis, sexual disorders, prostate tumors, breast tumors, uterus tumors, ovary tumors), of urinary system (urinary incontinence, bladder tumors) and of central nervous system (e.g. multiple sclerosis, Alzheimer disease, brain tumours).



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number

which under Rule 45 of the European Patent Convention shall be considered, for the purposes of subsequent proceedings, as the European search report

EP 02 42 5075

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	WO 97 40836 A (SEARLE & CO ;TJOENG FOE S (US); CURRIE MARK G (US); ZUPEC MARK E () 6 November 1997 (1997-11-06) * claim 1 *	11	C07C205/00 A61K31/00
X	WO 97 21724 A (SEARLE & CO ;TJOENG FOE S (US); CURRIE MARK G (US); ZUPEC MARK E () 19 June 1997 (1997-06-19) * claims 1,2 *	1-13	
X	WO 97 21721 A (SEARLE & CO ;TJOENG FOE S (US); CURRIE MARK G (US); ZUPEC MARK E () 19 June 1997 (1997-06-19) * claims 1,2 *	1-13	
X	EP 0 984 012 A (PFIZER PROD INC) 8 March 2000 (2000-03-08) * claim 1 * * table 1 * * paragraph '0041! * --- -/--	1-13	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			C07C A61K C07D
INCOMPLETE SEARCH			
<p>The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims.</p> <p>Claims searched completely :</p> <p>Claims searched incompletely :</p> <p>Claims not searched :</p> <p>Reason for the limitation of the search:</p> <p>see sheet C</p>			
Place of search		Date of completion of the search	Examiner
MUNICH		19 August 2002	Goetz, G
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03 02 (P04C07)



European Patent
Office

INCOMPLETE SEARCH
SHEET C

Application Number
EP 02 42 5075

Claim(s) searched incompletely:
1-13

Reason for the limitation of the search:

Present claims 1 to 13 relate to an extremely large number of possible compounds. In fact, the claims contain so many options, variables and possible permutations that a lack of clarity (and conciseness) within the meaning of Article 84 EPC arises to such an extent as to render a meaningful search of the claims impossible.

Furthermore only those compounds are recited in the examples where X has the meaning of a nitrate ester (O-NO₂). Only these compounds are regarded to be supported by the description within the meaning of Article 84 EPC whereas most part of the claims represent unsupported hypothetical subject matter.

Consequently, the search has been carried out for those parts of the application which do appear to be clear (and concise), namely the compounds recited in the examples



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number
EP 02 42 5075

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	US 5 985 862 A (CURRIE MARK G ET AL) 16 November 1999 (1999-11-16) * claims 1,5 * * examples 1-22 *	1-13	
X	WO 98 42661 A (YISSUM RES DEV CO ;HAJ YEHIA ABDULLAH (IL)) 1 October 1998 (1998-10-01) * claim 4 *	1-13	
X	WO 00 72838 A (ASTRAZENECA AB ;EEK ARNE (SE); RAUD JOHAN (SE)) 7 December 2000 (2000-12-07) * claims 3,4,6,7 *	1-13	
X	US 2001/012851 A1 (LUNDY ET AL.) 9 August 2001 (2001-08-09) * table 1 *	113	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
E	WO 02 30866 A (NICOX SA ;ANTOGNAZZA PATRIZIA (IT); DEL SOLDATO PIERO (IT); BENEDI) 18 April 2002 (2002-04-18) * claim 1 * * examples 1-20 *	1-13	
E	WO 02 30867 A (NICOX SA ;DEL SOLDATO PIERO (IT)) 18 April 2002 (2002-04-18) * claim 1 * * examples 1-6 *	1-13	

	--- -/--		

EPO FORM 1503 03.82 (P04C10)

Application Number

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	TALLET, DOMINIQUE ET AL: "NO-Steroids: Potent Anti-inflammatory Drugs with Bronchodilating Activity in Vitro" BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS, vol. 290, no. 1, 11 January 2002 (2002-01-11), pages 125-130, XP002210203 * figure 1 * * page 129, column 1, line 1-3 *	1-13	
X	TASHIMA K ET AL: "Lack of gastric toxicity of nitric oxide-releasing aspirin, NCX-4016, in the stomach of diabetic rats" LIFE SCIENCES, PERGAMON PRESS, OXFORD, GB, vol. 67, no. 13, 18 August 2000 (2000-08-18), pages 1639-1652, XP002190196 ISSN: 0024-3205 * ABSTRACT *	1-13	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
X	ENDRES S ET AL: "NO-DONORS, PART 3: NITROOXYACYLATED THIOSALICYLATES AND SALICYLATES - SYNTHESIS AND BIOLOGICAL ACTIVITIES" EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY, EDITIONS SCIENTIFIQUE ELSEVIER, PARIS, FR, vol. 11, no. 34, 1999, pages 895-901, XP001097627 ISSN: 0223-5234 * figures 1-4 *	1-13	

PARTIAL EUROPEAN SEARCH REPORT

Application Number

EP 02 42 5075

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	KAWASHIMA ET AL.: "Structure-Activity Study of Antihypertensive 1,4-Dihydropyridine Derivatives ..." CHEM. PHARM. BULL., vol. 41, no. 6, 1993, pages 1060-1065, XP001093851 * table 1 *	1-13	
X	OGAWA ET AL.: "Synthesis and Antihypertensive Activities of New 1,4-Dihydropyridine Derivatives ..." CHEM. PHARM. BULL., vol. 41, no. 6, 1993, pages 1049-1054, XP001093850 * tables I,II,III *	1-13	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
X	KAWASHIMA ET AL.: "Synthesis and Pharmacological Evaluation of (Nitrooxy)alkyl Apovincaminates" J. MED. CHEM., vol. 36, 1993, pages 815-819, XP002210204 * table 1 *	1-13	
X	CIRINO ET AL.: "Inhibition of inducible nitric oxide synthase expression ..." BRIT. J. PHARMACOL., vol. 117, 1996, pages 1421-1426, XP002210205 * figure 1 * * table 1 * * abstract *	1-13	

PARTIAL EUROPEAN SEARCH REPORT

Application Number

EP 02 42 5075

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	KEEBLE ET AL.: "Vasorelaxant effect of nitric oxide releasing steroidal and nonsteroidal anti-inflammatory drugs" BRIT. J. PHARMACOL., vol. 133, 2001, pages 1023-1028, XP002210206 * abstract *	1-13	
X	LEHMANN ET AL.: "synthesis and Biological Activities of 4-Nitrooxymethylphenyl-1,4-dihydropyridine s" ARCH. PHARM. PHARM. MED. CHEM., vol. 330, no. 8, - 1997 pages 247-252, XP002210207 * table 1 * * scheme 5 * * compounds 1, 2, 3 *	1-13	TECHNICAL FIELDS SEARCHED (Int.Cl.7)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 42 5075

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

19-08-2002

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9740836	A	06-11-1997	US 5985862 A	16-11-1999
			AU 2732597 A	19-11-1997
			CA 2252876 A1	06-11-1997
			EP 0912185 A1	06-05-1999
			JP 2000509388 T	25-07-2000
			WO 9740836 A1	06-11-1997
WO 9721724	A	19-06-1997	US 5792758 A	11-08-1998
			AT 195528 T	15-09-2000
			AU 1277397 A	03-07-1997
			CA 2239964 A1	19-06-1997
			DE 69609864 D1	21-09-2000
			DE 69609864 T2	04-01-2001
			DK 869965 T3	16-10-2000
			EP 0869965 A1	14-10-1998
			ES 2150705 T3	01-12-2000
			GR 3034575 T3	31-01-2001
			JP 2000501733 T	15-02-2000
			PT 869965 T	31-01-2001
			WO 9721724 A1	19-06-1997
WO 9721721	A	19-06-1997	US 5707984 A	13-01-1998
			AT 195128 T	15-08-2000
			AU 1277297 A	03-07-1997
			CA 2239910 A1	19-06-1997
			DE 69609632 D1	07-09-2000
			DE 69609632 T2	09-11-2000
			DK 873351 T3	23-10-2000
			EP 0873351 A1	28-10-1998
			ES 2150152 T3	16-11-2000
			GR 3034337 T3	29-12-2000
			JP 2000501732 T	15-02-2000
			PT 873351 T	31-01-2001
			WO 9721721 A1	19-06-1997
EP 0984012	A	08-03-2000	BR 9903967 A	26-09-2000
			EP 0984012 A2	08-03-2000
			JP 2000086629 A	28-03-2000
US 5985862	A	16-11-1999	AU 2732597 A	19-11-1997
			CA 2252876 A1	06-11-1997
			EP 0912185 A1	06-05-1999
			JP 2000509388 T	25-07-2000
			WO 9740836 A1	06-11-1997
WO 9842661	A	01-10-1998	AU 742534 B2	03-01-2002

EPO FORM P499h

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 02 42 5075

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

19-08-2002

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9842661 A		AU 6516098 A	20-10-1998
		EP 0984928 A1	15-03-2000
		WO 9842661 A1	01-10-1998
		JP 2001520670 T	30-10-2001
		US 6369071 B1	09-04-2002
WO 0072838 A	07-12-2000	AU 5262300 A	18-12-2000
		BR 0011116 A	19-02-2002
		CN 1354658 T	19-06-2002
		CZ 20014289 A3	15-05-2002
		EP 1196155 A1	17-04-2002
		NO 20015855 A	30-01-2002
		WO 0072838 A1	07-12-2000
		TR 200103474 T2	22-04-2002
US 2001012851 A1	09-08-2001	NONE	
WO 0230866 A	18-04-2002	IT MI20002202 A1	12-04-2002
		WO 0230866 A1	18-04-2002
WO 0230867 A	18-04-2002	IT MI20002201 A1	12-04-2002
		WO 0230867 A2	18-04-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)